





PHARM
LOND















Collegium Regale Medicorum LONDINENSIMUM.






PHARMACY
LONDON
AND
MEDICAL



PHARMACOPOEIA
LONDINENSIS

UNA CUM
MEADIANA.



АЛЕОРО

СІСІН

М

АИА

Res. III
Reb 11083

11083

PHARMACOPOEIA M E A D I A N A

CELEBERRIMI AUCTORIS

MONITIS ET PRÆCEPTIS

M E D I C I S

ADAPTATA,

ÉCOLE
DE
PHARMACIE
DE
PARIS



FRANCOFURTI, 1761.

Apud Hæredes B. Stockii, Schilling & Weber,

Collection of 8 Sept 1884

PHARMACOPOLIA

THE A. D. A. A.

PHARMACOPOLIA

PHARMACOPOLIA

PHARMACOPOLIA



PHARMACOPOLIA

PHARMACOPOLIA



PRÆFATIO.



Ad morbos rite cognoscendos, eorumque curam dextre adornandam perutile semper medicinæ cultoribus fuit, proponere sibi virum in arte sua excellentem, cuius & ductum & exemplum sequerentur, cuiusque praxin sedulo observantes theoriam experientia confir-

marent. Hunc ipsum usum respexit intenditque celebris harumce plagularum Auctor, dum per plures annos effectus diversorum medicaminum, quæ hic congesta sunt, adnotavit; quæ quidem methodus optimum ipsi criterium præstantiæ eorum dijudicandæ præbuit.

Multæ formulæ iuxta vetus collegii dispensatorium concinnatæ sunt, & una cum ceteris e genuino auctoris Autographo transcriptæ, quarum efficacia cum non minus probata sit, retentæ, exacteque ad manuscriptum expressæ sunt.

Non est, quod auctoritas harum præscriptionum probetur, cum nemo, qui originalia huiusce generis dignoscere novit, de

de iis unquam sit dubitaturus;
ceteri vero, quibus id emolu-
menti non contigit, ipsa per-
spectione, debitaque compara-
tione instituenda satis sibi facere
queant.



CON.

CONTENTA.

FEBRES.

FEBRES CONTINUÆ. Pag. 1.

Febres cum exanthematibus coniunctæ.

Febris miliaris, petechialis & erysipelas. p. 3.

Febres singulares.

Pleuritis. p. 4.

Febres intermittentes & publice grassantes. p. 7.

Febres lentæ & hæctica. p. 8.

Morbi Capitis.

Apoplexia. p. 10.

Paralysis. p. 11.

Chorea Sancti Viti. p. 12.

Epilepsia, Vertigo & Tetanus. p. 12.

Insania. p. 14.

Angina. p. 14.

Morbi Pectoris.

Asthma. p. 15.

Morbi Cordis. p. 15.

Morbi Ventriculi & Intestinorum.

Hæmorrhoides. p. 18.

Diarrhœa. p. 19.

Dysenteria. p. 20.

Æleus. p. 21.

Lumbrici. p. 21.

Hydrops. p. 22.

Morbi

Morbi Fecineris.

Icterus. p. 23.

Diabetes. p. 23.

Morbi Renum & Vesicae. p. 23.

Morbi Oculorum. p. 25.

Dolores Articulorum. p. 29.

Podagra. p. 26.

Morbi Cutis.

Lepra & Scabies. p. 30.

Struma. p. 31.

Scorbutus. p. 31.

Malum Hypochondriacum. p. 33.

Affectus Animi vid. Insania.

Morbi mulierum.

Menstruorum Suppressio. p. 33.

Immodicus mensium fluxus. p. 34.

Fluor albus. p. 34.

Morbus hystericus. p. 36.

Partus difficilis. p. 36.

Morbi venerei. p. 36.



E R R A T A

IN PHARMACOPOEIA MEADIANA

- Pag. 2. in Recipe: Julepum de Croco pro $\mathfrak{z}\text{ij}$.
 post Conf Alchemi lege $\mathfrak{z}\text{ij}$.
 - - - - Julep. perlat. nephrit. pro $\mathfrak{z}\text{ij}$.
 post ppt. lege $\mathfrak{z}\text{j}$.
 - 5. - - Confectio pectoralis pro & le-
 ge ut.
 - 6. pro Linamentum lege Liniammentum.
 - 7. Linea 4. pro Cayoph. lege Caryoph.
 - 10. Linea 1. pro Antihectus lege Anti-
 hecticus.
 - 14. in Recipe: Gargarismat. emollient. lege
 post de Moris $\mathfrak{z}\text{j}$.
 - 15. - - Linctus expectorans lege post
 Veneris ãã . $\mathfrak{z}\text{j}$.
 - - - - Mixtura expectorans lege post
 Hord. ãã . $\mathfrak{z}\text{j}$.
 - 16. - - Guttulæ Carminativæ pro seu
 lege Sem.
 - 17. - - Electarium stomachicum deli-
 neatur cum post Quantitat.
 - 20. - - Mixtura restringens per Dije-
 ctiones lege Dejectiones.
 - - - - Bolus specific. pro $\mathfrak{z}\text{ij}$. lege $\mathfrak{z}\text{j}$.
 - 29. - - Mixtura stomachica pro $\mathfrak{z}\text{iv}$.
 lege $\mathfrak{z}\text{iv}$.
 - 32. Lin. 7. pro Æthiopium lege Æthiopicum
 - 34. Lin. 6. pro $\mathfrak{z}\text{ss}$. lege $\mathfrak{z}\text{ss}$.

Febres

Febres.

Febres continuæ.

HAUSTUS BEZOARDICI.

1.

Rx. Aqua ceras. Nigr. \mathfrak{z} jss. Aq. Pæon. comp. \mathfrak{z} ss.
Pulv. è chel. C. comp. \mathfrak{z} j. Syr. Croci q. s.
m. f. Haustus.

2.

Rx. Aq. ceras. Nigr. \mathfrak{z} j. Aq. Pæon. comp. cinnam.
ten. $\mathfrak{a}\mathfrak{a}$. \mathfrak{z} ss. Pulv. è chel. cancr. C. \mathfrak{z} ss.
Confect. Raleigh. \mathfrak{z} j. Syr. è Succ. Cherm. \mathfrak{z} ij.
m. f. Haustus.

BOLUS CEPHALICUS.

Rx. Pulv. è Chel. Cancr. C. \mathfrak{z} j. Castor. Russ. Rad.
Serp. Virg. Spec. Diamb. $\mathfrak{a}\mathfrak{a}$. gr. vj. Conf.
Alcherm. q. s. m. f. Bolus octava quaque
hora sumendus.

BOLUS STOMACHICUS.

Rx. Spec. Diamb. \mathfrak{z} ss. Croc. Castor. Russ. pulv.
 $\mathfrak{a}\mathfrak{a}$. gr. v. Confect. Alcherm. q. s. m. f. Bo-
lus, octava quaque hora sumend.

EMPLASTRUM CEPHALICUM.

Rx. Empl. Cephalic. cum duplici Quantitate Eu-
phorbii parati, \mathfrak{z} ss. Galbani colati, \mathfrak{z} j. m.
f. Emplastra totos Pedes obvolvenda.

EMPLASTRUM AD DOLOREM CAPITIS.

Rx. Empl. Epispastic. Picis Burgund. $\mathfrak{a}\mathfrak{a}$. Partes
 \mathfrak{x} quales m. f. Emplastrum occipiti raso ap-
plicandum, ad magnitudinem Palmæ Manus.

JULEPUM RESTRINGENS.

Rx. Aq. Lactis Alex. ℥vj. cinnam. ten. ℥iv. Pæon. comp. ℥ij. Syr. Cydon. q. f. m. f. Julepum.

JULEPUM ALBUM.

Rx. Julep. Cretac. Batean, ℥v. Aq. Cinnam. ten. ℥ij. m. f. Julepum.

JULEPUM CARDIACUM.

Rx. Aq. Lactis Alexit. ℥vj. Ceras. Nigr. Pæon. comp. āā. ℥ij. Conf. Alcherm. q. f. m. f. Julepum.

JULEPUM CEPHALICUM.

Rx. Aq. Lactis Alexit. Ceras. Nigr. āā. ℥iiij. Pæon. comp. ℥ij. Spir. Lavend. comp. Tinct. Castor. Russ. āā. ℥iiij. m. f. Julepum.

JULEPUM STOMACHICUM.

Rx. Aq. Lactis Alex. Ceras. Nigr. āā. ℥iiij. Absinth. mag. comp. ℥ij. Syr. è Cort. Aurant. ℥ss. m. f. Julepum.

JULEPUM DE CROCO.

Rx. Aq. Ceras. Nigr. ℥vj. Tinct. Croci, Aq. Pæon. comp. āā. ℥ij. Conf. Alcherm. ℥ij. Sacch. alb. q. f. m. f. Julepum.

JULEPUM PERLATUM.

Rx. Aq. Lactis Alex. Ceras. Nigr. āā. ℥iiij. Epid. Pæon. comp. āā. ℥j. Margarit. ppt. ℥j. Sacch. alb. q. f. m. f. Julepum.

JULEPUM PERLATUM NEPHRITICUM.

Rx. Aq. Lactis Alex. Nephrit. āā. ℥iv. Marg. ppt. ℥j. Spir. Nitr. dulc. ℥ss. Sacch. alb. q. f. m. f. Julepum.

Febres

Febres cum exanthematibus conjunctæ.

Febris miliaris, petechialis & erysipelas.

BOLUS CARDIACUS.

Rx. Pulv. è Chel. Cancr. comp. ℥j. Margarit. ppt.
 ℥ss. Conf. Alchem. q. s. m. f. Bolus.

PULVIS CARDIACUS.

Rx. Pulv. è Chel. Cancr. comp. ℥j. Margar. ppt.
 ℥ss. m. f. Pulvis h. s. & mane sumend. cum
 Coch. iv. Julepi Perlat.

ELECTARIUM CARDIACUM RESTRING.

Rx. Conf. fracaft. s. m. ℥j. Lapid. Contrayerv.
 Chel. Cancr. ppt. āā. ℥jss. Syr. Caryoph. q. s.
 m. f. Electarium sumat Quantitatem Nucis
 Moschatæ, omni Nocte Hora Somni, cum
 Coch. iv. Julepi Cardiaci.

APOZEMA CARDIACUM.

Rx. Decoct. alb. ℔ij. Aqua Cinnam. fort. ℥ij.
 Sacchar. albissim. q. s. m. f. Apozema.

APOZEMA PECTORALE.

Rx. Decoct. Pectoral. ℔ij.

ENEMA EMOLLIENS.

Rx. Decoct. commun. ℔ss. Syr. Violar. Ol. Linī,
 āā. ℥ij. m. f. Enema.

HAUSTUS PAREGORICI.

Rx. Aq. Ceraf. Nigr. Laëtis Alex. āā. ℥vj. Syr. de
 Mecon. ℥j. m. f. Haustus sumat Nocte.

- ℞. Aqu. Ceras. Nigr. ℥jss. Aq. Pæon. comp. ℥ss. Laud. Liquid. gutt. xv. Syr. de Mecon. ℥ijj. Sp. Lavend. comp. Sp. Sal. Volat. Oleos. āā. gutt. x. m. f. Haustus.

HAUSTUS CATHARTICI.

I.

- ℞. Infus. Senæ, ℥ij. Mannæ opt. ℥vj. Syr. Ros. Solut. ℥ss. m. f. Potio mane sumenda debito Regimine.

2.

- ℞. Infus. Senæ, ℥ijss. Syr. è Spin. Cerv. Ros. Solut. āā. ℥ss. Sp. Lavend. comp. ℥ss. m. f. Haustus primo mane sumendus.

*Febres singulares,**Pleuritis.*

BOLUS BALSAMICUS.

- ℞. Sperm. Ceti, Spec. Diatragacanth. frigid. āā. gr. xij. Mithrid. ℥ss. Syr. Balsamic. q. s. m. f. Bolus sexta vel octava quaque Hora sumendus.

BOLI CORDIALES BALSAMICI.

I.

- ℞. Pulv. è Chel. Cancr. comp. Sperm. Ceti, āā. ℥ss. Croc. Castor. Russ. pulv. āā. gr. ij. Syr. Caryoph. q. s. m. f. Haustus sexta vel octava quoque Hora sumendus.

2. ℞.

2.

- ℞. Lapid. Contrayerv. Sperm. Ceti, āā. gr. xv.
Crocī pulv. gr. v. Syr. Caryoph. q. s. m. f.
Bolus.

3.

- ℞ Sperm. Ceti, Pulv. è Chel. Cancr. comp. āā.
፬j. Bals. Gileadens. ፬ss. Syr. Bals. q. s. m. f.
Bolus.

CONFECTIO PECTORALIS.

- ℞. Conf. Rosar. Rubr. ʒj. Spec. Diatragacanth.
frigid. Terr. Japon. pulv. āā. ʒj. Syr. Bals.
q. s. m. f. Confectio, sumat Coch. ij. Theæ
sæpè & urgeat Tussis.

EMPLASTRUM DISCUTIENS.

- ℞. Empl. Diachyl. cum Gummis Stict. Paracels.
āā. Partes æquales, m. f. Emplastrum Tho-
raci applicandum.

ENEMA CARMINATIVUM.

- ℞. Decoct. commun. ʒx. Syr. Violar. Mell. Mer-
cur. āā. ʒjss. Elect. è Bacc. Lauri ʒss. Sal.
commun. ʒiij. m. f. Enema.

GUTTULÆ VOLATILES.

- ℞. Sp. Corn. Cerv. per se, ʒj. capiat gutt. xx.
frequenter ex haustu Seri Lactis Vinosi.

HAUSTUS OLEOSI.

I.

- ℞. Ol. Lini S. J. extract. ʒj. Tinct. Croci ʒij.
Aq. Puleg. ʒvj. m. f. Haustus quinta vel sex-
ta quaque Hora sumendus.

P H A R M A C O P O E I A

2.

- Rx. Ol. Amygd. dulc. Ol. Lini recent. āā. ℥ss.
Syr. de Mecon, ℥ss. Sp. C. Cerv. gutt. xx. m.
f. Haustus.

3.

- Rx. Ol. Amygd. dulc. ℥j. Aq. Cinnam. ten. ℥vj.
Syr. Cap. Vener. ℥ss. Sp. Sulph. gutt. x. m. f.
Haustus.

HAUSTUS VOLATILIS.

- Rx. Sperm. Ceti solut ℥ss. Sal. Vol. C. C. ℥ss.
Aq. Alex. simp. ℥ij. Aq. Pæon. comp. ℥iij.
Syr. Balsam. ℥j. m. f. Haustus sexta quaque
Hora sumendus.

LINAMENTUM PLEURITICUM.

- Rx. Ung. de Althæa, Ol. Palmæ, āā, ℥j. Ol.
Macis per Express. ℥ij. Sp. Sal. Ammon. ℥j.
m. f. Linamentum Partes affectas illinandum.

LINCT. INCRASSANTES.

1.

- Rx. Conf. Rosar. Rubr. ℥jss. Spec. Diatragacanth.
frigid. ℥iij. Syr. Cap. Ven. q. f. m. f. Lin-
ctus sumat Cochlearium mediocre sæpe ur-
gente Tussi.

2.

- Rx. Ol. Amygd. dulc. Syr. Capill. Ven. āā. ℥ij.
Sacch. cand. alb. ℥ss. m. f. Linctus sumat
Cochl. i. ampl. quarta quaque Hora.

LINCTUS PECTORALIS.

- Rx. Syr. Cap. Ven. Ol. Amygd. dulc. āā. ℥ij. Sacch.
alb. ℥j. Spir. Sulph. gutt. x. m. f. Linctus.

Febres

Febres intermittentes & publice grassantes.

HAUSTUS ANTIFEBRIFICUS.

℞. Cort. Peruv. opt. pulv. ℥ij. Aq. Ceras. Nigr. ℥j. Aq. Pæon. comp. ℥ss. Syr. Cayioph. q. s. m. f. Haustus tertia vel quarta quaque Hora sumendus.

HAUSTUS STOMACHICUS AMARUS

℞. Infus. Amar. simpl. ℥jss. Aq. Absinth. mag. comp. ℥ss. Spir. Lavend. comp. ℥ss. m. f. Haustus mane ac vesperti sumendus.

HAUSTUS SALINUS.

℞. Sal. Absinth. ℥ss. Succ. Limon. Aq. Cinnam. ren. āā. ℥j. Syr. è Cort. Aurant. ℥ij. m. f. Haustus quarta quaque Hora sumendus.

PULVIS FEBRIFUGUS.

℞. Pulv. Cort. Peruv. opt. ℥j. Serpent. Virg. ℥j. m. f. Pulvis divid. in Dos. xij. sumat unam quarta quaque Hora, absente Paroxysmo, cum. Vin. rubr.

TINCTURA ANTIFEBRICA.

℞. Cort. Peruv. opt. pulv. ℥j. Cort. Aurant. Sal. Tart. āā. ℥j. coque in Aquæ Fontan. q. s. ad colatur. ℥j. adde Aq. Absinth. mag. comp. Aq. Pæon. comp. āā. ℥ij. m. f. Tinct. sumat Coch. iv. vel vj. quarta quaque Hora, absente Febre.

TINCTURA AMARA FEBRIFUGA.

℞. Cort. Peruv. ℥ss. Cort. Aurant. Sem. Cardamom.

mom. min. Rad. Zedoar. āā. ℥j. Sal. Absinth. ℥ss. infunde in Aquæ bullientis ℥xij. colaturæ adde Aq. Absinth. mag. comp. ℥iv. m. f. Tinct. sumat Cochl. iv. Hora ante prandium & Hora quinta Pomeridiana.

ELIXIR ACIDUM.

Rx. Tinct. Spec. Diamb. Elixir. Vitriol Mynsicht. āā ℥ss. m. sumat Cochlearium minimum Hora undecima Matutina & quinta Pomeridiana ex Cyatho Aquæ Bristolienf. tepefact.

Febres lenta, sive hectica.

ELECTARIUM ALTERANS.

Rx. Conf. Rosar. Rubr. ℥j. Spec Diatragacanth. frigid. Chel. Cancr. ppt. āā. ℥j. Syr. Capill. Veneris q. s. m. f. Electarium sumat quantitatem Nucis Moschatae omni Mane cum Laetis Asinini ℥ss.

ELECTARIUM LUJULATUM.

Rx. Conf. Lujulæ, ℥jss. Chel. & Ocul. Cancror. ppt. āā. ℥ij. Syr. de Althæa q. s. m. f. Electarium sumat Quantitatem Nucis Moschatae bis in Die superbibendo Haustum Vini albi Aq. Bristolienf. commisti.

ELECTARIA CORROBORANTIA.

Rx. Conf. Fruct. Cynosbat. Rosar. Rubr. āā. ℥vj. Spec. Diatragacanth. frig ℥iij. Gum. Guaiac. & Terr. Japonic. pulv. āā. ℥j. Syr. è Rosis Sicc.

Sicc. q. f. m. f. Electarium sumat Quantitatem Nucis Moschatæ bis in Die.

2.

℞. Conf. Rad. Symphyt. Ros. Rubr. āā. ℥j. Gum. Tragacanth. Ter. Japonic. pulv. Coral. Rubr. ppt. āā. ℥ij Syr. de Symphyt. q. f. m. f. Electarium sumat Quantitatem Nucis Moschatæ mane ac vesperi cum Aqua Bristolienf. ℥ss.

ELECTARIUM PECTORALE.

℞. Sacch. Rosar. ℥jss. Spec. Diatrágacanth. frig. ℥iiij. Chel. & Ocul. Cancror. ppt. āā. ℥ij. Syr. Bals. q. f. m. f. Electarium sumat Quantitatem Nucis Jugland. omni mane cum Haustu Lactis Vaccin. recent. Sacch. alb. edulcorat.

EMULSIO BALSAMICA.

℞. Sperm. Ceti solut. ℥iiij. affunde Aqua Ceras. Nigr. ℥viiij. Cinnam. ten. ℥ij. Sacch. alb. q. f. m. f. Emulsio de qua bibat Haustum tepide frequenter.

HAUSTUS CUM MILLEPED.

℞. Milleped. viv. Nro. LX. contusis affunde Aq. Nephritic. ℥iiij. fiat Expressio, adde Sp. Lavend. comp. ℥j. Syr. Balsam. ℥ij. m. f. Haustus mane & sero sumendus.

HAUSTUS TRAUMATICUS.

℞. Balsam. Gileadenf. solut. ℥j. Aq. Ceras. Nigr. ℥jss. Pæon. comp. Syr. Balsam. āā. ℥ij. m. f. Haustu. sumend. mane & sero.

HAUSTUS ANTIHECTUS.

- ℞. Sal. Abſinth. ꝑss. Succ. Limon. ꝑvj. Aq. Cin.
nam. ten. ꝑj. Sacch. alb. q. ſ. m. f. Hauſt.
ſumend. ſexta quaque Hora.

PULVIS ALTERATIVUS.

- ℞. Ocul. Cancror. ppt. Chel. Cancr. ppt. Mar-
garit. ppt. āā. ꝑj. m. f. Pulvis ſumend. omni
mane & Nocte cum Lactis Aſinini ꝑss.

*Morbi Capitis.**Apoplexia.*

HAUSTUS CATHARTICUS.

- ℞. Spec. pro Elect. Caryocost. ꝑij. vel ꝑj. Vini
alb. ꝑij. m. f. Hauſtus primo mane ſumendus
cum Regimine.

HAUSTUS ALOETICUS.

- ℞. Tinct. Sacræ Vinof. ꝑijss. Sp. Lavend. comp.
ꝑj. m. f. Hauſtus Hora Somni ſumendus.

HAUSTUS CEPHALICUS.

- ℞. Aq. Ceraſ. Nigr. ꝑjss. Pæon. compl ꝑss. Sal.
C. C. vol. gr. xv. Tinct. Caſtor Ruſſ. ꝑj. Syr.
è Cort. Aurant. q. s m. f. Hauſtus ſexta qua-
que Hora ſumendus.

Para.

Paralysis.

BOLUS CEPHALICUS.

- ℞. Pulv. è Chel. Cancr. comp. ʒj Castor. Russ^a pulv. Spec. Diamb. Rad. Serp. Virg. pulv^a āā. gr. vj. Conf. Alchem. q. s. m. f. Bolus sexta quaque Hora sumendus.

BOLUS STOMACHICUS.

- ℞. Spec. Diamb. ʒj. Pulv. Castor. Russ^a gr. v. Conf. Alchem. q. s. m. f. Bolus octava quaque Hora sumendus.

GARGARISMA PARALYTICUM.

- ℞. Sem. Sinap. ʒvj. Rad. Zedoar. ʒj. infunde in Aq. bullient. q. s. ad colatur ʒxv. adde Aq. Mirab. ʒij. Sp. Sal. Ammon. ʒj. m. f. Gargarisma frequentur utendum.

EMBROICATIONES ANODYNÆ.

1.

- ℞. Aq. Reg. Hung. ʒiv. Sp. Sal. Ammoniac. Lavend. comp. āā. ʒiij. m. f. Embrocatio bis de Die utenda.

2.

- ℞. Aq. Hungar. ʒxij. Camphoræ ʒss. Laud. Liquid. Sydenhami ʒiij. m. embrocantur Part. affect. bis in Die.

TINCTURA SINAPIN.

- ℞. Sem. Sinap. ʒiij. Rad. Gallang. Gentian. Sem. Cardamom. min. āā. ʒj. infunde in Aq. bullientis ʒxij. colaturæ adde Aq. Absinth. mag.

B 2.

comp.

comp. ℥iij. Spec. Lavend. comp. ℥vj. m. f.
Tinct. capiat Cochlear. unum bis de Die.

UNGUENTUM PARALYTICUM.

℞. Ung. Nervin ℥ij. Ol. Vitrioli ℥iij. Macis per
Express. ℥j. m. f. Unguentum quocum illi-
nantur Partes affectæ frigidè omni Nocte,
cautè tegendo Panno laneo.

Chorea Sancti Viti.

ELECTARIUM CHALYBEATUM.

℞. Conf. Absinth. Rom. Cort. Aurant. āā. ℥vj.
Chel. Cancr. præp. ℥ij. Chalyb. cum Sulph.
ppt. Pulv. Ari comp. Spec. Diamb. āā. ℥j.
Syr. è Cort Aurant. q. s. m. f. Electarium
sumat Quantitatem Nucis Moschatæ mane &
Hora quinta Post meridiana cum Cochl. v. Tin-
cturæ stomachic. sequentis.

TINCTURA STOMACHICA AMARA.

℞. Infus. Amar. Simp. ℥viiij. Aq. Absinth. mag.
comp. Pæon. comp. āā. ℥j. m. f. Tinctura.

Epilepsia, Vertigo & Tetanus.

HAUSTUS CEPHALICUS.

℞. Aq. Ceras. Nigr. ℥jss. Pæon. comp. ℥ss. Sp.
C. C. gutt. xv. Tinct. Castor. Russ. gutt. xv.
Syr.

Syr. è Cort. Aurant, ʒij. m. f. Haustus ter de Die sumendus.

HAUSTUS ANTIEPILEPTICUS.

Rx. Aq. Ceraſ. Nigr. ʒjss. Pæon. c. ʒss. Pulv. ad Guttetam, ʒj. Tinct. Caſtor. ʒj. Syr. Pæon. comp. q. ſ. m. f. Haustus sexta quaque Hora ſumendus.

PILULÆ CEPHALICÆ.

Rx. Gum. Ammoniac. Galban. Caſtor. Ruſſ. āā. ʒj. Syr. Pæon. comp. q. ſ. m. f. Pilulæ mediocr. ſumat quatuor mane & Hora Somni cum Cochl. iv. Julep. Cephalici.

MIXTURA GUMMOSA.

Rx. Laçt. Ammoniac. Bat. ʒviiij. ſumat Cochl. iiij. urgente Spasmo vel Languore.

BOLUS NERVOSUS.

Rx. Pulv. ad Guttet. ʒj. Caſtor. Ruſſ. pulv. Spec. Diamb. āā. gr. v. Syr. Pæon. c. q. ſ. m. f. Bolus mane Noçteque ſumend. cum Julep. Cephalic.

BOLUS CEPHALICUS.

Rx. Pulv. è Chel. Cancr. comp. ʒj. Rad. Valer. Sylv. p. Caſtor. Ruſſ. Pulv. āā. gr. v. Conf. Alchem. q. ſ. m. f. Bolus Noçte ac mane ſumend.

Insania.

BOLUS GUMMOS.

- ℞. Troch. de Myrrh. ℥j. Syr. Croci q. s. m. f. Bolus sumat sexta quaque Hora cum Julep. Cephalic.

PILULÆ APERITIVÆ.

- ℞. Pil. Rud. Russi āā. ℥j. m. f. Pilul. v. tertia quaque Nocte sumend. modò Alvus sit adstricta.

HAUSTUS EMETICUS.

- ℞. Pulv. Ipecacuan. ℥ss. Aq. Alexit. Simp. ℥jss. Oxymel. Scillit. ℥ss. m. f. Haustus mane vel vesperti sumendus cum Regimine.

Angina.

GARGARISMAT. EMOLLIENT.

I.

- ℞. Decoct. Pectoral. ℥xij Syr. de Moris ℥j. Sp. Sal. Ammoniac. ℥j. m. f. Gargarisma teneat Cochl. iij. in Guttare sæpiùs calidè.

2.

- ℞. Decoct. Pectoral. ℥ss. Mel. Rosat. ℥ij. m. f. Gargarisma.

PULVIS UVULARIS.

- ℞. Cort. Granator. ALum. Rup. Terr. Japonia. pulv. āā. ℥ss. m. f. Pulv. Aliquantulum uvulæ applicetur, & subinde obluatur Gargarismate emolliente.

Morbi

*Morbi Pectoris.**Asthma.*

LINCTUS EXPECTORANS.

- ℞. Oxymel Scillitic. Ol. Amygd. Dulc. Syr. Cap. Veneris āā. ℥j. Sacchar. alb. q. s. m. f. Linctus sumat Cochlear. j. sæpè.

MIXTURA ASTHMATICA.

- ℞. Gummi Ammoniac. ℥j. solve in Aq. Ceras. Nigr. ℥viij colaturæ sumat Cochlear. ij. urgente Oppressione.

MIXTURA EXPECTORANS.

- ℞. Oxymel. Scillit. Aq. Cinnamom. Hord. āā. ℥ij. m. f. Mixtura sumat Cochlear. ij. urgente Dyspnœa.

PILULÆ SOLUTIVÆ.

- ℞. Pil. Ruffi ℥ss. f. Pilul. v. sumend. h. s.
-

Morbi cordis.

GUTTULÆ CARDIACÆ.

- ℞. Spir. Lavend. comp. Sal. Vol. Oleos. āā ℥ss. m. sumat Guttas xxx. in Languoribus è quovis Vehiculo.

GUTTULÆ CEPHALICÆ.

- ℞. Spir. Sal. Volat. Oleos. Tinct. Cast. Ruff. āā. ℥ss. m. sumat Gutt. xx. vel xxx. in Languoribus ex Haustu Julepi Cephalici.

Morbi

*Morbi ventriculi & intestinorum.***BOLUS ANTICOLICUS.**

- ℞. Phylon. Londinenf. ʒss. Pulv. è Chel. Cancr. comp. ʒj. Syr. Caryophil. q. f. m. f. Bolus Hora Somni fumendus, & mane fequenti superbibat Haufum Catharticum fequentem.

HAUSTUS CUM RHÆO.

- ℞. Rad. Rhæi incifi ʒjss. Sem. Cardamom. min. ʒj. infunde in Aquæ bullientis q. f. ad colaturæ ʒijss. adde Aq. Mirabil. ʒss. m. f. Haufus.

EMPLASTRUM STOMACHICUM.

- ℞. Emp. Stomach. magiftr. ʒij. Diachyl. cum Gum. Ol. Macis per Expreff. āā. ʒj. Pulv. Cinnamom. Zinziber. Nucis Mofchat. Carioph. āā. ʒss. m. f. Emplaftrum fuper Alutam extendendum.

GUTTULÆ CARMINATIVÆ.

- ℞. Tinct. feu Cardamom. ʒij. capiat Cochlearium minimum, urgente Ægitudine, fingu-
tu, vel dolore, ex Haufulo Vini vel Julepi Perlati.

GUTTULÆ STOMACHICÆ.

- ℞. Elix. Vitriol. Mynf. ʒj. fumat Guttas xxx. Hora ante Prandium ex Haufu Aquæ Bristo-
lienf. Vino commifti.

GUTTULÆ HELMONTII.

- ℞. Elix. Proprietatis Helmont. ʒj. fumat Guttas xxx. omni Mane ex Cochlear. iv. Tinct. Sto-
mach.

mach. Amar. superbibendo ꝑss. Aq. Bathon. tepidè, vel capiat Cochlear, minimum cum Haustu Vini albi.

HAUSTUS STOMACHICUS.

- Rx. Tinct. sacrae sine Aloe ꝑss. Cardamom. Bat. ꝑss. m. f. Haustus bis de Die sumendus.

HAUSTUS SOLUTIVUS.

- Rx. Confect. Cardiac. ꝑss. Pulv. Rhæi gr. xv. Aq. Alexit. simp. ꝑss. Aq. Mirabil. ꝑij. Syr. Croc. ꝑij. m. f. Haustus omni Nocte sumend.

ELECTARIUM STOMACHICUM.

- Rx. Conf. Absinth. Rom. Flaved. Cort. Aurant. āā. ꝑvj. Pulv. Ari comp. recent. ꝑij. Chalyb. cum Sulph. ppt. ꝑij. Zinzib. pulv. ꝑj. Syr. è Cort. Aurant. q. s. m. f. Electarium. Capiat Quantitatem cum Nucis Moschatæ majoris mane & Hora quinta Pomeridiana superbibendo Aq. Pyrmont. ꝑss.

ELEOSACCHARUM STOMACHICUM.

- Rx. Ol. Menth. Chym. ꝑij. sumat Gutt. quinque vel sex cum Sacchar. pulv. urgente singultu.

PILULÆ ANODYNÆ CATHARTIC.

- Rx. Extr. Rudii ꝑss. Thebaic. gr. j. m. f. Pilulæ quinque.

PULVIS AD TORMINA.

- Rx. Pulv. Rhæi opt. gr. v. Sem. Anisi gr. iij. m. f. Pulvis sumendus urgente dolore è Cochlear. Syr. Violæ.

TINCTURA AROMATICA.

℞. Rad. Zedoar. Gallang. Cort. Aurant. Sem. Cardamom. min. āā. ℥j. infunde in Aq. bullientis q. f. ad colatur. ℥viiij. adde Aq. Pæon. comp. ℥vj. Sp. Lavend. comp. ℥iji. m. f. Tinctura. Capiat Cochlear. iv. mane & vesp̄ri.

Hæmorrhoides.

BOLI HÆMORRHOIDALES.

1.

℞. Lact. Sulph. Chel. Cancr. præparat. Æthiop. min. āā. gr. xv. Conf. Alcherm. q. f. m. f. Bolus.

2.

℞. Elect. Diacass. cum Mann. ℥ij. Lact. Sulph. ℥ss. Syr. Violar. q. f. m. f. Bolus.

3.

℞. Conf. Violar. ℥ij. Lact. Sulph. ℥j. Chel. Cancr. præp. ℥ss. Syr. Violar. q. f. m. f. Bolus.

ELECTARIUM SULPHURATUM.

℞. Conf. Cynosbat. Flor. Aurant. āā. ℥vj. Chel. & Ocul. Cancr. ppt. āā. ℥j. Lact. Sulph. ℥ij. Syr. è Cort. Aurant. q. f. m. f. Electarium sumat Quantitatem Nucis Moschatæ bis de Die cum Julepo Perlat.

HAUSTUS AD HÆMORRHOID.

℞. Pulv. Cassiæ ℥ij. Flor. Sulph. ℥ss. Aq. Ceras. nigr. ℥iss. m. f. Haustus H. S. omni Nocte sumendus.

PULV.

PULV. SULPHURAT.

℞. Ocul. Cancr. & Coral. rubr. præparat. Laçt.
Sulph. āā. ʒss. m. f. Pulv. sumendus Mane
Nocteque.

UNGUENTUM HÆMORRHOIDALE.

℞. Ung. Populn. Alb. Camph. āā. ʒj. Laudan.
Liquid. ʒj. m. f. Unguentum Parti affectæ
tepidè utendum.

Diarrhœa.

BOLI PURGANT. ANODYN.

1.

℞. Rhæi pulv. gr. xv. Diascord. S. M. ʒss. Laud.
Liquid. Sydenham. gutt. x. Syr. de Mecon.
q. s. m. f. Bolus.

2.

℞. Diascord. S. M. ʒij. Rhæi pulv. ʒj. Ol. Cin-
nam. gutt. j. Syr. de Mecon. q. s. m. f. Bolus.

BOLUS AD DIARRHOEAM.

℞. Conf. Ros. rubr. ʒss. Terr. Japonic. pulv. Co-
ral. rubr. ppt. āā. gr. xij. | Croc. Mart. Astring.
gr. vj. Syr. è cond. Nuc. Moschat. q. s. m. f.
Bolus sexta quaque Hora sumendus.

APOZEMA CARDIAC. RESTRING.

℞. Decoct. alb. ℥ij. Aq. Cinnam. fort. ʒij Conf.
Ros. rubr. ʒj. Cola & f. Apozema pro Potu or-
dinario.

HAUSTUS RESTRINGENS.

- ℞. Aq. Lact. Alex. ℥jss. Cinnam. fort. ℥ss. Conf. Fracast. S. M. ℥j Laud. Liquid. gutt. x. Sacchar. alb q. s. m. f. Haustus sumendus H. S.

HAUSTUS CUM RHÆO.

- ℞. Pulv. Rhæi ℥j. Aq. Cinnam. ten. ℥ss. Syr. Cichor. cum Rhabarb. ℥ij. m. f. Haustus Mane sumendus.

MIXTURA RESTRINGENS.

- ℞. Aq. Lactis Cinnam. ten. Pæon. comp. āā. ℥j. Diascord S. M. ℥ij. m. f. Mixt. sumat Cochl. iij. post singulas Dijectiones Liquidas.

Dysenteria.

BOLUS CATHARTICUS.

- ℞. Rhab. pulv. ℥j. Calomel ppt. ℥ss. Ol. Cinnam. gutt. j. Conf. Acherm. q. s. m. f. Bolus primo Mane sumendus.

BOLUS SPECIFICUS.

- ℞. Conf. Ros. rubr. ℥jj Terr. Japonic. pulv. Cœcal. rubr. ppt. āā. gr. xij. Rad. Ippecac. pulv. gr. v. Diacod. q. s. m. f. Bolus sumend. Mane Nocteque cum Decoct. Cardiac.

ELECTARIUM RESTRINGENS.

- ℞. Diascord. S. M. Conf. Ros. rubr. āā. ℥ss. Terr. Japonic. pulv. Troch. de Carabe āā. ℥jss. Syr. Cydonico,

Cydonico. q. f. m. f. Electarium sumat bis de Die Quantitatem Nucis Moschatæ cum Haustu Julepi restringentis.

ENEMA BALSAMICUM.

Rx. Ol. Lini ℥iv. Bals. Locatell. solut. ℥ss. Theriac. Andr. ℥ij. Juscul. Gallinac. ℥iv. m. f. Enema.

ENEMA RESTRINGENS.

Rx. Decoct. alb. ℥x. Theriac. Androm. vel Diacord. ℥ss. m. f. Enema.

Ileus.

APOZEMA CATHARTICUM.

Rx. Aq. Steetham. ℥iv. coque ad ℥ij. adde Nucis Moschat. Macis, Sem. Cardam. min. āā. ℥ss. in colatura solve Mannæ ℥jss. n. f. Apozema tepidè bibendum.

HAUSTUS ANODYNUS.

Rx. Aq. Ceras. nigr. Cinnam. ten. āā. ℥j. Pæon. comp. ℥ss. Extract. Thebaic. gr. jss. Sacchar. alb. q. f. m. f. Haustus sumat H. S.

Lumbrici.

PULVIS CATHARTIC.

Rx. Pulv. Comitiss. Warivicens. gr. xij. Calomel præp. gr. iv. m. f. Pulvis sumend. primo Mane.

Hydrops.

HAUSTUS CATHARTICI HYDROPICI.

1.

℞. Gutt. Gambog. ʒj. Sal. Tartar. ʒss. Pulv. Zinziber. gr. v. Vini alb. ʒij. Syr. de Rhamn. ʒss. m. f. Haustus Mane sumendus.

2.

℞. Pulv. Jalap. ʒss. Sal Tartar. ʒss. Zinziberis pulv. gr. v. Syr. de Rhamn. ʒvj. Vin. alb. ʒij. m. f. Haustus.

TINCTURA AMARA CHALYBEATA.

℞. Summit. Absinth. Rom. ʒiij. Rad. Gentian. Zedoar. Sem. Cardamom. min. āā. ʒj. infunde frigide in Aq. Lact. Alex. ʒxij. colaturæ adde Aq. Absinth. mag. comp. ʒiv. Vin. Chalyb. ℞ss. m. f. Tinctura sumat Cochlear. vj. Mane & Vesperi superbibendo Haustum Aquæ Spadanæ.

TINCTURA STOMACHICA.

℞. Sem. Sinap. ʒiij. Rad. Gallang. Gentian. Zedoar. Sem. Card. min. āā. ʒj. infunde in Aq. bullientis ʒxij. colaturæ adde Aq. Absinth. mag. comp. ʒiij. Sp. Lavend. comp. ʒvj. m. f. Tinctura. Capiat Cochlear. unum bis in Die.

*Morbi Fecinoris.**lŕterus.***ELECTARIUM DIGESTIVUM.**

- ℞. Conf. flaved. Aurant. Absinth. Rom. āā. ʒvj.
Spec. Diamb. Sal. Absinth. āā. ʒj. Chalyb.
cum Sulph. præp. ʒij. Syr. è Cort. Citri q. s.
m. f. Electarium sumat Quantitatem Nucis
Moschatæ bis in Die superbibendo Haustum
Aq Bathon. tepefact.
-

*Diabetes.***PILULÆ ALUMINOSÆ.**

I.

- ℞. Pulv. Terr. Japonic. Gum. Arabic. Sang. Dra-
con. Alumin. Rup. āā. ʒss. Tereb. è Chio
q. s. m. f. Pilul. mediocres, sumat iv. Mane
ac Vesperī cum Aq. Bristolienf. & Vīno rubr.
pro Potu.

2.

- ℞. Alum. Rup. pulv. ʒiiij. Liquefacto in Coch-
leario ferreo adde S. A. Sanguin. Dracon. ʒj.
Mucilag. Gum. Tragacanth. q. s. f. Pilul. me-
diocres sumat ut præcedent.
-

*Morbi renum & vesicæ.***BOLUS DIURETICUS.**

- ℞. Conf. Fl. Malvæ ʒss. Sal. Prunel. ʒj. Obo-
bals,

bals. gr. x. Syr. Balsamic. q. s. m. f. Bolus sumendus Mane & Sero cum Julepo Nephrit. Perlato.

ENEMA TEREBIN TINAT.

℞. Decoct. com. pro Clyst. ℥x. Syr. Violar. Mel. Mercur. āā. ℥j. Terebinth. Venet. Vitello Ovi solut. ℥ss. Sal. Gem. ℥ij. m. f. Enema tepidè injiciendum.

EMULSIO NEPHRITICA.

℞. Amygd. dulc. decort. Nro. xx. contusis affunde Aq. Hordeat. ℔ij. Gum. Arabic. solut. ℥ss. adde Aq. Cinnam. ten. ℥j. Sacchar. alb. q. s. m. f. Emulsio de qua bibat Haustum tepidè frequenter.

HAUSTUS CUM BALSAM. COPAIVA.

℞. Bals. Copaiva solut. ℥ss. Aq. Ceras. nigr. ℥ij. Pæon. comp. ℥ss. Syr. Limon. ℥iij. m. f. Haustus sumendus Mane & Vespèri.

HAUSTUS DIURETICI.

1.

℞. Aq. Ceras. nigr. ℥j. Aq. Nephritic. ℥vj. Sp. Nitr. dul. gutt. xx. Syr. ex Althæa ℥ss. m. f. Haustus.

2.

℞. Aq. Nephritic. ℥jss. Ocul. Cancr. præp. ℔j. Sal. Prunel. ℔ss. Syr. ex Althæa ℥ss. m. f. Haustus omni Nocte sumendus.

MIXTURA NEPHRITICA.

℞. Gum. Arabic. ℥j. Solve in Aq. Hord. ℥xij. adde

adde Aq. Cinnam. ten. Syr. ex Althæa āā. ℥ij.
m. f. Mixtura bibat Haustulum frequenter.

PILULÆ NEPHRITICÆ.

- ℞. Spec. Diatragacanth. frigid. Test. Ostrear.
præp. Ocul. Cancr. præp. āā. ℥j. Tereb. ē
Chio q. s. m. f. Pilul. mediocr. sumat qua-
tuor Mane ac Vesperī cum Haustu Aq. Spa-
dan.

PILULÆ ANODINÆ NEPHRITIC.

- ℞. Pilul. Pacific. Starkæi gr. viij f. Pilul. ij. su-
mat H. S. post Enema Terebinthinat.

PULVIS NEPHRITICUS.

- ℞. Test. Ovor. Ocul. & Chel. Cancror. præp.
āā. ℥ss. m. f. Pulvis ter de Die sumendus
cum Julepo Nephritic. Perlato.

Vide Haustus cum Milleped.

Morbi Oculorum.

LOTIONES ALBÆ.

1.

- ℞. Aq. Plantag. ℥viij. Troch. alb. Rhaf. ℥ij.
Vitriol. alb. gr. vi. m. f. Collyrium Mane
utendum.

2.

- ℞. Aq. Plantag. ℥iiij. Troch. alb. Rhaf. ℥ij. m.
f. Collyrium.

D

LOTIO

LOTIO VITRIOLATA.

℞. Aq. Rosar. Dam. Plantagin. āā. ℥iv. Vitriol. alb. ℥ss. m. f. Collyrium.

Podagra.

BOLUS STOMACHICUS.

℞. Pulv. è Chel. Cancr. comp. ℥ss. Rhæi, Serp. Virg. Pulv. āā. gr. vj. Croci, Spec. Diamb. āā. gr. iij. Syr. Croci q. s. m. f. Bolus ter de Die sumendus cum Julepo Cardiac.

HAUSTUS APERITIVI.

I.

℞. Elix. Salutis ℥jss. ad ℥ij.

2.

℞. Tinct. Sac. cum Spir. Vin. Gallic. ppt. ℥iij. Sp. Lavend. comp. ℥ss. m. f. Haustus H. S. sumendus.

HAUSTUS PURGANS.

℞. Tinct. Sen. ℥ij. Syr. de Spina Cerv. ℥ss. m. f. Potio sumend. Mane.

HAUSTUS ANODYN.

℞. Philon. Rom. ℥j. Aq. Cinnam. Simpl. Nuc. Moschat. āā. ℥vj. Syr. Croci ℥j. m. f. Haustus sumendus H. S.

HAUSTUS CALIDI.

I.

℞. Conf. Cardiac. ℥j. Piper. long. Zinzib. pulv. āā.

āā. gr. xv. Aq. Alexit. Simp. ℥ij. Nuc. Moschat. ℥ss. Syr. Croc. ℥j. m. f. Haustus sexta vel octava quaque Hora sumendus.

2.

℞. Conf. Cardiac. Rad. Serp. Virg. pulv. āā. ℥j. Aq. Alex. Simp. ℥ij. Aq. Mirab. ℥iij. Syr. è Cort. Aurant. ℥j. m. f. Haustus.

HAUSTUS CORDIALIS.

℞. Conf. Cardiac. ℥ss. Aq. Menth. Pip. Simp. ℥jss. Tinct. Serpent. Syr. è Cort. Aurant. āā. ℥j. m. f. Haustus sexta quaque Hora sumend.

HAUSTUS SOLUTIVUS.

℞. Aq. Alexit. Simp. ℥jss. Nuc. Moschat. ℥ss. Conf. Raleigh. ℥ss. Tinct. Rhabarb. Vinof. ℥iij. m. f. Haustus sumendus Hora Somni omni Nocte.

HAUSTUS RHABARBARINUS.

℞. Tinct. Rhabarb. Vinof ℥jss. f. Haustus sumendus tertia quaque Nocte.

HAUSTUS AMARUS.

1.

℞. Rad. Gentian. Zedoar. Flaved. Cort. Aurant. Sem. Cardam. min. āā. ℥ij. infunde frigidè in Aq. Alexit. Simp. ℥jss. Nuc. Moschat. ℥ss. Vin. Chalybeat. ℥iv. f. Tinctura.

2.

℞. Tinctura hujus colat. ℥ij. Elix. Vitriol. Mynf. gutt. xij. m. f. Haustus sumendus Hora undecima matutina & quinta Pomeridiana.

HAUSTUS CARDIACI.

1.

- ℞ Conf. Cardiac. Pulv. Bezord. āā. ℥j. Aq. Alex. simp. ℥ij. Aq. Mirabil. ℥iij. Syr. Croc. ℥j. m. f. Haustus sumendus octava quaque Hora.

2.

- ℞ Conf. Raleigh. Pulv. Bezoard. āā. gr. xv. Aq. Alex. simp. ℥jss. Aq. Mirab. ℥iij. Syr. Croc. ℥j. m. f. Haustus.

3.

- ℞ Succ. Limon. ℥vj. Sal Absinth. ℥ss. Aq. Cinnam. simp. ℥j. Sp. Lavend. comp. ℥j. Sacch. alb. ℥j. m. f. Haustus sexta quaque Hora sumendus.

4.

- ℞ Pulv. Contray. comp. ℥j. Succ. Limon. ℥vj. Sal Absinth. ℥ss. Aq. Alex. & Cinnam. simp. āā. ℥vj. Sp. Lavend. comp. Syr. è Cort. Aurant. āā. ℥j. m. f. Haustus sexta quaque Hora sumendus.

TINCTURA DIAMBRÆ.

- ℞ Spec. Diamb. S. O. ℥iij. Vin. alb. ℥ss. f. Tinctura sumat Cochlear. iij. in Rigore vel singultu.

TINCTURA STOMACHICA CALIDA.

- ℞ Rad. Serpent. Virg. Zedoar. Gallang. Sem. Cardam. min. āā ℥j. infunde in Aq. bullientis q. s. ad colatur. ℥viij. adde Aq. Absinth. mag. comp. Pæon. comp. āā. ℥jss. m. f. Tinctura sumat Cochlear. iv. sexta quaque Hora.

TIN-

TINCTURA AROMATICA.

℞. Tinct. Aromat. Cardam. āā. ℥j. m. sumat Gut-
tas L. urgente Ægritudine ex Haustulo Aq.
Bathon. tepefact.

Bibat eandem tepefact. cum Vino pro Potu.

TINCTURA AMARA CHALYBEATA.

℞. Rad. Zedoar. Gentian. Flaved. Cort. Aurant.
Sem. Cardam. min. āā. ℥ij. infunde frigidè
in Aq. Alexit. simp. ℔jss. Flor. Chamom. ℥vj.
Vin. Chalyb. ℥iv. m. f. Tinctura. Colatu-
ræ bibat Cochl. iv. Hora undecima Matuti-
na & quinta Pomeridiana.

MIXTURA STOMACHICA.

℞. Conf. Cardiac. ℥ij. Aq. Menth. Pip. Simp.
Aq. Mirab. āā. ℥iv. f. Mixtura. Sumat Cochl.
iij. urgente. Flatulentia aut Ægritudine.

Dolores Articulorum.

GUTTULÆ BALSAMICÆ.

℞. Bals. Sulph. Terebinthin. ℥j. sumat. gutt. xx.
Mane & Vesper ex Cochl. j. Sacch. alb. pulv.
vel Syr. Balsamic.

GUTTULÆ SPECIFICÆ.

℞. Bals. Polychrest. ℥iij. capiat Cochlear. minim.
omni Mane ex Haustulo Vini alb. vel Sacch.
pulv.

HAUSTUS CATHARTICUS.

℞. Elect. Caryocost. ℥ss. Vin. alb. vel Aq. Nephrit.
 ℥ij m. f. Haustus primo Mane sumend. cum
 Regimine.

vide Embrocationes anodyn.

*Morbi cutis.**Lepra & Scabies.*

APOZEMA BENEDICT.

℞. Rad. Oxylapath. Sarsæ āā. ℥ij. Cort. Sassafr.
 ℥ij. Sacch. alb. vel Passul. exacinat. ℥ij. in-
 funde frigidè in Aq. Calcis ℔ij. coletur & fil-
 tretur ad usum. Bibat ℥iv. bis de Die.

APOZEMA SPECIFICUM.

℞. Rad. Sarsæ, Oxylapath. āā. ℥iij. Lign. Sassafr.
 Guaiac. ras. āā. ℥j. Rad. Liquirit ℥vj. infunde
 frigidè in Aq. Calcis ℔iv. coletur. Bibat ℥iv.
 bis de Die.

ELECTARIUM ANTIMONIALE.

℞. Conf. Cynosbat. è Flor. Aurant. āā. ℥ij. Anti-
 mon. Lævigat. ℥iij. Pulv. è Chel. Cancror.
 Simp. ℥j. Syr. ex Althæa q. s. m. f. Electa-
 rium. Sumat Quantitatem Nucis Molchatæ
 bis de Die cum Apozem. Benedict. ℔ss.

ELECTARIUM GUAIAACINUM.

℞. Conf. Cynosb. ℥jss. Antimon. Lævigat. Gum.
 Guaiac.

Guaiac. Pulv. è Chel. Cancror. āā. ℥ij. Syr. è
quinque Radicib. q. s. m. f. Electarium su-
mend. ut præcedens.

Struma.

ELECTARIUM CINNABARIN.

℞. Conf. Cynosbat. ℥j. Flav. Aurant ℥ss. Cin-
nab. Antimon ppt. Chel. Cancror. ppt. Gum.
Guaiac. āā. ℥j. Syr. Cort. Aurant. q. s. m. f.
Electarium. Sumat Quantitatem Nucis Mo-
schatæ bis de Die. cum Apozemate specific.

ELECTAR. ANTIMON. CUM GUAIACO.

℞. Conf. Cynosbat. ℥j. Gum. Guaiac. Cinnabar.
Antimon. præp. āā. ℥ij. Syr. Cort. Citr. q. s.
m. f. Electarium. Sumat bis de Die ut præ-
cedens.

PULVIS CINNABARIN.

℞. Cinnab. Antimon. Chel. Cancror. præp. āā.
gr. xv. m. f. Pulvis Hora Somni sumend. cum
Julepo Perlato.

Scorbutus.

BOLI STOMACHICI.

I.

℞. Pulv. Ari comp. ℥j. Spec. Diamb. ℥ss. Conf.
Alcherm.

Alcherm. q. s. m. f. Bolus sumat H. S. cum Julepo Perlato.

2.

- ℞. Spec. Diamb. S. O. ℥j. Sal Tartar. Castor. Russ. Croc. pulv. āā. gr. v. m. f. Bolus, sumat H. S. cum Julepo Cephalic.

ELECTARIUM ÆTHIOPIUM.

- ℞. Conf. è Cort. Aurant. ℥vj. Æthiop. Mineral. ℥ss. Pulv. Ari comp. Spec. Diamb. āā. ℥j. Syr. è Cort. Aurant. q. s. m. f. Electarium, sumat Quantitatem Nucis Moschatæ bis de Die.

ELECTARIUM ANTISCORBUTICUM

- ℞. Conf. Absinth. Rom. Flor. Aurant. āā. ℥vj. Chel. Cancr. præp. ℥ij. Pulv. Ari comp. Spec. Diamb. āā. ℥j. Syr. è cond. N. M. q. s. m. f. Electarium sumat Quantitatem Nucis Moschatæ bis de Die cum Apozemate Specific. ℥ss.

GARGARISMA RESTRINGENS.

- ℞. Myrrh. Elect. Terr. Japonic. āā. ℥ii. Vin. rubr. ℥ss. m. f. Gargarisma quocum colluantur Gingivæ.

MIXTURA ANTISCORBUTICA.

- ℞. Succor. Scorb. Batean. sine Sacchar. præparat. ℥x. Aq. Pæon. comp. ℥iv. s. Mixtura, sumat Coch. iv. omni Mane.

Malum

Malum hypochondriacum.

vide Bol. Cephalic. Stomach. Gummos.

vide Elect. Chalybeat. Stomach. digest. Guttul.
Helmont, &c,

Affectus animi.

vide leatur Infania.

*Morbi mulierum.**Menstruorum Suppressio.***BOLUS HYSTERICUS.**

℞. Rad. Valer. Sylv. pulv. gr. xv. Troch. de
Myrrh. ʒj. Syr. Croc. q. s. m. f. Bolus su-
mat ter de Die cum Julepo Cardiac.

ELECT. STOMACH. CHALYBEAT.

℞. Conf. Absinth Roman Flavesc. Aurant. āā ʒvj.
Pulv. Ari comp. ʒijj Chalybeat. cum Sulph.
præp. ʒij. Syr. è Cort. Citr. q. s. m. f. Electa-
rium. sumat Quantitatem Nucis Moschatæ
bis de Die cum Julepo stomachic.

GUTTULÆ EMENAGOGIC.

℞. Tinctur Hellebor. nigr. ʒj. sumat Gut. XL.
omni Mane & Hora quinta Pomeridiana cum
Haustu Julep. stomachic.

E

HAU-

HAUSTUS EMENAGOGICUS.

℞. Tinct. Sac. ℥jss. Tinct. Helleb. nigr. ℥ss. m.
f. Haustus Mane sumendus.

TINCT. STOMACHIC. CHALYBEAT.

℞. Summit. Centaur. min. ℥jss. Rad. Gallang.
Zedoar. Sem. Cardam. min. āā. ℥ss. infunde
in Aq. Lactis Alex. ℥vj. adde Aq. Absinth.
mag. comp. ℥ij. Vin. Chalybeat. ℥iv. m. f.
Tinctura sumat Coch. vj. Hora undecima
Matutina & quinta Pomeridiana, superbi-
bendo Haustum Aquæ Spadan.

Immodicus mensium fluxus.

BOLUS STYPTICUS.

℞. Conf. Ros. rubr. ℥ij. Terr. Japonic. pulv.
gr. xv. Alum. rup. gr. iij. Syr. de Mecon.
q. f. m. f. Bolus Nocte & Mane sumendus
cum Coch. vj. Tincturæ Rosar.

Fluor albus.

PILULÆ BALSAMICÆ.

℞. Terr. Japonic. pulv. Spec. Diatrag. seig. Gum.
Ar. bic. āā. ℥j. Syr. è Ros. Sicc. q. f. m. f. Pi-
lul. mediocres, sumat iv. Mane & Vesper
cum Vehiculo Balsamic.

PILU-

PILULÆ APERITIV. BALSAMIC.

- ℞. Pulv. Rhæi, Gum. Arabic- Terr. Japon. āā. ℥ij.
Tereb. è Chio. q. f. m. f. Pilul. mediocres.
fumat iv, omni Mane cum ℥ss. Aq. Bristol.

PILULÆ RHABARBARIN.

- ℞. Pulv. Rhæi, ℥j. Syr. Caryoph. q. f. f. Pil. v.
fumend. primo Mane.

PILULÆ RESTRINGENTES.

I.

- ℞. Oliban. pulv. Pulv. è Tragacanth. comp. sang.
Dracon. pulv. āā. ℥j. cum Syr. Balsamic. q. f.
f. Pilul. Granor. v. Capiat quinque Mane
& Hora quinta Pomeridiana superbibendo
Aq. Bristol. ℥ss.

2.

- ℞. Oliban. pulv. ℥ij. Rhabarb. pulv. Coral. rubr.
ppt. āā. ℥j. cum Terebinth. è Chio q. f. f.
Pil. Gran. V. Capiat iv. Mane Hora quinta
Pomeridiana & Hora Somni, superbibendo
Cochlear. iij. Vini rubri cum æqua parte
Aq. Font. mixt.

HAUSTUS PERUVIANUS.

- ℞. Extract. Cort. Peruv. Cort. Peruv. pulv. āā ℥ss.
Aq. Alex. Simp. ℥ij. Aq. Nuc. Moschat. ℥iij.
Syr. Cort. Aurant. ℥ij. m. f. Haust. sexta qua-
que Hora fumendus.

Morbus hystericus.

vide Bol. Cephalic. Nervos. Gummof. Hystericus.
 vide Empl. ad Dolorem Capitis. Elect. Chalyb.
 Guttulæ Cephal.
 Emenagogic &c.

Partus difficilis.

vide Bolus Gummof. Enema Terebinth. Guttul.
 Emenagogic. Haustus Aloetic. Julep. Stomach.
 Mixtura Gummof. &c.

Morbi venerci.

PTISAN PECTORALIS.

℞. Hord. mundat. ℥j. Rad. Eryng. cond. Uvar.
 passar. exacinat. āā ℥ss. coque in Aq. Fontan.
 q. s. ad ℥ij. cola & fiat Apozema pro Potu.

BOLUS MERCURIALIS.

℞. Colomel præp. gr. xv. Conf. Rosar. rubr. q. s.
 m. f. Bolus H. S. sumendus.

ELECTARIUM EMOLLIENS.

℞. Conf. Flor. Malvæ, Elect. Diacass. cum Mann.
 āā. ℥j. Ocul. Cancr. præpar. Gum. Arabic.
 āā. ℥ij. cum Syr de Althæa q. s. f. Electarium
 sumat Quantitate Nucis Jugland. Mane &
 Vespera superbibendo Haustum Aq. Bristol.

ELECTA-

ELECTARIUM è SYMPHYTO.

- ℞. Elect. Diacass. cum Manna, Conf. Rad. Symphyt. āā. ℥j. Gum. Tragacanth. Terr. Japon. pulv. Coral. rubr. ppt. āā. ℥ij. Syr. Balsamic. q. s. m. f. Electarium. sumat Quantitatem Nucis Moschatæ Mane ac Vesperis superbibendo Aq. Bristol. tepefact. ℔ij.

GUTTULÆ DIURETICÆ.

- ℞. Tinct. Cantharid. ℥j. Sp. Nitr. dulc. ℥j. m. sumat Gutt. xxv. omni Mane ex Cyatho Aq. Bristol.

HAUSTUS LAXATIVUS.

- ℞. Elect. Diacass. cum Mann. ℥j. Aq. Petroselin. ℥ij. Aq. Nephritic. ℥ss. m. f. Haustus sumendus pro re nata vel alternis Diebus.

F I N I S.



INDEX.

INDEX.

		Pag.			Pag.
A	pozema Bened.	30	E.		
	- Cardiacum	3	Electarium Alterans	8	
	- - Restring.	19	- Antimoniale	30	
	- Catharticum	21	- Antim.c.Guai.	31	
	- Pectorale	3	- Antiscorbutic.	32	
B.	- Specificum	30	- Æthiopicum	32	
			- Card. Restring.	3	
	Bolus Anticolicus	16	- Corroborantia	8	
	- Balsamicus	4	- Chalybeat.	12	
	- Cephal. I. II. I3		- Cinnabarin.	31	
Bolus	- Cardiacus	3	- Digestiv.	23	
	- Cordiales Bals.	4	- Emolliens	36	
	- Catharticus	20	- Guaiacinum	30	
	- ad Diarrhœam	19	- Lujulatum	8	
	- Diureticus	23	- Pectorale	9	
	- Gummosus	14	- Restringens	20	
	- Hæmorrhoid.	18	- Stomachicum	17	
	- Hystericus	33	- - Chalyb.	33	
	- Mercurialis	36	- Sulphuratum	18	
	- Nervosus	13	- è Symphyto	37	
	- Purgant. Ano.	19	Eleofacch. Stomach.	17	
	- Stom. I. II. 26, 31		Elixir Acidum	8	
	- Specificus	20	Emplastrum Cephalic.	1	
	- Stypticus	34	- ad Dolorem Cap.	1	
C.			- Discutiens	5	
	Confectio Pectoralis	5	- Stomachicum	16	
				Emulsiō	

	Pag.		Pag.
Emulſio Baſamica	9	Hauſtus Bezoardici	1
- Nephritica	24	- c. Baſſ. Copaiv.	24
Embrocac. Anodyn.	11	- Cathart. 4. 10	30
Enema Baſamicum	21	- - Hydrop.	22
- Carminativum	5	- Cephalici 10.	12
- Emolliens	3	- Calidi	26
- Reſtringens	21	- Cordialis	27
- Terebintin.	24	- Cardiaci	28
G.		- Diuretici	24
Gargarism. Emollient.	14	- Emeticus	14
- Paralyticum	11	- Emenagogic.	34
- Reſtringens	32	- ad Hæmorrh.	18
Guttulæ Baſamic.	29	- Laxativus	37
- Cardiacæ	15	- cum Milleped.	9
- Cephalicæ	15	- Oleofi	5
- Carminativæ	16	- Paregorici	3
- Diureticiæ	37	- Purgans	26
- Emenagogicæ	33	- Peruvianus	35
- Helmontii	16	- cum Rhæo 16.	20
- Stomachicæ	16	- Reſtringens	20
- Specificæ	29	- Rhabarbarin.	27
- Volatiles	5	- Stomachicus	17
H.		- - Amarus	7
Hauſtus Anodyn.	21. 26	- Salinus	7
- Aperitivi	26	- Solutivus 17.	27
- Amarus	27	- Traumaticus	9
- Antifebrificus	7	- Volatilis	6
- Antihecticus	10	J.	
- Aloeticus	10	Julepum Album	2
- Antiepileptic.	13	- Cardiac.	2
		Ju-	

	Pag.		Pag.
Julepum Cephalic.	2	Pilulæ Nephriticæ	25
- de Croco	2	- Rhabarbarin.	35
- Pellatum	2	- Restrington.	35
- - Nephritic.	2	- Solutivæ	15
- Restringtons	2	Ptisana Pectoralis	36
- Stomachicum	2	Pulvis alterativus	10
L.		- Cardiacus	3
Linamentum Pleuritic.	6	- Catharticus	21
Linctus Expectorans	15	- Cinnabarin.	31
- Increffantes	6	- Febrifugus	7
- Pectoralis	6	- Nephriticus	25
Lotiones Albæ	25	- Sulphuratus	19
- Vitriolatæ	26	- ad Tormina	17
M.		- Uvularis	14
Mixtura Asthmatica	15	T.	
- Antiscorbutic.	32	Tinctura Antifebrica	7
- Expectorans	15	- Amara Febrifug.	7
- Gummosa	13	- - Chalyb.	22.29
- Nephritica	24	- Aromatica	18.29
- Restringtons	20	- Diambræ	28
- Stomachica	29	- Sinapin.	11
P.		- Stomach.	22
Pilulæ Aperitivæ	14	- - Amar.	12
- - Balsamic.	35	- - Calid.	28
- Anod. Cath.	17	- - Chalyb.	34
- - Nephrit.	25	U.	
- Aluminosæ	23	Unguent. Hæmorrh.	19
- Balsamic.	34	- Paralyticum	12
- Cephalicæ	13		

PHARMACOPOEIA
COLLEGII
REGALIS
MEDICORUM
LONDINENSIS.

(1746)

una cum

MEADIANA.



FRANCOFURTI ad MOENUM,

Apud HÆREDES STOCKII SCHILLING et WEBER,
M. DCC. LXI.

THE UNIVERSITY OF CHICAGO

LIBRARY

1900

PHYSICS

1900

1900

1900

1900

1900

1900

1900

1900

SACRÆ MAJESTATI
SERENISSIMI CELSISSIMIQUE
PRINCIPIS
GEORGGII
SECUNDI,

DEI GRATIA
MAGNÆ BRITANNIÆ,
FRANCIÆ, et HIBERNIÆ
REGIS,

FIDEI DEFENSORIS, &c.
DUCIS BRUNSVVICENSIS

ET

LUNENBURGENSIS,
S. R. J. ARCHITHESAURII

ET

ELECTORIS,

COLLEGIUM MEDICORUM
LONDINENSE

HANC SUAM

PHARMACOPOEIAM

HUMILLIME OFFERT CONSECRATQUE.



LECTORIS.

PLACUIT Præsidi et Collegio, novæ inquisitioni subjicere *Pharmacopœiam Londinensem*, quod efflagitare equidem videbatur, celebriorum medicorum præscribendi modus sanior et contractior; exigebat præterea institutæ societatis ratio, cui mandatum erat hoc officium a Rege et regni Senatu, ut publicæ salutis invigilaret.

Dedecus omnino fore visum est, et opprobrium meritum, si ulterius scateret medicamentorum apparatus, inconcinnis et inconditis misturis, quas intulit primæva inscitia, intrusit venenorum metus, aut perpetua suspicio: quibus ut obviam irent præsci, ferè toti erant in antidotorum investigatione, quæ plerumque superstitiosè et aniliter petierunt ex oraculis, insomniis, et commentis astrologicis; et inani spe freti, antidota composita efficiendi, quæ singulatim reprimerent cujusvis generis

ris toxicum, quicquid contagioni adversari animo effinxerant, acervo adjecerunt. Hinc exolevit medicinae simplicitas, invaluitque miscendi, augendi, et accumulandi luxuries: Exinde in nostra tempora fluxit labe. Nos quantum licuit, cumulum amoliri conati sumus, nonnulla verò, vi consuetudinis cedentes, posteritati corrigenda reliquimus.

Nulli certè usui esset, singulas immutationes enarrare; de fine autem instituti operis te admonitum volumus, nec curæ, nec studio nobis fuisse, Pharmaceutices universæ scrinia compilare; attamen, ni fallat opinio, ditavimus affatim Apothecas, non tantummodo medicamentorum numero, sed elegantia, et simplicitate; ut in promptu habeant artis professores omnino efficacia, explorata, minimèque ingrata remedia, unde citò, tutò, et jucundè sanare possint: honestum hoc curantibus votum, et laudabile; ægrotis consilium acceptissimum.

NOMINA SOCIORUM,
CANDIDATORUM,
ET
PERMISSORUM
Collegii Regalis Medicorum
LONDINENSIS.

HENRICUS PLUMPTRE, *Præses.*

Carolus Dux de Richmond &c.

Johannes Dux de Montagu.

Hans Sloane *Baronettus, Med. Reg.*

Tancred Robinson *Elect.*

Gideon Harvey *Elect. Med. Reg. ad Turrim.*

Thomas Crowe.

Johannes Shadwell *Eques Auratus.*

Johannes Gardiner *Elect.*

Richardus Mead *Elect. Med. Reg.*

Richardus Tyson *Elect. et Thesaurarius.*

Gulielmus Barrowby.

Edvardus Hulse *Baronettus, Elect. Med. Reg.*

Jacobus Jurin *Elect.*

Peircius Dod.

Gulielmus Stukely.

Gulielmus Wasey.

Noel Broxolme.

Radolphus Bouchier.

Gulielmus Browne.

Edvardus Wilmot *Med. Reg.*

Johannes Bamber.

Laurentius Martel.
Cromwell Mortimer.
Johannes Coningham.
Robertus Nesbitt.
Richardus Watts.
Jacobus Monro.
Gulielmus Woodford *Reg. Prof. Med. Oxon.*
Johannes Oldfield.
Johannes Newington.
Mathæus Lee.
Francus Nicholls.
Pelham Johnston.
Abrahamus Hall.
Matthæus Clarke.
Robertus Hopwood.
Benjaminus Hoadly *Med. Reg. ad familiam.*
Thomas Reeve.
Robertus Bankes.
Ambrosius Dawson.
Samuel Horsman.
Josephus Letherland.
Carolus Cotes.
Gulielmus Bedford *Registrarius.*
Gulielmus Battie.
Ruffel Plumptre *Reg. Prof. Med. Cantab.*
Jacobus Hawley.
Matthæus Morley.
Carolus Chauncy.
Thomas Addams.
Thomas Lawrence.
Edmundus Crynes.
Carolus Feake.
Johannes Barker.
Gulielmus Heberden.

CANDIDATI.

Christophorus Packe.
Johannes Beauford.

PERMISSI.

Arnoldus Boot Beirman.
Johannes Cartledge.
Thomas Lewis.
Carolus Jurnegan.
Richardus Manningham *Eques Auratus*.
Edvardus Browne.
Meyer Schamberg.
Mulsheus Teale.
Jacobus a Castro Sarmento.
Nicolaus Robinson.
Samuel Pye.
Johannes Eaton.
Franciscus Douce.
Gulielmus Clark.
Petrus Shaw.
Michael Connel.
Theophilus Lobb.
Edwardus Hody.
Johannes Andree.
Benjamin Bosanquet.
Jacobus Mac - Donald.
Georgius Pile.
Johannes Fothergill.
Petrus Canvane.

ORDO

ORDO CAPITUM.

<i>Pondera et Mensura</i>	Pag. i.
<i>Materia Medica</i>	3
<i>Præparatiōes simpliciōres</i>	20
<i>Conserua</i>	24
<i>Condita</i>	25
<i>Succi</i>	36
<i>Extracta et Resina</i>	27
<i>Olea per Expressionem</i>	30
<i>Olea per Distillationem</i>	30
<i>Sales et Salina</i>	32
<i>Resinosa et Sulphurea</i>	42
<i>Metallica</i>	44
<i>Aqua stillatitia simplices</i>	51
<i>Aque stillatitia spirituosæ et Spiritus</i>	54
<i>Decocta et Infusa</i>	59
<i>Vina</i>	65
<i>Tinctura spirituosæ</i>	68
<i>Mixtura</i>	76
<i>Syrapi</i>	77
<i>Mella et Oxymelita</i>	83
<i>Pulveres</i>	86
<i>Trochisci et Tabella</i>	91
<i>Pilule</i>	93
<i>Electaria</i>	96
<i>Aqua Medicamentosa</i>	104
<i>Olea per Infusionem et Decoctionem</i>	106
<i>Emplastra</i>	107
<i>Unguenta et Linimenta</i>	112
<i>Cerata</i>	117
<i>Epithema</i>	118

PHARMACOPŒIA

LONDINENSIS.

PONDERA ET MENSURÆ.

APUD nostrates in usu sunt duo ponderum genera, unum, quo aurum & argentum veneant, alterum, quo cæteræ ferè merces; prius linguâ vernaculâ vocamus *Troy weight*, posterius *Averdupois weight*. Horum libræ diverso modo dividuntur; illius enim libra duodecim tantum uncias habet, hujus verò sedecim. Pondere quoque differunt, tum libræ, tum uncia; libra aurifabrorum minor est alterâ, uncia major.

Nos librâ aurifabrorum utimur; quam tamen, non ut isti opifices, sed in hunc modum dividimus:

Libra	} habet	{	uncias duodecim,
Uncia			drachmas octo,
Drachma			scrupulos tres,
Scrupulus			grana viginti.

MENSURÆ liquidorum etiam apud nostrates dispares sunt, aliis metiuntur cerevisiam,
A
aliis

aliis vinum ; posteriores nos adhibemus, & eam vocamus libram , quæ linguâ vernaculâ appellatur *A wine pint.*

Hanc libram hac ratione dividimus:


Libra } habet { uncias sedecim,
 Uncia } { drachmas octo.

Congius habet libras octo.

Cochleare denotat mensuram uncix dimidiæ.

QUONIAM mensuram , quam vocamus libram , nullius ferè liquoris pondus libræ adimplet ; ubique præfiximus p. vel m. prout pondere , vel mensurâ , unaquæque præcipitur.





MATERIA MEDICA.

NOMINA SYNONYMA.

USU RECEPTA. ET DESCRIPTIONES.

A Brotani folia,	Abrotani maris angustifolia majoris Caspar. Bauhini: vel, Abrotani fœminæ foliis teretibus C. Bauhini; santolinæ foliis teretibus Tournefort.
Absointhii maritimi summitates,	Absointhii marini albi Gerard. absointhii, seriphii Belgici C. B. absointhii Romani nostratibus falsò dicti
Absointhii vulgaris folia,	Absointhii vulgaris majoris Johan. Bauhin.
Acacia,	Succus inspissatus fructûs immaturi acaciæ foliis scorpioidis leguminosæ C. B.
Acetum.	
Ærugo.	
Agaricus,	Agaricus, sive fungus laricis C. B.
Allium,	Radix alii sativi C. B.
Aloe Socotorina,	Succus concretus aloes succotrinæ angustifoliæ spinosæ

	nosæ flore purpureo Breyn Prodrum.
Althææ radix, folia,	Althææ Dioscorid. & Plinii C. B.
Alumen.	
Ammeos semen,	Ammeos majoris C. B.
Amomi semen,	Amomi racemosi C. B. vel, Sisonis, quod amomum of- ficinis nostris C. B. sibi aro- matici Tourn.
Amygdalæ amaræ, } Amygdalæ dulces, }	Nuclei e fructu amygdali fativæ C. B.
Anethi semen,	Anethi hortensis C. B.
Angelicæ radix ab Hi- spaniâ, caules, folia, semen,	Angelicæ fativæ C. B. im- peratoricæ fativæ Tourn.
Anisi semen,	Anisi herbariis C. B. apii, anisi dicti, semine sua- veolente Tourn.
Antimonium.	
Argentum.	
Argentum vivum.	
Ari radix,	Ari maculati maculis nigris C. B. ari vulgaris Gerard.
Aristolochiæ longæ radix,	Aristolochiæ longæ veræ C. B.
Aristolochiæ tenuis radix,	Aristolochiæ clematitidis rectæ C. B.
Artemisiæ folia,	Artemisiæ vulgaris majoris C. B.

- Afa foetida, Succus concretus radicis
hingisèh, seu plantæ afæ
 foetidæ Kæmpf. Amceni-
 tat. exotic.
- Afari folia, Afari *C. B.*
- Atriplicis olidæ folia, Atriplicis foetidæ *C. B.* Che-
 nopodii foetidi Tourn.
- Aurantiorum Hispa- Fructus mali aurantiæ ma-
 lensium succus, & joris *C. B.* mali aurantiæ
 cortex, fructu acido.
- Axungia porcina.

B.

- Balaustia, Flores balaustiae flore pleno
 majore *C. B.*
- Balsamum Copaiva.
- Balsamum Peruvianum.
- Balsamum Tolutanum.
- Bdellium.
- Becabungæ folia, Veronicæ aquaticæ folio
 subrotundo Morison. Hi-
 stor. plant.
- Benzoinum.
- Bistortæ radix, Bistortæ majoris radice mi-
 nus intortâ *C. B.*
- Bitumen Judaicum.
- Bolus Armenia.
- Bolus Gallica.
- Borax.
- Buxi lignum, Buxi arborecentis *C. B.*

C.

- Calami aromatici radix,** **Acori veri, five calami aromatici officinarum C. B.**
Calaminthæ folia, **Calaminthæ pulegii odore, five nepetæ C. B.**
Calx, **Calx cretacea.**
Camphora, **Resina arboris camphoriferæ Japonicæ Breyn.**
Cancerum chelæ.
Cathero um oculi dicti.
Canella alba, **Cinamomum, five canella tubis minoribus alba C. B. cortex Winteranus falso dictus Park.**
Cantharides.
Cardamomi minoris semen, **Cardamomi simpliciter in officinis dicti C. B.**
Cardui benedicti folia, **Cnici silvestris hirsutioris, five cardui benedicti C. B.**
Carica, **Fructus aridus ficus communis C. B.**
Carpobalsamum, **Fructus balsami Syriaci rutæ folio C. B.**
Carui semen, **Cumini pratensis, carui officinarum C. B.**
Caryophylla aromatica & oleum eorum stillatitium five essentiale, **Fructus immaturus caryophylli Rumph. Herbar. Amboinens.**
Caryophylla rubra, **Flores caryophylli altilis majoris C. B.**

Cassia fistularis,	Fructus cassiæ fistulæ Ale- xandrinæ C. B.
Castoreum Russicum.	
Casumunar.	
Centaurii minoris summitates,	Centaurii minoris Tourn.
Cepa,	Cepa vulgaris C. B.
Cera alba.	
Cera flava.	
Cerussa.	
Chalybs.	
Chamædryos summi- tates cum semine,	Chamædryos vulgò veræ existimatæ J. B.
Chamæmeli folia, flores,	Chamæmeli nobilis , sive leucanthemi odoratoris C. B.
Chamæpityos folia,	Chamæpityos luteæ vulga- ris, sive folio trifido C. B.
Cineres Russici,	Cineres e Russiâ advecti, quibus utuntur saponarii nostri.
Cinnamomum, & ole- um ejus stillatitium sive essentiale,	Cinnamomum, sive canella Zeilanica C. B. cassia ci- namomea Herman. Hort. Lugd. Bat.
Coccinella.	
Cochleariæ horten- sis folia,	Cochleariæ folio subrotun- do C. B.
Colocynthis me- dulla,	Fructus, cortice seminibus- que abjectis, colocynthi- dis J. B.

Contrayerva radix,	Contrayerva Hispanorum, five Drakena radix Clusii Pak.
Corallium rubrum.	
Coriandri semen,	Coriandri majoris C. B.
Cornu cervi.	
Costus,	Costus dulcis officinarum C. B.
Creta.	
Crocus,	Styli capillamenta florum croci sativi C. B.
Cubebæ,	Cubebæ vulgares C. B.
Cucumis agrestis,	Fructus cucumeris silvestris, asinini dicti C. B.
Cuprum.	
Curcuma,	Curcuma radice longâ Her- man. Hort. L. B. <i>maniella</i> <i>kua</i> Hort. Malabar.
Cydonia mala, eo- rumque semina,	Fructus cotoneæ mali J. B.
Cymini semen,	Cumini semine longiore C. B. fœniculi orientalis cu- mini dicti Tourn.
Cynosbati fructus,	Rosæ sylvestris vulgaris flore odorato incarnato C. B.

D.

Dauci Cretici semen,	Dauci foliis fœniculi tenuis- simis C. B.
Dictamni Cretici fo- lia,	Dictamni Cretici C. B. ori- gani Cretici latifolii to- mentosi Tourn.

E, Ela-

E.

- | | |
|----------------------|---|
| Elatines folia, | Elatines Dioscoridis Lobel.
Adv. linariæ fegetum
nummulariæ folio villo-
so Tourn. |
| Eleutheriæ cortex. | |
| Enulæ campanæ radix, | Helenii vulgaris C. B. asteris
omnium maximi Tourn. |
| Eryngii radix, | Eryngii maritimi C. B. |

F.

- | | |
|---------------------------------|-------------------------|
| Ferrum. | |
| Fœni Græci semen, | Fœni Græci sativi C. B. |
| Fœniculi dulcis fe-
men, | Fœniculi dulcis C. B. |
| Fuligo lignorum
combustorum. | |

G.

- | | |
|-----------------------|--|
| Galbanum. | |
| Gallæ. | |
| Gambogia. | |
| Gentianæ radix, | Gentianæ majoris luteæ
C. B. |
| Gladioli lutei radix, | Iridis palustris luteæ, five a-
cori adulterini J. B. acori
vulgaris Pharmacop. Au-
gust. |
| Glycyrrhiza, | Radix glycyrrhizæ filiquo-
sæ, vel Germanicæ C. B. |

Granati cortex,	Fruſtûs mali Punicæ fativa C. B.
Guaiaci lignum, cor- tex, gummi,	Guaiaci Americani prim fructu aceris, ſive legi- timi Breyn.
Gummi Ammoniacum.	
Gummi Arabicum.	
Gurami Elemi.	

H.

Hederæ terreſtris fo- lia,	Hederæ terreſtris vulgaris C. B.
Hellebori albi radix,	Hellebori albi flore ſubvi- ridi C. B. veratri flore ſubviridi Tourn.
Hellebori nigri ra- dix,	Hellebori nigri flore roſeo C. B.
Hordeum diſtichum,	Semen hordei diſtichi C. B.
Hordeum perlatum diſtum.	
Hyperici folia, flores,	Hyperici vulgaris C. B.
Hypociftidis ſuccus,	Succus inſpiſſatus hypocifti- dis ſub ciſto C. B.
Hyſſopi folia,	Hyſſopi officinarum cœru- leæ, ſive ſpicatæ C. B.

J.

Jalapii radix.	
Ipecacoanhæ radix.	
Iridis radix,	Iridis albæ Florentinæ C. B.
Juncus odoratus,	Juncus odoratus, ſive aro- maticus C. B.

Juni-

Juniperi baccæ,

Juniperi vulgaris fruticosæ
C. B.

K.

Kermes succus.

L.

Labdanum,

Gummi cisti ladaniferæ Cre-
ticæ flore purpureo Tourn.
Corollar. Inst.

Lamii albi flores,

Lamii albi non foetentis, fo-
lio oblongo C. B.Lapis Bezoar orienta-
lis,

Lapis Calaminaris.

Lapis Hæmatites.

Lavendulæ flores,

Lavendulæ angustifoliæ
C. B.

Lauri folia, baccæ.

Lauri vulgaris C. B.

Lichen cinereus ter-
restris.Lichen terrestris cinereus
Raii.

Lignum rhodium.

Lignum tinctile Cam-
pechense.Limonum succus, cor-
tex, & essentia
dicta,Fructûs mali limoniæ acidæ
C. B. mali limoniæ fructu
acido.

Lini semen,

Lini sativi C. B.

Lithargyrus.

Lujulæ folia,

Oxyos albæ Ger.

M.

Macis,	Macis officinarum C. B.
Majoranæ folia,	Majoranæ vulgaris C. B.
Malabathrum folium,	Folium cinamomi, five canellæ Malavaricæ & Javanensis C. B.
Malvæ folia, flores,	Malvæ sylvestris folio siquato C. B.
Manna.	
Margaritæ.	
Mari Syriaci folia,	Mari Cortusi J. B. chamædryos maritimæ incana frutescentis foliis lanceolatis Tourn.
Mari vulgaris folia,	Sampfuci, five mari massichen redolentis C. B. thymbræ Hispanicæ majoranæ folio Tourn.
Marrubii folia,	Marrubii albi vulgaris C. B.
Massiche,	Resina lentisci vulgaris C. B.
Matricariæ folia,	Matricariæ vulgaris, seu fativæ C. B.
Mel.	
Melissæ folia,	Melissæ hortensis C. B.
Menthæ piperitidis folia,	Menthæ spicis brevioribus & habitioribus, foliis menthæ fusæ, sapore fervido piperis Raii Synops.
Menthæ vulgaris folia,	Menthæ angustifolio spicata C. B.
Meum Athamanticum,	Radix mei foliis anethi C. B.

Mille-

Millepedæ.

Minium.

Morum,

Fructus mori fructu nigro
C. B.

Moschus.

Myrrha.

N.

Napi semen,

Napi sativæ C. B. napi dul-
cis officinarum.

Nardus Celtica,

Radix Nardi Celticæ Dio-
scoridis C. B. valerianæ
Celticæ Tourn.

Nardus Indica,

Nardus Indica, quæ spica,
spica nardi, & spica Indi-
ca officinarum C. B.Nasturtii aquatici fo-
lia,Nasturtii aquatici supini
C. B. sisymbrii aquatici
Tourn.

Nepetæ folia,

Menthæ catariæ vulgaris &
majoris C. B. catariæ ma-
joris vulgaris Tourn.

Nicotianæ folia,

Nicotianæ majoris latifoliæ
C. B.

Nitrum.

Nux moschata, & ole-
um ejus stillatitium
sive essentiale, ole-
umque expressum,
macis vulgò di-
ctum,Nux moschata fructu rotun-
do C. B. nux myristica,
pala Rumph. Herb. Am-
boin.

O. Ole-

O.

Oleum olivarum,	Oleum e fructu oleæ sativæ C. B.
Olibanum.	
Opobalsamum,	Resina balsami Syriaci rutæ folio C. B.
Opopanax.	
Origani folia,	Origani silvestris, cunilabulæ Plinii C. B.
Ostreorum testæ.	
Ovum gallinaceum.	

P.

Pæonia,	Pæonia folio nigricante splendido, quæ mas C. B. vel, Pæonia fœmina flore plene rubro majore C. B.
Papaveris albi capita, succus concretus sive opium,	Papaveris hortenſis ſemine albo C. B.
Papaveris erratici flores,	Papaveris erratici majoris C. B.
Paralyſis flores,	Verbaſculi pratensis odorati C. B. primulæ veris majoris Raii.
Parietariæ folia,	Parietariæ officinarum C. B.
Pentaphylli radix,	Quinquefolii majoris repentis C. B.
Peruvianus cortex.	
Petroleum Barbadenſe.	

- Petroselinī Macedo- Apīi Macedonici C. B.
 nīcī semen,
 Petroselinī vulgaris Apīi hortensis, seu petrose-
 semen, lini vulgò C. B.
 Pimpinellæ saxifragæ Pimpinellæ saxifragæ mi-
 radix, noris foliis sanguisorbæ
 Raii; tragoselinī alteritū
 majoris Tourn.
 vel
 Pimpinellæ saxifragæ mino-
 ris C. B. tragoselinī mi-
 noris Tourn.
 Piper album, Piper nigrum maturum de-
 corticatum.
 Piper Jamaicense.
 Piper longum, Piper longum orientale C.
 B. *cattu-tirpali* Hort.
 Malabar.
 Piper nigrum, Piper nigrum officinarum;
molago-codi Hort. Mala-
 bar.
 Pix arida.
 Pix Burgundica.
 Pix liquida.
 Polii summitates, Polii angustifolii Cretici C.
 B. vel,
 Polii maritimi erecti Mon-
 speliaci C. B.
 Pruna Gallica.
 Pruna silvestria, Fructus pruni silvestris C. B.
 Pulegii folia, Pulegii latifolii C. B. men-
 thæ aquaticæ, seu pule-
 gii vulgaris Tourn.
 Pyre-

Pyrethri radix,

Pyrethri flore bellidis C. B.

R.

Raphani rustici
radix,Raphani rustici C. B.
cochleariæ folio cubitali
Tourn.

Rhabarbarum,

Rhabarbarum verum officin.

Rorismarini summita-
tes, flores,Rorismarini hortensis an-
gustiore folio C. B.

Rosa Damascena,

Rosa purpurea C. B.

Rosa rubra,

Rosa rubra multiplex C. B.

Rubia tinctorum.

Rubi Idæi fructus,

Rubi Idæi spinosi C. B.

Rutæ folia,

Rutæ hortensis latifoliæ
C. B.

S.

Sabinæ folia,

Sabinæ folio tamarisci Diol-
coridis C. B.Saccharum purissi-
mum,

Saccharum bis purificatum.

Saccharum rubrum,

Saccharum nondum purifi-
catum.

Sagapenum.

Sal ammoniacus.

Sal catharticus amarus.

Sal gemmæ.

Sal marinus.

Salviæ folia,

Salviæ majoris C. B.

Sambuci flores, bac-
cæ,Sambuci fructu in umbellâ
nigro C. B.

San-

- Sanguis draconis.
 Santalum rubrum.
 Sapo durus,
 Sapo mollis,
 Sarcocolla.
 Sarsaparillæ radix.
 Saflafras radix, ejus-
 que cortex,
 Scammonium.
 Scilla,
 Scincorum ventres.
 Scordii folia,
 Senæ folia,
 Serpentariæ Virginia-
 næ radix.
 Sefelis semen,
 Sevum ovillum.
 Sinapis semen,
 Sperma ceti dictum.
 Spinæ cervinæ baccæ,
 Spiritus vinosus recti-
 ficatus,
 Sapo durus ab Hispaniâ.
 Sapo mollis communis no-
 strorum saponariorum.
 Arboris ex Floridâ ficulneo
 folio *C. B.*
 Radix scillæ radice albâ *C.*
B. vel scillæ vulgaris ra-
 dice rubrâ *C. B.* ornitho-
 gali maritimi Tourn.
 Scordii *C. B.* chamædryos
 palustris canescentis
 Tourn.
 Senæ Alexandrinæ, five fo-
 liis acutis *C. B.*
 Ligustici quod fefeli officina-
 rum *C. B.*
 Sinapis rapi folio *C. B.*
 Rhamni cathartici *C. B.*
 Spiritus destillatus ex vino,
 vel aliis liquoribus fer-
 mentatis, & ab aquâ im-
 mixtâ, atque odore foeti-
 do,

Spiritus vinosus tenuior,

Spongia.

Stannum.

Stœchas,

Styrax calamita,

Succinum.

Sulphur.

T.

Tamarindus,

Tanacetî folia,

Tartarum,

Tartari cryſtalli,

Terebinthina Argentoratensis.

Terebinthina Chia.

do, quantum fieri poteſt, depuratus.

Idem ſpiritus, cui immixta fuerit aquæ pars æqua. Huiusmodi ſpiritus linguâ vernaculâ vocamus *proof. ſpirit* : e quibus optimus eſt, qui ex vino Gallico conficitur; ſed in uſus communes adhiberi poteſt ſpiritus (ex ſyrupo, a ſaccharo inter purificandum, deſcente) vulgò appellatus *melasses ſpirit*.

Stœchas purpurea C. B.

Refina ſtyriacis folio mali cotoneæ C. B.

Fructus ſiliquæ Arabicæ, quæ tamarindus C. B.

Tanacetî vulgaris lutei C. B.

Tartarum vini albi, vel rubri.

Tartarum purificatum.

Tere-

Terebinthina communis.	
Terra Japonica.	
Thlaspis semen,	Thlaspis arvensis filiquis la- tis, vel,
	Thlaspis arvensis vaccariæ incano folio majoris C. B.
Thus,	Thus vulgare.
Thimi citrati folia,	Serpylli, foliis citri odore C. B.
Tiliæ flores,	Tiliæ sceminæ folio majore C. B.
Tormentillæ radix,	Tormentillæ silvestris C. B.
Tragacantha,	Gummi tragacanthiæ C. B. tragacanthæ Creticæ in- canæ flore parvo lineis purpureis striato Tourn.
Trichomanis folia,	Trichomanis, sive polytri- chi officinarum C. B.
Trifolii paludosi folia,	Trifolii palustris C. B.
Tritici farina, & amy- lum.	
Tutia.	

V.

Valerianæ silvestris radix,	Valerianæ silvestris majoris montanæ C. B. valerianæ silvestris majoris foliis angustioribus Morison. Plant. umbellif.
Vinum album,	Vinum Hispanicum mon- tanum.
	B 2 Vinum

Vinum Canarinum.

Vinum Rhenanum.

Vinum rubrum,

Viola,

Vinum rubrum Lusitanicum.

Flos violæ martiæ purpureæ
flore simplici odore C. B.

Vipera.

Vitriolum album.

Vitriolum cœruleum.

Vitriolum viride,

Uvæ passæ,

Vitriolum viride Anglicum.

Uvæ passæ majores.

Z.

Zedoaria,

Zingiber ejusque
conditura,

Zedoaria longa C. B. vel,

Zedoaria rotunda C. B.

Zingiber C. B. *inschi* vel *inschi kua* Hort. Malabar.

PRAEPARATIONES SIMPLICIORES.

TERREORUM,

aliorumque, quæ aquâ non dissolvuntur, corporum præparatio.

PRIMUM pulverentur hæc corpora in mortario, deinde lævigentur in pulverem subtilissimum super marmore expolito & duro cum paululâ aquâ, postea exsiccentur super lapidem cretaceum, denique in loco tepido seponantur, vel saltem probè sicco, per aliquot dies.

Hoc

Hoc modo in pulverem redigenda sunt

Ærugo,

Antimonium,

Chelarum cancrorum apices,

Corallium,

Creta,

Lapis bezoar, qui inter lævigandum spiritu vinoso humectetur,

Lapis calaminaris ab iis, qui orichalcum conficiunt, calcinatus,

Lapis hæmatites,

Margaritæ,

Oculi dicti cancrorum,

Ostreorum testæ a sordibus prius purgatæ,

Ovorum testæ, membranâ adhærente prius coquendo separatâ,

Succinum,

Tutiâ.

IN antimonio, lapide calaminari, & tutiâ cura singularis adhiberi debet, quò in pulverem quam maximè subtilem redigantur.

AXUNGIAE PORCINÆ,

SEVIQUE OVILLI

curatio.

IN frustula concisa leni igne liquentur, paululâ aquâ adjectâ; deinde colando a membranis separentur.

AXUNGIAE VIPERINÆ

curatio.

ADIPEM ab intestinis separatum lento igne liqua; deinde per linteum tenue exprimendo cola.

MELLIS DESPUMATIO.

MEL balneo liquefac, & spuma emergens auferatur.

SCILLÆ COCTIO.

SCILLAM, cortice exteriori detracto, par-
teque duriori, cui radiculae adhærent, abjectâ, fa-
rina tritici subactâ involve, & in clibano coque,
donec farina probè siccata sit, & scilla undique
fiat tenera.

SCILLÆ EXSICCATIO.

SCILLAM, ablato externo cortice, transver-
sim in taleolas tenues seca, & lenissimo calore
exsicca.

RHABARBARI ET NUCIS MOSCHATÆ
torrefactio.

TORREANTUR leni calore, donec reddan-
tur facilè friabiles.

SPONGIÆ USTIO.

SPONGIAM ure in vase fictili clauso, donec
nigrescat, & friabilis fiat, deinde mortario vitreo
vel marmoreo in pulverem redige.

CORNU CERVI CALCINATIO.

CORNU cervini frusta urantur in furno fi-
gularum, donec penitus albescant; deinde redi-
gantur in pulverem eodem modo; quo cætera
corpora terrea.

PULPARUM EXTRACTIO.

FRUCTUS pulposi, si immaturi sunt, vel
maturi & sicci, coquantur paululâ aquâ, ut mol-
lescant; deinde pulpam per cribrum setaceum
exprime; postea in vase fictili coque lento igne
crebrò

crebrò agitans, ne aduratur, donec debitam spissitudinem habeat.

Item casiae fistularis pulpa ex filiquâ contusâ excoquenda est, deinde aquam evaporando ad idoneam spissitudinem reducenda.

Fructuum maturorum & recentium pulpæ per cribrum exprimantur, nullâ coctione præmissâ.

STYRACIS COLATIO.

STYRACEM calamiten coque in aquâ, donec mollescat; deinde prelo exprimatur inter laminas ferreas tepefactas, & styrax purificatus ab aquâ separetur.

OPIUM COLATUM,

vel

EXTRACTUM THEBAICUM.

℞. Opii in frustula concisi p. libram unam; dissolve in pulpam in aquæ bullientis mensurâ libræ unius, cautè evitans empyreuma; &, dum adhuc calet, forti expressione per pannum linteum fæces separentur; denique balnei, vel alio leni calore opium colatum ad pristinam crassitudinem reducatur.

OPIUM paululâ aquâ ita emollitum per colum transit integrum, folis fæcibus relictis; sin autem multâ aquâ dissolvatur, pars resinosa a gummosâ separabitur.

EODEM modo purificantur reliqua gummi, ammoniacum, asa fœtida, galbanum, & alia. Sed major aquæ copia sine damno adhiberi potest. Si resinosa pars subsidat, eximatur, & circa finem inspissationis denuo adjiciatur, ut

cum reliquis gummi partibus in unam massam coeat.

GUMMI quodvis facillè liquefcens, quale est galbanum, etiam purificari potest immittendo in vesicam bubulam, tenendoque in aquâ bulliente, donec adeò molle fiat, ut per pannum cannabinum à sordibus prelo exprimatur.

MILLEPEDARUM PRÆPARATIO.

MILLEPEDÆ panno cannabino rariori inclusa suspendantur in vase clauso super spiritum vinosum calefactum, ut a vapore necatae friabiles reddantur.

C O N S E R V Æ.

C O N S E R V Æ

FOLIORUM Cochleariæ hortensis,

Lujulæ,

Menthæ vulgaris,

Rutæ,

SUMMITATUM Absinthii maritimi;

FLORUM Lavendulæ,

Malvæ,

Rorismarini,

Rosarum rubrarum immaturarum;

FLAVENDINIS Corticum aurantiorum Hispanensium.

FOLIA ex pediculis, floresque ex calycibus decerpe, flavedinem corticum aurantiorum radulâ abrade; tum singula pistillo ligneo contunde in mortario marmoreo, primum per se,
dein-

deinde cum sacchari purissimi triplo pondere, donec optimè misceantur.

CONSERVA FRUCTUS CYNOSBATI.

R. Pulpæ fructûs cynosbati maturi p. libram unam, Sacchari purissimi p. uncias viginti.

MISCEANTUR, ut fiat conserva.

CONSERVA PRUNORUM SILVESTRIUM.

PRUNA in aquam immissa super ignem impone, ut mollescant, cautione adhibitâ, ne rumpantur; dein, exemptis ex aquâ prunis, pulpam exprime, & triplo pondere sacchari purissimi misce.

CONDITA.

RADIX ERYNGII CONDITA.

RADICES coque, donec cortex facilè auferri possit; tum, eo ablato, per medium scindantur radices, & medullâ exemptâ, ter quaterve aquâ frigidâ abluantur: deinde in singulas radicum libras accipe sacchari purissimi libras duas; quod aquâ liquatum igni impone, & cum primùm bullire incipit, injice radices, & coque, donec tenerescant,

EODEM modo condiuntur Angelicæ caules.

CORTEX AURANTIORUM CONDITUS.

CORTICES aurantiorum Hispalensium recentes in aquâ sæpius mutatâ macera, ut amaritudinem dimittant; tum coque cum saccharo

B s

purif-

purissimo aquâ liquato, donec teneri & pellucidi fiant.

EODEM modo condiuntur Limonum cortices.

S U C C I.

SUCCI SCORBUTICI.

℞. Succi Cochleariæ hortensis M. libras duas.

Becabungæ,

Nasturtii aquatici, singulorum M. libram unam,

Aurantiorum Hispalensium M. uncias viginti.

MISCE, &, postquam fæces subsederint, effunde, vel cola.

ROB BACCARUM SAMBUCI.

SUCCUS baccarum sambuci defæcatus leni igne inspissetur.

ELATERIUM.

CUCUMERES agrestes maturos scinde, & succum levissimè expressum trajice per setaceum tenuissimum in vas vitreatum; deinde per aliquot horas sepone, donec crassiorem partem deposuerit. Pars tenuior supernatans effundatur vasis inclinatione, &, quod reliquum erit, filtrando separetur. Crassiorem verò partem, quæ restat, panno linteo coopertam soli, vel alii leni calori expone, donec exaruerit.

EX-

EXTRACTA, ET RESINÆ.

EXTRACTA.

RADICUM Enulæ campanæ,
Gentianæ,
Hellebori nigri;

FOLIORUM Rutæ,
Sabinæ.

IN aquâ coque, exprimendo cola, & sepone, ut fæces subsident; deinde in pilularum crassitudinem decoque, circa finem cautè evitato empyreumate.

EXTRACTUM GLYCYRRHIZÆ.

GLYCYRRHIZAM recentem in aquâ leviter coque, aquam exprimendo cola, & postquam fæces subsederint, decoque, donec digitis non cohærescat, circa finem cautè evitato empyreumate.

EXTRACTUM LIGNI CAMPECHENSIS.

℞. Ligni tinctilis Campechensis in pulverem redacti ꝑ. libram unam.

COQUE quater, vel sæpius, in aquæ congio uno ad dimidium; deinde liquores simul mixti & colati in justam crassitudinem decoquantur.

EXTRACTUM CORTICIS PERUVIANI.

MOLLE ET DURUM.

℞. Cor-

℞. Corticis Peruviani in pulverem redacti ꝑ. libram unam.

Aquæ M. libras decem vel duodecim.

COQUE per unam aut alteram horam, & liquorem effunde, qui tunc ruber erit & pellucebit; cum friget verò, flavesceat, & turbidus fiet; eadem aquæ mensurâ iterum affusâ, denuo coque, ut prius, coctionem repetens, donec liquor frige factus maneat limpidus: deinde liquores hi omnes mixti & colati ad justam crassitudinem super ignem lenissimum vaporent, cautè evitato empyreumate.

Hoc extractum sub duplici formâ præparandum est; molliori ad pilulas formandas apta, & duriori, quæ in pulverem teri possit.

EXTRACTUM LIGNI GUAIACI.

MOLE ET DUROM.

℞. Ligni guaiaci rasi ꝑ. libram unam.

COQUE quater, vel sæpius, in aquæ congionina ad dimidium; liquores colati coquendo inspissentur; cum verò aqua ferè tota exhalaverit, addendum est paululum spiritûs vinosi rectificati, quò extractum in massam uniformem & tenacem reducatur.

Hoc etiam extractum sub duplici forma, molliori, & duriori, præparandum est.

EXTRACTUM JALAPII.

RADICI jalapii in pulverem redactæ affunde spiritum vinosum rectificatum, debitoque calore extrahatur tinctura; & residuum aliquoties in aqua coque: spiritum ex tinctura priorî colata

ab-

abstrahe, donec spissari incipiat; item aquas colatas coque ad similem crassitudinem; deinde extracta misce, & leni igne in pilularum spissitudinem redige.

EXTRACTUM CATHARTICUM.

℞. Aloës Socotorinæ p. fescunciam,
Medullæ colocynthidis p. drachmas sex,
Scammonii,
Seminum cardamomi minoris decorticatum,
singulorum p. unciam dimidiam.
Spiritus vinosi tenuioris M. libram unam.

COLOCYNTHIDI minutim incisa, seminibusque centasis affuso spiritu vinoso, leni calore per quatrimum macera; tincturæ expressæ adde aloën & scammonium separatim in pulverem redactæ; his solutis, spiritum abstrahe, & massam redige in pilularum crassitudinem.

GUMMI ET RESINA ALOËS.

℞. Aloës Socotorinæ p. uncias quatuor,
Aquæ M. libras duas.

COQUE donec aloë, quantum fieri potest, soluta fuerit, & seponere per noctem; resina ad vasis fundum præcipitabitur; liquor supernatans, si opus, colatus, admoto igne, vaporando consumatur, ut relinquatur gummi.

N O T A.

SI extracti conficiendi major sit copia, balnei calore commodissimè spissatur.

OMNIA verò extracta aquosa paululo spiritu vinoso irrorentur, ne situm contrahant.

OLEA

O L E A

P E R

E X P R E S S I O N E M.

OLEUM AMYGDALINUM.

AMYGDALÆ, vel dulces vel amaræ, recentes in mortario lapideo terantur; deinde prelo, sed non calefacto, exprimatur oleum.

EODEM modo exprimendum est oleum ex feminibus Lini, & Sinapis.

O L E A

P E R

D I S T I L L A T I O N E M.

OLEA ESSENTIALIA.

Ex RADICE Sassafras;

Ex LIGNO Rhodio;

Ex FOLIIS Absinthii,

Majoranæ,

Menthæ piperitidis,
vulgaris,

Origani.

Pulegii,

Rorismarini.

Rutæ,

Sabinæ;

Ex FLORIBUS Chamæmeli,

Lavendulæ;

Ex

Ex SEMINIBUS Anethi,
 Anisi,
 Carui,
 Cymini;

Ex BACCIS Juniperi ;

Ex AROMATIBUS,

Caryophyllis aromaticis,
 Nuce moschata, & aliis.

HÆC olea eliciuntur distillatione ex alembico cum vase frigidario satis amplo. Ad præcavendum autem empyreuma, materiæ addenda est aqua, in quâ etiam maceranda est ante distillationem. Oleum unâ cum aquâ egreditur, & vel innatat, vel fundum petit, prout levius vel ponderosius est.

OLEUM BUXI.

BUXI fragmenta in retortâ igne arenæ gradatim aucto distilla: cum spiritu acido prodibit oleum infundibulo a spiritu separandum.

OLEUM LATERITIUM.

LATERES candefactos oleo olivarum immerge, donec omne oleum imbiberint: tum exemptos confringe, ut in retortam immittantur; & igne arenæ gradatim aucto, prodibit oleum cum spiritu, qui separandus est.

OLEUM PETROLEI BARBADENSIS.

PETROLEUM Barbadenſe distilletur igne arenæ, & oleum cum spiritu ascendet.

OLEUM TEREBINTHINÆ.

TEREBINTHINA cum aquâ distilletur ex vesicâ cupreâ, ut olea vegetabilium essentialia:

Post

Post distillationem remanet in vesicâ Resina flava.

Hoc oleum sæpe, quamvis improprie, Spiritus terebinthinæ vocatur.

OLEUM TEREBINTHINÆ ÆTHEREUM, ET BALSAMUM.

OLEUM terebinthinæ distilletur ex retortâ lenissimo igne, donec, quod restat, balsami crassitudinem acquisiverit.

BALSAMUM terebinthinæ etiam distillari potest ex resinâ flavâ, unde, post oleum tenuius, quod separatim auferri debet, prodibit balsamum crassum, remanente in fundo retortæ Resinâ nigrâ vel Colophoniâ.

OLEUM COPAIVÆ COMPOSITUM.

℞. Balsami copaivæ p. libras duas,

Gummi guaiaci p. uncias quatuor.

DISTILLATIONE ex retortâ eliciatur M. libra una.

SALES, ET SALINA.

NITRUM PURIFICATUM.

NITRUM in aquâ coquatur, liquor per chartam coletur, deinde post idoneam exhalationem seponatur in loco frigido, ut nitrum in crystallos concreascit.

EODEM modo purificatur Sal ammoniacus.

ALUMEN USTUM.

ALUMEN in vase fictili vel ferreo calcinetur, quamdiu effervesceat ac tumet.

VITRIOLUM CALCINATUM.

VITRIOLUM viride in vase fictili igne aperto calcinetur, donec probè exsiccatum fuerit; deinde fracto vase eximatur, & fervetur ad usum in vase bene clauso. Vitriolum optimè calcinatur, si in fundo, & ad vasis latera tubescat.

SAL ABSINTHII.

ABSINTHII cremati cinis in ollâ ferreâ, vel quovis vase commodo, igne supposito, per horas aliquot bene incandescat; move subinde, ut omne oleum exuratur; tum in aqua coquatur, & aqua per chartam colata evaporetur, ut sal siccus remaneat, qui reponatur in vase optimè clauso.

EODEM modo paratur sal alkalinus fixus ex aliis vegetabilibus, unde hic sal educi potest.

SAL TARTARI.

TARTARUM cujusunque speciei, vel chartâ emporeticâ madidâ involutum, vel vase idoneo inclusum, igni committatur, ut oleum omne exuratur; deinde coquendo in aquâ sal elicitur, ut prius.

LIXIVIUM TARTARI.

TARTARUM ad albitudinem calcinatum reponatur in loco humido, ut lique scat.

TARTARUM SOLUBILE.

℞. Salis cujusvis alkalini fixi ꝑ. libram unam,
Aquæ congium unum.

SALI in aquâ bulliente soluto tartari crystallos gradatim injice, quamdiu effervescentiam exci-

C

tant:

tant; quæ ferè cessat, antequam triplum salis alkalini pondus sit injectum: deinde liquorem per chartam cola, & post idoneam exhalationem seponere, ut crystalli formentur; vel aquam penitus excoque, ut massa salina relinquatur.

LIXIVIUM SAPONARIUM.

℞. Cinerum Russicorum.

Calcis vivæ, pondera æqualia.

CALICE & cineribus aquam instilla, donec calx extincta sit; tum, aquâ largius affusâ, bene peragita, ut cinerum faldedo liquecat; deinde quiescere permittite, & liquorem, si opus sit, per chartam colatum in aliud vas transfunde. Hujus liquoris mensura libralis cautissimè examinata uncias sedecim pendere oportet. Si ponderosior sit; quot drachmis hoc pondus excedat, totidem p. fescunciæ aquæ in singulas mensuras librales addendæ sunt: si vero sit levior, liquor decoquendus est, donec totidem fescunciæ sint consumptæ; vel calci cineribusque recentibus denuo affundendus.

SAP0 AMYGDALINUS.

℞. Olei amygdalini recens expressi quantum libuerit, Lixivii saponarii jam dicti triplicem mensuram.

DIGERANTUR simul tanto calore, quo parum, aut vix ebulliant, & intra paucas horas coibunt; deinde liquor aliquantulum coctus pellucidior & mucilaginosus fiet, qui gelatinæ instar frigefactus concrefcet; tum salem marinum injice, dum liquor ebulliens non ampliùs sit mucila-

gino-

ginolus, & coctio continuetur, donec, guttis liquoris in tegulam demissis, aquam a sapone coagulato promptè secedere compertum sit; postea remove ignem, & sapo gradatim supernatabit, qui, antequam frigescat, auferri, & in formam ligneam, cui pannus sit pro fundo, immitti debet: tandem exemptus seponatur, ut justam crassitiem acquirat.

EODEM modo ex oleo olivarum sapo confici potest, purissimum autem oleum adhibendum est, ut sapo tum palato, tum ventriculo quam minimè ingratus sit.

CAUSTICUM COMMUNE

fortius.

LIXIVIUM saponarium supra dictum coque ad partem quartam; deinde calcem vivam, quæ in pulverem trita, cribrata, & vase vitreo subere obturato asservata fuerit ad plures menses, huic lixivio, dum adhuc ebullit, insperge, donec omnem liquorem absorpserit, ut fiat pasta, quæ vase optimè clauso servari debet.

CAUSTICUM COMMUNE

mitius.

R. Saponis mollis.

Calcis vivæ recentis, pondera æqualia.

Usus tempore probè misceantur.

ACETUM DISTILLATUM,

vel

SPIRITUS ACETI.

ACETUM distilletur leni calore, quamdiu guttæ cadunt ab empyreumate puræ.

Si aliqua pars spiritûs primùm prodeuntis abjiciatur, spiritus asservatus fortior erit.

SAL DIURETICUS.

℞. Salis cujuscunque alkalini fixi ꝑ. libram unam.

COQUATUR lenissimo igne in aceti distillati quadruplo, vel quintuplo; fermentatione cessante, plus aceti distillati diversis vicibus adjiciatur, donec, priore aceto ferè vaporando absumpto, novum acetum additum nullam moveat fermentationem; quod fiet consumpto aceti distillati quasi pondere librarum viginti; postea lentè exsiccetur. Relinquetur sal impurus, qui leni igne aliquantisper, sed non nimis diu, liquefiat; deinde aquâ solvatur, & per chartam coletur. Si liquefactio rite peracta sit, liquor colatus limpidus erit & aquei coloris; sin aliter, coloris fusci. Denique lenissimo igne vaporet hic liquor ex vase vitreo minimè profundo, sale, dum arefcit, subinde moro, ut citiùs ad siccitatem perducatur; qui vase optimè clauso asservari debet, ne ex aëre liquefcat.

SALEM candidissimum esse oportet, totumque tum aquâ, tum spiritu vinoso dissolvi, nullis fæcibus relictis. Si sal, etiamsi albus sit, in spiritu vinoso fæces aliquas deposuerit; eo spiritu solutus per chartam colandus est, iterumque exsiccandus.

SPIRITUS VITRIOLI

tenuis & fortis,

atque

COLCOTHAR.

VITRIOLUM calcinatum in vasis terreis igne reverberii per triduum distilla. Liquore stillati-

tio retortæ vitreæ indito, & calore arenæ distillato, ascendet spiritus tenuis; & in retortâ remanebit spiritus fortis, qui vulgò oleum vitrioli, quamvis improprie, dicitur.

Quod restat in vasis terreis post primam distillationem, colcothar vitrioli vocatur.

SPIRITUS NITRI

Glauberi.

℞. Nitri p. libras tres,

Spiritus vitrioli fortis p. libram unam.

CAUTE & gradatim sub camino misceantur; postea fiat distillatio igne primùm leni, deinde fortiori.

SPIRITUS SALIS MARINI

Glauberi.

℞. Salis marini,

Spiritus vitrioli fortis, singulorum p. libras duas.

Aquæ M. libram unam.

SALI adde gradatim sub camino spiritum vitrioli aquâ prius mixtum; tum distillatio fiat primùm leni igne, deinde fortiori.

AQUA FORTIS.

℞. Nitri,

Vitrioli viridis non calcinati, singulorum p. libras tres.

Vitrioli ejusdem calcinati r. sesquilibram.

PROBE misce, & igne fortissimo fiat distillatio, quamdiu vapor ruber exit.

AQUA FORTIS COMPOSITA.

- ℞. Aquæ fortis p. uncias sedecim,
Salis marini p. drachmam unam.

DISTILLA ad siccitatem.

SAL VITRIOLI.

- ℞. Vitrioli albi p. libram unam,
Spiritus vitrioli fortis p. unciam unam,
Aquæ quantum satis sit.

VITRIOLUM coquendo solve, per chartam cola, & post idoneam exhalationem in loco frigido sepone, ut crystalli formentur.

TARTARUM VITRIOLATUM.

- ℞. Vitrioli viridis p. uncias octo,
Aquæ M. libras quatuor.

VITRIOLO in aquâ bulliente soluto injice salem tartari, vel alium alkalinum fixum, donec omnis effervescencia cesset; quod ferè fit, injecto salis pondere unciarum quatuor, vel aliquantò amplius: deinde per chartam cola, & post idoneam exhalationem sepone, ut crystalli formentur.

NITRUM VITRIOLATUM.

RESIDUUM post distillationem spiritus nitri Glauberi solve aquâ calidâ, per chartam cola, & salem in crystallos redige.

SAL CATHARTICUS

Glauberi.

RESIDUUM post distillationem spiritus salis marini Glauberi solve aquâ calidâ, per chartam cola, & salem in crystallos redige.

SPI-

SPIRITUS SALIS MARINI
coagulatus.

SPIRITUI salis marini Glauberi instilla lixivium salis cujusvis alkalini fixi, donec omnis effervescencia cesset; deinde mixtura vaporet ad siccitatem.

SPIRITUS VITRIOLI
dulcis.

Rx. Spiritus vitrioli fortis, olei dicti, p. libram unam,

Spiritus vinosi rectificati m. libram unam.

CAUTE & paulatim misceantur, lenissimoque igne distillantur, donec spuma nigra incipiat se attollere: tum statim omnia ab igne amoveantur, ne hæc spuma in recipiens transeat, omnemque laborem reddat irritum.

SPIRITUS NITRI
dulcis.

Rx. Spiritus vinosi rectificati m. libras duas,
Spiritus nitri Glauberi p. libram dimidiam.

MISCE infundendo nitri spiritum alteri, & distilla leni calore, quamdiu, quod prodit, fermentationem cum sale lixivioso non suscitatur.

SPIRITUS SULPHURIS
per campanam.

INCENDATUR sulphur sub vase vitreo ad hunc usum accommodato, quod campana appellatur, & spiritus acidus distillet in vas vitreum subiectum.

SPIRITUS, SAL, ET OLEUM
SUCCINI.

SUCCINUM distilletur igne arenæ gradatim aucto : ascendent spiritus , oleum , & sal oleo inquinatus.

OLEUM iterum per se distillando dividetur in oleum tenuius , quod ascendet ; & in partem crassiorem remanentem , Balsamum succinî dictam.

Sal coquendus est in spiritu proprio, vel in aquâ , & seponendus ad cryсталlos formandas : ita ab oleo adhærente mundabitur. Et quò sæpius hoc fit , eò purior erit.

SPIRITUS, SAL, ET OLEUM
CORNU CERVI.

Ex cornu cervini fragmentis fiat distillatio , igne gradatim ad summum ferè aucto : ascendent spiritus , sal , & oleum.

Si, oleo separato, spiritus & sal simul mixti iterum lenissimo calore distillantur , ambo puriores ascendent. Si hoc cautè aliquoties repetatur , sal fiet candidissimus , & spiritus instar aquæ limpidus , gratique odoris.

Sal a spiritu separatus , & sublimatus primum ex æquali pondere cretæ purissimæ , deinde ex paululo spiritu vinoso rectificato , citius fit purus.

CORNU cervi calcinatum plerumque conficitur urendo cornua post hanc distillationem relictâ.

EODEM modo spiritus, sal, & oleum extrahi possunt ex partibus quibuscunque animalium.

SPIRITUS, SAL, ET OLEUM
FULIGINIS.

Ex ligni fuligine distillatio fiat, ut ex cornu cervi: majore autem labore opus est, ut spiritus & sal reddantur puri.

SAL VOLATILIS SALIS
AMMONIACI.

℞. Cretæ purissimæ p. libras duas,
Salis ammoniaci p. libram unam.

SUBLIMA ex retortâ igne forti.

SPIRITUS SALIS AMMONIACI.

℞. Salis alicujus alkalini fixi p. sesquilibram.
Salis ammoniaci p. libram unam.
Aquæ m. libras quatuor.

DISTILLATIONE eliciatur leni igne mensura librarum duarum.

SPIRITUS SALIS AMMONIACI
dulcis.

℞. Salis alicujus alkalini fixi p. libram dimidiam,
Salis ammoniaci p. uncias quatuor.
Spiritus vinosi tenuioris m. libras tres.

DISTILLATIONE eliciatur leni igne mensura sesquibræ.

SPIRITUS VOLATILIS
fœtidus.

℞. Salis cujusvis alkalini fixi p. sesquilibram,

C s

Salis

Salis ammoniaci p. libram unam.

Asæ foetidæ p. uncias quatuor.

Spiritûs vinosi tenuioris m. libras sex.

DISTILLATIONE eliciatur leni calore men-
fura librarum quinque.

SPIRITUS VOLATILIS aromaticus.

Rx. Essentiæ limonum,

Olei nucis moschatae essentialis, singulorum
p. drachmas duas,

Olei caryophyllorum aromaticorum essentia-
lis p. drachmam dimidiam,

Spiritus salis ammoniaci dulcis m. libras duas.

DISTILLA igne lenissimo.

RESINOSA, ET SULPHUREA.

FLORES BENZOINI.

BENZOINUM in pulverem tritum ollæ figu-
linæ in arenâ locatæ immittatur, & leni calore
flores sublimentur in conum chartaceum olla
adaptatum.

VEL benzoinum retortæ immittatur, & leni
igne flores in retortæ collum ascendent.

FLORES flavedine inquinati terra Cimolii
albâ mixti denuo sublimentur.

FLO

FLORES SULPHURIS.

SUBLIMENTUR sulphur ex vase idoneo, & flores, qui concrecant, reducantur in pulverem molâ lignêâ, vel ligneo pistillo in mortario marmoreo.

FLORES SULPHURIS

loti.

FLORIBUS sulphuris affundatur aqua ad altitudinem quatuor digitorum supra flores, & coquantur aliquamdiu; deinde hanc aquam effunde, & frigidâ affusâ, penitus ablue; denique flores siccentur ad usum.

BALSAMUM SULPHURIS

simplex.

FLORES sulphuris cum quadruplo olei olivarum pondere coquantur in ollâ leviter tectâ, donec coëant in balsami crassitudine.

EODEM modo cum petroleo Barbadenfi fit balsamum sulphuris Barbadenfe.

SULPHUR PRÆCIPITATUM.

FLORES sulphuris cum triplo calcis vivæ pondere coquantur in aquâ ad solutionem sulphuris, & liquor per chartam coletur; deinde, spiritu vitrioli tenui addito, præcipitabitur pulvis, qui sæpius affusâ aquâ lavandus est, donec omnino insipidus fiat.

AQUA SULPHURATA.

℞. Aquæ M. libras duas,

Sulphuris ꝑ. libram dimidiam.

SUL-

SULPHURIS portio aliqua in cochleari ferreo incensa suspendatur super aquam in vase clauso; &, fumo residente, idem toties repetatur, donec totum sulphur sit consumptum.

M E T A L L I C A.

CHALYBIS RUBIGO

præparata.

LIMATURA chalybis aëri exposita humectetur sæpius aceto, vel aquâ, donec in rubiginem convertatur; deinde tere in mortario, & affusâ aquâ pulverem subtilissimum ablue: residuum verò quod modico tritu in pulverem facile abluendum non redigitur, humectatum aëri diutius expone; & denuo in mortario tritum ablue, ut prius pulvis ablutus siccandus est, & asservandus.

CHALYBS SULPHURE

præparatus.

CHALYBS igne acerrimo excandefactus bacillo sulphuris admoveatur, ut lique scat, & guttatim in aquam suppositam decidat; deinde separetur a sulphure simul in aquam defluente, & in pulverem subtilissimum redigatur.

FLORES MARTIALES.

℞. Colcotharis vitrioli viridis loti, vel limaturæ ferri ꝑ. libram unam.

Salis ammoniaci ꝑ. libras duas.

Mix-

MIXTA sublimentur ex retortâ, & quod in retortæ fundo restat, cum floribus simul terendo misce, iterumque sublima, ut flores colorem pulchrè flavescentem acquirant.

RESIDUO tandem addere licet salis ammoniaci \mathcal{P} . libram dimidiam, & sublimationem de-nuo instituire; idemque repetere, quamdiu flores bene colorati sunt.

LIXIVIUM MARTIS.

RESIDUUM post florum martialium sublimationem loco humido seponatur, liquor defluens servetur ad usum.

SAL MARTIS.

\mathcal{R} . Spiritus vitrioli fortis, olei dicti, uncias octo,
Limaturæ ferri \mathcal{P} . uncias quatuor,
Aquæ \mathcal{M} . libras duas.

MISCE, &, cessante ebullitione, stet mixtura aliquamdiu super arenam calidam; deinde liquorem effusum per chartam cola, & post idoneam exhalationem sepone, ut crystalli formentur.

CAUSTICUM LUNARE.

ARGENTUM purum duplo circiter pondere aquæ fortis super arenam calidam solve; deinde, calore leniter aucto, exsicca; postea in crucibulo liquefac, ut in formas idoneas effundatur, cautè evitato nimio igne, ne materia ultra modum crassescat.

SACCHARUM SATURNI.

COQUE cerussam in aceto distillato, vase plumbeo, donec acetum satis dulcescat; deinde
ace-

acetum per chartam cola, & post idoneam exhalationem sepone, ut crystalli formentur.

LAPIS MEDICAMENTOSUS.

℞. Aluminis,
Lithargyri,
Boli Armeniæ, aut Gallicæ, singulorum ꝑ.
libram dimidiam,
Colcotharis vitrioli viridis ꝑ. uncias tres,
Aceti M. uncias quatuor.
MISCE, & exsicca, donec indurescat.

STANNUM PULVERATUM.

STANNUM liquefactum in pixidem effundatur ligneam intus cretatam, quâ celeriter succensâ reducetur pars stanni in pulverem: reliquum iterum liquefactum eodem modo tractetur, donec totum in pulverem sit redactum.

ARGENTI VIVI purificatio.

DISTILLA e retortâ; deinde sordes aquâ falsâ, vel aceto abluere.

AURUM MUSIVUM.

℞. Stanni ꝑ. libram unam,
Florum Sulphuris ꝑ. uncias septem,
Salis ammoniaci,
Argentî vivi purificati, singulorum ꝑ. libram dimidiam.

STANNO liquefacto adde argentum vivum, postquam mixtura refrixerit, in pulverem redigatur, sulphuri salique ammoniaco bene misceatur,

tur, & sublimatio fiat in matraccio: invenietur aurum musivum sub materiâ sublimatâ, cum sordibus quibusdam in fundo.

ÆTHIOPS MINERALIS.

℞. Argenti vivi purificati,
 Florum sulphuris illotorum, pondera æqualia.
 TERANTUR simul in mortario vitreo, vel lapideo, donec unitas facta sit.

CINNABARIS FACTITIA.

℞. Argenti vivi purificati ꝑ. uncias viginti quinque.
 Sulphuris ꝑ. uncias septem.

SULPHURI liquefacto argentum vivum immisce, & si mixtura flammam concipiat, extinguatur vas tegendo; deinde in pulverem redigatur materia, & fiat sublimatio.

MERCURIUS CORROSIVUS

sublimatus, vel albus.

℞. Argenti vivi purificati ꝑ. uncias quadraginta,
 Salis marini ꝑ. uncias triginta tres,
 Nitri ꝑ. uncias viginti octo,
 Vitrioli viridis calcinati ꝑ. uncias sexaginta sex.

ARGENTUM vivum in vase ligneo vel lapideo unciâ, aut amplius, mercurii sublimati corrosivi jam confecti misceatur, dum in grana minuta fractum sit; deinde cum nitro teratur, postea cum sale marino, donec argentum vivum omnino apparere desinat; tum addatur vitriolum calcinatum, quocum mixtura non nimis diu conterenda est, ne argentum vivum

ite-

iterum confluat: denique sublimatio fiat in matraccio vitreo, cui, si placet, capitellum aptes, ut spiritus, qui parvâ quantitate prodit, servetur.

MERCURIUS DULCIS

sublimatus.

- ℞. Mercurii corrosivi sublimati ℞. libram unam,
Argenti vivi purificati ℞. uncias novem.

MERCURIO sublimato trito adde argentum vivum in matraccio vitreo, & digerantur leni arenæ calore, vitro sæpe agitato, donec coëant, deinde, aucto calore, fiat sublimatio: materia sublimata, abjectâ parte superiori acri, & globulis argenti vivi, si qui forte appareant, in pulverem redigatur, iterumque sublimetur; quæ sublimatio sexies repetenda est.

MERCURIUS CALCINATUS.

ARGENTUM vivum purificatum ponatur super ignem arenæ per plures menses in vase vitreo, latum fundum parvumque foramen aëri patens habente, donec in pulverem rubrum calcinetur.

MERCURIUS PRÆCIPITATUS

albus.

- ℞. Salis ammoniaci.

Mercurii corrosivi sublimati, pondera æqualia

SOLVE simul in aquâ, per chartam cola, & solutione salis alicujus alkalini fixi præcipita pulverem præcipitatum ablue ad perfectam dulcedinem.

MER

MERCURIUS CORROSIVUS

ruber.

℞. Argenti vivi purificati.

Aquæ fortis compositæ, pondera æqualia.

MIXTA in vase lati fundi incalescant igne arenæ, donec exsiccata massa rubicundum colorem acquisiverit.

MERCURIUS CORALLINUS.

MERCURIO corrosivo rubro affunde triplum circiter pondus spiritûs vinosi rectificati, & leni calore digere per duos vel tres dies, vas sæpe succutiens; deinde spiritum accende, assidue pulverem agitans, donec spiritus totus deflagaverit.

MERCURIUS EMETICUS

flavus.

ARGENTO vivo purificato affunde in vase vitreo duplum pondus spiritûs vitrioli fortis; gradatim incalescat liquor, & deinde ebulliat, donec in fundo remaneat massa alba, quæ fortî igne penitus exsiccanda est. Hæc massa, aqua calida affusa, statim flavescet, & in pulverem fatiscet. Teratur diligenter cum hac aquâ in mortario vitreo; & postquam pulvis subsederit, aquam effunde, & recenti aqua aliquoties affusa, abluatur ad perfectam dulcedinem.

SULPHUR ANTIMONII

præcipitatum.

℞. Antimonii ꝑ. uncias sedecim,

Tartari ꝑ. libram unam,

Nitri ꝑ. libram dimidiam.

D

SEPA-

SEPARATIM in pulverem redacta, bene misceantur; sensim immittatur mixtura in crucibulum candens, & liquetur forti igne; deinde effundatur in conum fusorium, & pars metallica, antimonii regulus vulgò dicta, fundum petet, scoriis supernatantibus. Scorias in aquâ solve, & liquorem per chartam cola; deinde salis marini spiritum instillando sulphur præcipita, & postea a salibus aquâ abluere.

CROCUS ANTIMONII.

℞. Antimonii.

Nitri, pondera æqualia.

SEPARATIM in pulverem trita probè misceantur; deinde gradatim injiciatur mixtura in crucibulum candens, ut liquetur; materia effusa separetur a scoriis: varii erit coloris; eoque magis flavescet, quò diutius in igne liquata fuerit.

CROCUS ANTIMONII

lotus.

CROCUM in pulverem subtilissimum redactum in aquâ coque; quâ abjectâ, denuo aquâ calidâ aliquoties abluere, donec omnino dulcescat.

TARTARUM EMETICUM.

℞. Croci antimonii loti.

CrySTALLORUM tartari, singulorum ꝑ. libram dimidiam.

Aquæ M. libras tres.

COQUE per horam dimidiam; deinde cola
per

per chartam, & ritè evaporatum sepone, quòd crystalli formentur.

CALX ANTIMONII.

ANTIMONIUM in pulverem redactum nitrì triplo ponderi probè misceatur, & gradatim in crucibulum leviter candens immittatur; deinde mixtura ab igne remota aquâ abluatur, tum a sale adhærente, tum a parte crassiori minùs perfectè calcinatâ.

CAUSTICUM ANTIMONIALE.

℞. Antimonii ꝑ. libram unam.

Mercurii corrosivi sublimati ꝑ. libras duas.

SEPARATIM in pulverem redigantur, probè misceantur, & fiat distillatio ex retortâ, cujus collum amplum sit, leni igne arenæ; quod in retortæ collum ascendit. aëri exponendo in liquorem resolvatur.

CINNABARIS ANTIMONII.

QUOD in fundo retortæ restat post confectum causticum, in matraccio loricato igne aperto sublimeretur.

AQUÆ STILLATITIÆ SIMPLICES.

AQUA ALEXETERIA

simplex.

℞. Foliorum menthæ vulgaris recentium ꝑ. sesquilibram.

Summitatum absinthii maritimi recentium,

Foliorum angelicæ recentium, singulorum p.
libram unam,

Aquæ q. s. ad evitandum empyreuma.

DISTILLATIONE eliciantur congii tres.

AQUA SEMINUM ANETHI.

Rx. Seminum anethi p. libram unam,

Aquæ q. s. ad evitandum empyreuma.

DISTILLATIONE eliciatur congius unus.

AQUA CORTICUM AURANTIORUM simplex.

Rx. Flavedinis corticum aurantium Hispalen-
sium recentis p. uncias quatuor,

Aquæ q. s. ad evitandum empyreuma.

DISTILLATIONE eliciatur congius unus.

AQUA CASTOREI.

Rx. Castorei Ruffici p. unciam unam,

Aquæ q. s. ad evitandum empyreuma.

DISTILLATIONE eliciantur m. libræ duæ.

AQUA CINNAMOMI simplex.

Rx. Cinnamomi p. libram unam,

Aquæ q. s. ad evitandum empyreuma.

DISTILLATIONE eliciatur congius unus.

AQUA FOENICULI.

Rx. Seminum fœniculi dulcis p. libram unam,

Aquæ q. s. ad evitandum empyreuma.

DISTILLATIONE eliciatur congius unus.

AQUA

AQUA MENTHÆ PIPERITIDIS
simplex.

Rx. Foliorum menthæ piperitidis ficcatorum p. sesquilibram,

Aquæ q. s. ad evitandum empyreuma.

DISTILLATIONE eliciatur congius unus.

AQUA MENTÆ VULGARIS
simplex.

Rx. Foliorum menthæ vulgaris ficcatorum p. sesquilibram,

Aquæ q. s. ad evitandum empyreuma.

DISTILLATIONE eliciatur congius unus.

AQUA PIPERIS JAMAICENSIS.

Rx. Piperis Jamaicens p. libram dimidiam,

Aquæ q. s. ad evitandum empyreuma.

DISTILLATIONE eliciatur congius unus.

AQUA PULEGII
simplex.

Rx. Foliorum pulegii ficcatorum p. sesquilibram,

Aquæ q. s. ad evitandum empyreuma.

DISTILLATIONE eliciatur congius unus.

AQUA ROSARUM DAMASCENARUM.

Rx. Rosarum Damascenarum recentium p. libras sex.

Aqua q. s. ad evitandum empyreuma.

DISTILLATIONE eliciatur congius unus.

N O T A.

OMNIBUS his aquis, quo melius conserventur, post distillationem addi potest spiritus vinosi tenuioris pars circiter vicesima.

TUM hæ, tum etiam spirituosæ, quæ proximè sequuntur aquæ, iisdem ferè vasis, ac olea essentialia prius descripta, distillari solent.

Herbæ autem, si primæ bonitatis sint, pondere hic præscripto sumi debent. Ubi recentes præscribuntur, tales adhiberi oportet: quarundam verò aridarum, quoniam omni anni tempore præstò sunt, usum concessimus, etiamsi e virentibus paulò elegantiores fierent aquæ. Omnium autem pondera opificis iudicio varianda sunt, quandocunque recentes loco aridarum adhibeantur, vel sub cælo minùs tempestivo viribus imbecilliores herbæ provenerint.

AQUÆ STILLATITIÆ SPIRITUOSÆ,

ET

S P I R I T U S.

AQUA ALEXETERIA spirituosa.

- ℞. Foliorum menthæ vulgaris recentium ꝑ. libram dimidiam,
Foliorum angelicæ recentium,
Summitatum absinthii maritimi recentium,
singulorum ꝑ. uncias quatuor,

Spiri-

Spiritûs vinosi tenuioris congiûm unum,
Aquæ q. s. ad evitandum empyreuma.

DISTILLATIONE eliciatur congius unus.

AQUA ALEXETERIA

spirituosa cum aceto.

℞. Foliorum menthæ vulgaris recentium,
angelicæ recentium, singulorum ꝑ.
libram dimidiam.

Summitatum absinthii maritimi recentium ꝑ.
uncias quatuor.

Spiritûs vinosi tenuioris congiûm unum.

Aquæ q. s. ad evitandum empyreuma.

DISTILLATIONE eliciantur congius unus,
deinde adde aceti M. libram unam.

AQUA SEMINUM ANISI

composita.

℞. Seminum anisi,
angelicæ, singulorum ꝑ. libram dimidiam.

Spiritûs vinosi tenuioris congiûm unum,

Aquæ q. s. ad evitandum empyreuma.

DISTILLATIONE eliciatur congius unus.

AQUA CORTICUM AURANTIORUM

spirituosa.

℞. Flavendinis corticum aurantium Hispalensium
recentis ꝑ. libram dimidiam,

Spiritûs vinosi tenuioris congiûm unum,

Aquæ q. s. ad evitandum empyreuma.

DISTILLATIONE eliciatur congius unus.

AQUA SEMINUM CARDAMOMI.

℞. Seminum cardamomi minoris decorticatorum
ꝑ. uncias quatuor,

96 AQUÆ STILLAT. SPIRIT.

Spiritûs vinosi tenuioris congium unum,
Aquæ q. f. ad evitandum empyreuma.

DISTILLATIONE eliciatur congius unus.

AQUA SEMINUM CARUI.

℞. Seminum carui ꝑ. libram dimidiam,
Spiritûs vinosi tenuioris congium unum,
Aquæ q. f. ad evitandum empyreuma.

DISTILLATIONE eliciatur congius unus.

AQUA CINNAMOMI

spirituosa.

℞. Cinnamomi ꝑ. libram unam,
Spiritûs vinosi tenuioris congium unum,
Aquæ q. f. ad evitandum empyreuma.

DISTILLATIONE eliciatur congius unus.

AQUA JUNIPERI

composita.

℞. Baccarum juniperi ꝑ. libram unam,
Seminum carui,
fœniculi dulcis, singulorum ꝑ. fescunciam,
Spiritûs vinosi tenuioris congium unum,
Aquæ q. f. ad evitandum empyreuma.

DISTILLATIONE eliciatur congius unus.

AQUA MENTHÆ PIPERITIDIS

spirituosa.

℞. Foliorum menthæ piperitidis siccatorum ꝑ.
sesquilibram,
Spiritûs vinosi tenuioris congium unum,
Aquæ q. f. ad evitandum empyreuma.

DISTILLATIONE eliciatur congius unus.

AQUA

AQUA MENTHÆ VULGARIS
spirituosa.

℞. Foliorum menthæ vulgaris siccatorum p. sesquilibram.

Spiritus vinosi tenuioris congiū unum,
Aquæ q. s. ad evitandum empyreuma.

DISTILLATIONE eliciatur congius unus.

AQUA NUCIS MOSCHATÆ.

℞. Nucis moschatæ p. uncias duas,

Spiritus vinosi tenuioris congiū unum,
Aquæ q. s. ad evitandum empyreuma.

DISTILLATIONE eliciatur congius unus.

AQUA PULEGII

spirituosa.

℞. Foliorum pulegii siccatorum p. sesquilibram,

Spiritus vinosi tenuioris congiū unum,
Aquæ q. s. ad evitandum empyreuma.

DISTILLATIONE eliciatur congius unus.

AQUA RAPHANI

composita.

℞. Foliorum cochleariæ hortensis recentium p. libras quatuor,

Radiciſ raphani rustici recentis,

Flavedinis recentis corticum aurantium Hiſpalensium, singulorum p. libras duas,

Nucis moschatæ p. uncias novem,

Spiritus vinosi tenuioris congios duos,

Aquæ q. s. ad evitandum empyreuma.

DISTILLATIONE eliciantur congii duo.

SPIRITUS LAVENDULÆ
simplex.

- ℞. Florum recentium lavendulæ ꝑ. sesquilibram,
Spiritus vinosi tenuioris congiū unum.
DISTILLA balnei calore, donec eliciantur
℥. libræ quinque.

SPIRITUS RORISMARINI.

- ℞. Summitatum rorismarini recentium ꝑ. sesqui-
libram,
Spiritus vinosi tenuioris congiū unum.
DISTILLA balnei calore, donec eliciantur
℥. libræ quinque.

SPIRITUS LAVENDULÆ
compositus.

- ℞. Spiritus lavendulæ simplicis ℥. libras tres,
Spiritus rorismarini ℥. libram unam,
Cinnamomi,
Nucis moschatæ, singulorum ꝑ. unciam di-
midiam,
Santali rubri ꝑ. drachmas tres.
DIGERE, et cola.

D E C O C T A

ET

I N F U S A.

DECOCTUM ALBUM.

- ℞. Cornu cervini calcinati, & præparati ꝑ. uncias duas,
 Gummi Arabici ꝑ. drachmas duas,
 Aquæ M. libras tres.

COQUE ad libras duas, et cola.

DECOCTUM COMMUNE.

pro clystere.

- ℞. Foliorum siccatorum malvæ ꝑ. unciam unam,
 Foliorum chamæmeli siccatorum,
 Seminum fœniculi dulcis, singulorum ꝑ. unciam dimidiam,
 Aquæ M. libram unam.

COQUE, et cola.

DECOCTUM PECTORALE.

- ℞. Hordei distichi,
 Uvarum passarum, granis exemptis,
 Caricarum, singulorum ꝑ. uncias duas,
 Glycyrrhizæ ꝑ. unciam dimidiam,
 Aquæ M. libras quatuor.

AQUAM cum hordeo primùm coque, dein de uvas adde, postremò caricas atque glyzyrrhizam paulò ante finem cocturæ, quæ tum demum perfecta erit, cùm liquoris colati mensura duarum librarum restet.

AQUA

AQUA HORDEATA.

℞, Hordei perlati ꝑ. uncias duas,
Aquæ M. libras quatuor.

HORDEUM primò a farinâ adhærente bene lavetur aquâ frigidâ; deinde affusâ aquæ librâ circiter dimidiâ aliquantulum coquatur; hâc autem aquâ, quæ colorabitur, abjectâ, hordeum aquæ præscriptæ bullienti adde, & coque ad partes dimidias.

FOTUS COMMUNIS.

℞. Foliorum abrotani siccatorum,
Summitatum absinthii maritimi siccatarum,
Florum chamæmeli siccatorum, singulorum
ꝑ. unciam unam,
Foliorum lauri siccatorum ꝑ. unciam dimidiam,
Aquæ M. libras sex.

LEVITER coque, et cola.

JUS VIPERINUM.

℞. Viperam mediocris magnitudinis, pelle, capite, & intestinis demptis,
Aquæ M. libras duas.

COQUE ad mensuram circiter sesquilibræ; remove ab igne, et cùm perfrixerit, si vipera recens sit, aufer pinguedinem concretam.

Deinde pullum gallinaceum mediocris magnitudinis exenteratum, cute, adipeque omni detracto, sed indivisum in hoc jus adhuc frigidum immitte; igni impone, ut ebulliat; deinde remove ab igne, exime pullum, et statim car-

carnem ejus in frustula divide ; carnes divisas iterum liquori redde, et igni admove; denique, cùm primùm ebullire incipit, effundatur, spumâ cautè priùs ablata.

MUCILAGO SEMINUM CYDONIORUM.

℞. Seminum cydoniorum ꝑ. drachmam unam,
Aquæ M. uncias sex.

COQUE leni igne, donec aqua ferè instar albuminis ovi lentescat; tum per pannum linteum trajice.

SERUM ALUMINOSUM.

℞. Lactis vaccini M. libram unam,
Aluminis in pulverem redacti ꝑ. drachmas duas.

COQUE, ut fiat serum bene a coagulo separandum.

SERUM SCORBUTICUM.

℞. Lactis vaccini M. libram unam,
Succorum scorbuticorum, M. uncias quatuor.

COQUE, ut fiat serum bene a coagulo separandum.

INFUSUM AMARUM. simplex.

℞. Radicis gentianæ,

Flavedinis corticum limonum recentis sedulò
ab albâ interiori corticis parte separatæ, sin-
gulorum ꝑ. unciam dimidiam.

Flavedinis corticum aurantium Hispalensium
item ab interiori corticis parte separatæ et
siccatae ꝑ. sesquidrachmam,

Aquæ bullientis M. uncias duodecim.

Post macerationem per horam unam aut al-
teram cola per chartam emporeticam, vel pan-
num sine expressione.

INFUSUM AMARUM.

purgans.

℞. Foliorum senæ,

Flavedinis corticum limonum recentis, sin-
gulorum ꝑ. drachmas tres,

Radicis gentianæ,

Flavedinis corticum aurantium Hispalen-
sium siccatae,

Seminum cardamomi minoris decorticato-
rum, singulorum ꝑ. drachmam dimidiam.

Aquæ bullientis M. uncias quinque.

Post macerationem liquorem frige factum
cola.

INFUSUM SENÆ

commune.

℞. Foliorum senæ ꝑ. fescunciam,

CrySTALLORUM tartari ꝑ. drachmas tres,

Seminum cardamomi minoris decorticatorum
ꝑ. drachmas duas,

Aquæ

Aquæ M. libram unam.

CRYSTALLOS tartari in aquâ coquendo solve; deinde aquam adhuc bullientem reliquis affunde, et, postquam refrikerit, cola.

INFUSUM SENÆ
limonitatum.

Rx. Foliorum senæ p. fescunciam.

Flavedinis corticum limonum recentis p. unciam unam,

Succi limonum M. unciam unam,

Aquæ bullientis M. libram unam.

MACERA, et liquorum frigefactum cola.

AQUA CALCIS
simplex.

Rx. Calcis vivæ p. libram unam,

Aquæ M. libras duodecim.

AFFUNDE gradatim aquam; post ebullitionem subsidat calx, et liquor per chartam coletur.

AQUA CALCIS
minus composita.

Rx. Glycyrrhizæ p. unciam unam,

Corticis sassafras p. unciam dimidiam,

Aquæ calcis simplicis M. libras sex.

MACERA sine calore per biduum, et cola.

AQUA

AQUA CALCIS
magis composita.

- ℞. Ligni guaiaci rasi ℞. libram dimidiam,
 Glycyrrhizæ ℞. unciam unam,
 Corticis sassafras ℞. unciam dimidiam,
 Seminum coriandri ℞. drachmas tres,
 Aquæ calcis simplicis ℞. libras sex.

MACERA ut antea, et cola.

TINCTURA ROSARUM.

- ℞. Rosarum rubrarum immaturarum, abjectis
 unguibus, ℞. unciam dimidiam,
 Spiritûs vitrioli fortis, olei dicti, ℞. scrupu-
 lum unum,
 Aquæ bullientis ℞. libras duas cum semisse,
 Sacchari purissimi ℞. fescunciam.

AQUÆ primò admisce vitrioli spiritum in
 vase vitreo, vel fictili vitreato, et in mixturâ ro-
 sas macera; liquorem frige factum cola, et adijce
 saccharum.

ACETUM SCILLITICUM.

- ℞. Scillarum ficcatarum ℞. libram unam,
 Aceti ℞. libras sex.

MACERA scillas in aceto leni calore; deinde
 exprime, et sepone, ut facies subsidant: deni-
 que aceto defæcato adde Spiritûs vinosi tenuioris
 duodecimam circiter partem, ut diutius a facu-
 lentiâ conservetur.

V I N A.

VINUM ALOËTICUM.

alkalinum.

- ℞. Salis alicujus alkalini fixi ꝑ. uncias octo,
 Aloës Socotorinæ,
 Croci,
 Myrrhæ, singulorum ꝑ. unciam unam,
 Salis ammoniaci purificati ꝑ. drachmas sex,
 Vini albi ꝑ. libras duas.

MACERA sine calore per hebdomadam, vel
 diutius; deinde per chartam cola.

VINUM AMARUM.

- ℞. Radicis gentianæ,
 Flavedinis corticum limonum recentis, sin-
 gulorum ꝑ. unciam unam,
 Piperis longi ꝑ. drachmas duas,
 Vini albi ꝑ. libras duas.

MACERA sine calore, et cola.

VINUM ANTIMONIALE.

- ℞. Croci antimonii loti ꝑ. unciam unam,
 Vini albi ꝑ. sesquilibram.

MACERA sine calore, et per chartam cola.

VINUM CHALYBEATUM.

- ℞. Limaturæ ferri ꝑ. uncias quatuor,
 Cinnamomi,
 Macis, singulorum ꝑ. unciam dimidiam,

E

Vini

Vini Rhenani M. libras quatuor.

MACERA sine calore per mensem, sæpe interim agitans; deinde cola.

VINUM CROCEUM.

℞. Croci p. unciam unam,
Vini Canarini M. libram unam.
MACERA sine calore, et cola.

VINUM IPECACOANHÆ.

℞. Radicis ipecacoanhæ p. uncias duas,
Flavedinis aurantium Hispalensium siccatae
p. unciam dimidiam,
Vini Canarini M. libras duas,
MACERA sine calore, et cola.

VINUM VIPERINUM.

℞. Viperarum siccatarum p. uncias duas,
Vini albi M. libras tres
MACERA leni calore per hebdomadam, et
cola.

TINCTURA RHABARBARI

vinosa.

℞. Rhabarbari p. uncias duas,
Seminum cardamomi minoris decorticatorum
p. unciam dimidiam,
Croci p. drachmas duas,
Vini albi M. libras duas.
MACERA sine calore, et cola.

TINCTU-

TINCTURA SACRA.

℞. Aloës Socotorinæ p. uncias octo,
 Canellæ albæ p. uncias duas,
 Vini albi M. libras decem.

ALOË et canella separatim in pulverem redigantur, tum mixtis vinum affundatur; deinde macera sine calore per hebdomadam, vel diutius, subinde agitans; et postremò cola.

NON inutile erit arenam albam probè a for-
 dibus ablutam pulveribus admiscere, quò minùs
 concreseat aloë madefacta.

TINCTURA THEBAICA.

℞. Opii colati p. uncias duas,
 Cinnamomi,
 Caryophyllorum aromaticorum, singulorum
 p. drachmam unam,
 Vini albi M. libram unam.

MACERA per hebdomadam sine calore,
 deinde per chartam cola.

N O T A.

OMNIBUS his vinis, postquam colata sint,
 addere licet spiritûs vinosi tenuioris vicefimam
 circiter partem, ut tutiora sint a fermentatione.
 Etiam reponere convenit vitreis ampullis iisdem,
 quibus vina in usus communes asservantur, eâ-
 demque curâ obturatis.

TINCTURÆ SPIRITUOSÆ.

TINCTURA AMARA.

- ℞. Radicis gentianæ p. uncias duas,
Flavedinis corticum aurantiorum Hispalensium
siccatae p. unciam unam,
Seminum cardamomi minoris excorticatorum
p. unciam dimidiam,
Spiritus vinosi tenuioris M. libras duas.
DIGERE sine calore, et cola.

TINCTURA ANTIMONII.

- ℞. Salis cujusvis alkalini fixi p. libram unam,
Antimonii p. libram dimidiam,
Spiritus vinosi rectificati M. libras duas.

ANTIMONIUM in pulverem redactum sali
admisce, et igne forti liquecant simul per ho-
ram; deinde effunde, in pulverem redige, et
spiritu affuso, digere per tres vel quatuor dies;
ad extremum cola.

TINCTURA AROMATICA.

- ℞. Cinnamomi p. drachmas sex,
Seminum cardamomi minoris decorticatorum
p. drachmas tres,
Piperis longi,
Zingiberis, singulorum p. drachmas duas,
Spiritus vinosi tenuioris M. libras duas.
DIGERE sine calore, et cola.

TINCTU-

TINCTURA CANTHARIDUM.

- ℞. Cantharidum contusarum p. drachmas duas,
 Coccinellæ p. drachmam dimidiam,
 Spiritûs vinosi tenuioris m. sesquilibram.

DIGERE, et cola per chartam.

TINCTURA CARDAMOMI.

- ℞. Seminum cardamomi minoris decorticatorum
 p. libram dimidiam,
 Spiritûs vinosi tenuioris m. libras duas.

DIGERE sine calore, et cola.

TINCTURA CASTOREI.

- ℞. Castorei Russici in pulverem redacti p. un-
 cias duas,
 Spiritûs vinosi tenuioris m. libras duas.

DIGERE per dies decem sine calore, deinde
 cola.

TINCTURA CINNAMOMI.

- ℞. Cinnamomi p. fescunciam,
 Spiritûs vinosi tenuioris m. libram unam.

DIGERE sine calore, et cola.

TINCTURA CORTICIS PERUVIANI
 simplex.

- Corticis Peruviani p. uncias quatuor,
 Spiritûs vinosi tenuioris m. libras duas.

DIGERE, et cola.

TINCTURA CORTICIS PERUVIANI volatilis.

- ℞. Corticis Peruviani ꝑ. uncias quatuor,
Spiritus falis ammoniaci ꝑ. libras duas.

DIGERE sine calore in vase bene clauso, et
cola.

TINCTURA FOETIDA.

- ℞. Asæ foetidæ ꝑ. uncias quatuor,
Spiritus vinosi rectificati ꝑ. libras duas.

DIGERE, et cola.

TINCTURA FULIGINIS.

- ℞. Fuliginis ligni ꝑ. uncias duas,
Asæ foetidæ ꝑ. unciam unam,
Spiritus vinosi tenuioris ꝑ. libras duas.

DIGERE, et cola.

TINCTURA GUAIACINA volatilis.

- ℞. Gummi guaiaci ꝑ. uncias quatuor,
Spiritus volatilis aromatici ꝑ. fessquilibras.

DIGERE sine calore in vase bene clauso, et
cola.

TINCTURA JALAPII.

- ℞. Radicis jalapii ꝑ. uncias octo,
Spiritus vinosi tenuioris ꝑ. libras duas.

DIGERE, et cola.

TINCTURA JAPONICA.

- ℞. Terræ Japonicæ ꝑ. uncias tres,

Cinna-

Cinnamomi p. uncias duas,
Spiritus vinosi tenuioris m. libras duas.

DIGERE, et cola.

TINCTURA FLORUM MARTIALIUM.

℞. Florum martialium p. uncias quatuor,
Spiritus vinosi tenuioris m. libram unam.

DIGERE, et cola.

TINCTURA MARTIS

IN

SPIRITU SALIS.

℞. Limaturæ ferri p. libram dimidiam,
Spiritus salis marini Glauberi p. libras tres,
Spiritus vinosi rectificati m. libras tres.

MACERA ferri limaturam in spiritu salis sine calore, quamdiu spiritus ferrum rodit; postquam fæces subsederint, liquor evaporetur ad libram unam, & residuo addatur spiritus vinosus.

TINCTURA MELAMPODII.

℞. Radicis hellebori nigri p. uncias quatuor,
Coccinellæ p. scrupulos duos,
Spiritus vinosi tenuioris m. libras duas.

DIGERE, et cola per chartam.

TINCTURA MYRRHÆ.

℞. Myrrhæ p. uncias tres,
Spiritus vinosi tenuioris m. libras duas.

DIGERE, et cola.

TINCTURA RHABARBARI

spirituosa.

- ℞. Rhabarbari ꝑ. uncias duas,
 Seminum cardamomi minoris decorticatorum
 ꝑ. unciam dimidiam,
 Croci ꝑ. drachmas duas,
 Spiritus vinosi tenuioris ℞. libras duas.
 DIGERE sine calore, et cola.

TINCTURA SATURNINA.

- ℞. Sacchari saturni,
 Vitrioli viridis, singulorum ꝑ. uncias duas,
 Spiritus vinosi rectificati ℞. libras duas.
 SALES separatim in pulverem redacti in spiritum infundantur; deinde digere sine calore, et per chartam cola.

TINCTURA SENÆ.

- ℞. Uvarum passarum, detractis interioribus granis, ꝑ. uncias sedecim,
 Foliorum senæ ꝑ. libram unam,
 Seminum carui ꝑ. fescunciam,
 cardamomi minoris decorticatorum
 ꝑ. unciam dimidiam,
 Spiritus vinosi tenuioris congiū unum.
 DIGERE sine calore, et cola.

TINCTURA SERPENTARIÆ.

- ℞. Radicis serpentariæ Virginianæ ꝑ. uncias tres,
 Spiritus vinosi tenuioris ℞. libras duas.
 DIGERE sine calore, et cola.

TINCTU-

TINCTURA STOMACHICA.

- ℞. Uvarum passarum, detractis interioribus granis ꝑ. uncias quatuor,
 Cinnamomi ꝑ. unciam dimidiam,
 Seminum carui,
 cardamomi minoris decorticato-
 rum,
 Coccinellæ singulorum ꝑ. drachmas duas,
 Spiritus vinosi tenuioris M. libras duas.
 DIGERE sine calore, et cola.

TINCTURA STYPTICA.

- ℞. Vitrioli viridis calcinati ꝑ. drachmam unam,
 Spiritus vini Gallici ex vase ligneo, quo
 asservatus fuerit, flavescentis M. libras
 duas.
 MISCE, ut spiritus nigrescat; deinde cola.

TINCTURA VALERIANÆ
 simplex.

- ℞. Radicis valerianæ silvestris ꝑ. uncias quatuor,
 Spiritus vinosi tenuioris M. libras duas.
 DIGERE, et cola.

TINCTURA VALERIANÆ
 volatilis.

- ℞. Radicis valerianæ silvestris ꝑ. uncias quatuor,
 Spiritus volatilis aromatici M. libras duas.
 DIGERE sine calore in vase bene clauso, et
 cola.

TINCTURA VERATRI.

- ℞. Radicis hellebori albi p. uncias octo,
Spiritus vinosi tenuioris M. libras duas.

DIGERE, et cola per chartam.

BALSAMUM GUAIA CINUM.

- ℞. Gummi guaiaci p. libram unam,
Balsami Peruviani p. drachmas tres,
Spiritus vinosi rectificati M. libras duas cum
semisse.

DIGERE, ut gummi solvatur, et deinde cola.

BALSAMUM TRAUMATICUM.

- ℞. Benzoini p. uncias tres,
Styracis calamitæ colati p. uncias duas,
Balsami Tolutani p. unciam unam,
Aloës Socotorinæ p. unciam dimidiam,
Spiritus vinosi rectificati M. libras duas.

DIGERE, ut gummi, quantum fieri poterit
solvantur; deinde cola.

ELIXIR ALOES.

- ℞. Tincturæ myrrhæ M. libras duas,
Crocī,
Aloës Socotorinæ, singulorum p. uncias tres.

DIGERE, et cola.

ELIXIR PAREGORICUM.

- ℞. Florum benzoini,
Opī colati, singulorum p. drachmam unam.

Cam

Camphoræ r. scrupulos duos,
Olei anisi essentialis p. drachmam dimidiam,
Spiritus vini rectificati m. libras duas.

DIGERE, et cola.

ELIXIR VITRIOLI ACIDUM.

℞. Tincturæ aromaticæ m. libram unam,
Spiritus vitrioli fortis, olei dicti, p. uncias
quatuor.

MISCE gradatim, et postquam fæces subse-
derint, per chartam cola.

ELIXIR VITRIOLI DULCE.

℞. Tincturæ aromaticæ m. libram unam,
Spiritus vitrioli dulcis p. uncias octo.

MISCE.

ELIXIR MYRRHÆ compositum.

℞. Extracti sabinae p. unciam unam,
Tincturæ castorei m. libram unam,
Tincturæ myrrhæ m. libram dimidiam.

DIGERE, et cola.

MIXTU.

M I X T U R Æ

JULEPUM e CAMPHORA.

- ℞. Camphoræ p. drachmam unam,
 Sacchari purissimi p. unciam dimidiam,
 Aquæ bullientis m. libram unam.

CAMPHORA primum cum paulo spiritu vinoso rectificato teratur, ut mollescat, deinde cum saccharo, donec perfectè misceantur; denique aquam sensim adde, et mixturam in operto vase frigesactam cola.

JULEPUM e CRETA.

- ℞. Cretæ albissimæ præparatæ p. unciam unam,
 Sacchari purissimi p. drachmas sex,
 Gummi Arabici p. drachmas duas,
 Aquæ m. libras duas.

MISCE.

JULEPUM e MOSCHO.

- ℞. Aquæ rosarum Damascenarum m. uncias sex,
 Moschi p. grana duodecim,
 Sacchari purissimi p. drachmam unam.

TERE saccharum cum moscho, et gradatim adde aquam rosarum.

EMULSIO COMMUNIS.

- ℞. Amygdalarum dulcium, pelliculâ demptâ p. unciam unam,
 Gummi Arabici p. unciam dimidiam,
 Sacchari purissimi p. drachmas sex,

Aquæ

Aquæ hordeatæ M. libras duas.

SOLVE gummi in aquâ hordeatâ calidâ; et cum aqua penitus refrixerit, amygdalis cum saccharo contusis gradatim affunde, simul terens, ut lactescat; deinde liquorem cola.

LAC AMMONIACI.

℞. Gummi ammoniaci P. drachmas duas,
Aquæ pulegii simplicis M. libram dimidiam.

TERE gummi in mortario cum aquâ, donec solvatur.

SPIRITUS VINOSUS camphoratus.

℞. Camphoræ P. uncias duas,
Spiritus vinosi rectificati M. libras duas.

MISCE, ut camphora solvatur.

S Y R U P I

UBI pondus sacchari non præscribitur, intelligendum est, in singulas liquoris mensuras librales pondus sacchari esse debere uncias viginti novem. Saccharum sit purissimum, in pulverem redactum; et balnei calore liquetur, nisi aliter præscriptum sit: syrupus vero confectus in posterum diem seponendus est, quando crusta saccharina, si quæ supernaret, auferri debet.

SYRUPUS ex ALLIO.

℞. Allii concisi p. libram unam,
Aquæ bullientis m. libras duas.

MACERA in vase clauso per horas duodecim,
et in liquore colato dissolve saccharum, ut fiat
syrupus.

SYRUPUS ex ALTHÆA.

℞. Radicum recentium althææ p. libram unam,
Sacchari purissimi p. libras quatuor,
Aquæ congium unum.

COQUE aquam cum radicibus ad dimidium;
postquam peritus frigefacta est, effunde et ex-
prime; liquor seponatur per noctem, ut facies
subsistant; mane defæcatum liquorem effunde,
et, addito saccharo, ad sex librarum pondus
coque.

SYRUPUS e CORTICIBUS
AURANTIORUM.

℞. Flavedinis corticum aurantium Hispalensium
recentis p. uncias octo,
Aquæ bullientis m. libras quinque.

MACERA per noctem in vase clauso, manè
in liquore colato dissolve saccharum purissimum
in pulverem redactum, ut fiat syrupus.

SYRUPUS BALSAMICUS.

℞. Balsami Tolutani p. uncias octo,
Aquæ m. libras tres.

COQUE per duas vel tres horas in vase circulatorio, vel saltem in matraccio longi colli, orificio leviter tecto; liquori, postquam refrigerit,colato admisce saccharum purissimum, ut fiat syrupus.

SYRUPUS CARYOPHYLLORUM rubrorum.

℞. Caryophyllorum rubrorum recentium, præcisissimis unguibus, p. libras tres,
Aquæ bullientis m. libras quinque.

MACERENTUR per noctem in vase vitreo, vel terreo vitreato; et in liquore colato dissolve saccharum purissimum, ut fiat syrupus.

EODEM modo conficitur syrupus e floribus Paralyticis.

SYRUPUS CROCI.

℞. Vini crocei m. libram unam,
Sacchari purissimi p. uncias viginti quinque.
SOLVENDO saccharum fiat syrupus.

SYRUPUS CYDONIORUM.

℞. Succo cydoniorum defæcati m. libras tres,
Cinnamomi p. drachmam unam,
Caryophyllorum aromaticorum,
Zingiberis, singulorum p. drachmam dimidiam,
Vini rubri m. libram unam,
Sacchari purissimi p. libras novem.

SUCCUS cum aromatibus cinerum calore per sex horas digeratur; deinde vinum adjiciens cola; liquori colato adde saccharum, ut fiat syrupus.

SYRUPUS e SUCCO LIMONUM.

Rx. Succi limonum, postquam fæces subsederint, colati M. libras duas,

Sacchari purissimi P. uncias quinquaginta.

SOLVATUR saccharum, ut fiat syrupus.

SIMILITER conficiuntur syrapi e succis Mororum, et Fructus rubi Idæi.

SYRUPUS e MECONIO,

sive

DIACODION.

Rx. Caputum papaveris albi siccatorum, seminibus exemptis, P. libras tres cum dimidiâ,
Aquæ congios sex.

CAPITA concide, et in aqua coque, subinde peragitans, ne urantur, donec tertia circiter pars liquoris remaneat, quæ tota ferè a capitibus imbibetur; deinde remove ab igne, et fortiter exprime; postea coquendo redige ad quatuor circiter librarum mensuram, et, dum adhuc fervet, cola, primùm per cribrum, deinde per pannum laneum tenuem, et sepone per noctem, ut fæces subsidant: manè purum liquorem effusum coque cum pondere sacchari purissimi librarum sex, donec pondus totius sit librarum novem, vel paulò plus, ut fiat syrupus idoneæ spissitudinis.

SYRU-

SYRUPUS PAPAVERIS ERRATICI.

℞. Florum papaveris erratici recentium p. libras quatuor,
 Aquæ bullientis m. libras quatuor cum semisse.

AQUA floribus affusa imponatur super ignem, et flores sæpe moveantur, donec penitus madeant; et cum primum in aquam sint demersi, seponantur per noctem ad macerandum; postriedie, effuso et expresso liquore, sepone per aliam noctem, ut fæces subsidant; deinde saccharo purissimo fiat syrupus.

SYRUPUS PECTORALIS.

℞. Foliorum trichomanis ficcatorum p. uncias quinque,
 Glycyrrhizæ p. uncias quatuor,
 Aquæ bullientis m. uncias quinque.

MACERA per aliquot horas, et in liquore colato dissolve saccharum purissimum, ut fiat syrupus.

SYRUPUS ROSARUM SOLUTIVUS.

℞. Liquorem ex rosarum Damascenarum p. libris sex post distillationem residuum,
 Sacchari purissimi p. libras quinque.

LIQUOREM expressum ad trium librarum mensuram coquendo redige; sepone per noctem, ut fæces subsidant; manè defæcatum effunde, et, adjecto saccharo, coque ad pondus librarum septem cum dimidiâ.

SYRUPUS SCILLITICUS.

- ℞. Aceti scillitici M. sesquilibram,
 Cinnamomi,
 Zingiberis, singulorum P. unciam unam,
 Sacchari purissimi P. libras tres cum dimidiâ.

MACERA aromata per triduum in aceto, et liquori colato adde saccharum, ut fiat syrupus.

SYRUPUS SIMPLEX.

AQUA solvatur saccharum purissimum, ut fiat syrupus.

SYRUPUS e SPINA
CERVINA.

- ℞. Succı baccarum maturarum et recentium spinae cervinae congiū unum,
 Cinnamomi,
 Zingiberis,
 Nucis moschatae, singulorum P. unciam unam.
 Sacchari purissimi P. libras septem.

SEPONE succum per aliquot dies, ut faeces separentur; deinde cola, et in aliquâ succi parte macera aromata; coque reliquum, sub finem addens eam partem, in quâ aromata macerata sunt, prius colatam, ut totus redigatur ad mensuram quatuor librarum; denique saccharum adde, ut fiat syrupus.

SYRUPUS VIOLARUM.

- ℞. Violarum recentium, et bene coloratarum P. libras duas,
 Aquæ bullientis M. libras quinque.

MACERA per integrum diem in vase vitreo, vel saltem terreo vitreato; deinde effundatur liquor et coletur per linteum tenue, diligenter evitatâ omni expressione; postea saccharo purissimo fiat syrupus.

SYRUPUS ZINGIBERIS.

Rx. Zingiberis tenuiter concisi p. uncias quatuor,
Aquæ bullientis M. libras tres.

MACERA per aliquot horas, et cola; deinde addendo saccharum purissimum fiat syrupus.

CONFECTIO ALKERMES.

Rx. Succi granorum kermis tepesacti, et colati
p. libras tres,
Aquæ rosarum Damascenarum M. uncias sex,
Olei cinnamomi p. scrupulum dimidium,
Sacchari purissimi p. libram unam.

SACCHARUM cum aquâ rosarum balnei calore liquefac in syrupum, deinde succum kermes immisce, et, postquam refrixerit, oleum cinnamomi.

MELLA et OXYMELITA.

MEL ÆGYPTIACUM.

Rx. Æruginis minutissimæ tritæ p. uncias quinque,
Mellis p. uncias quatuordecim,
Aceti M. uncias septem.

COQUANTUR omnia simul leni igne ad idoneam spissitudinem, et colorem subrubrum: hujus mixturæ post aliquod tempus pars crassior subsidet; quod verò supernatat, vocatur mel Ægyptiacum.

MEL ELATINES.

℞. Succī elatines depurati ℞. libras quatuor,
Mellis despumati ℞. libras quatuor.

COQUE ad debitam spissitudinem.

MEL HELLEBORATUM.

℞. Radicum hellebori albi ficcatarum et concissarum ℞. libram unam,
Mellis despumati ℞. libras tres,
Aquæ ℞. libras quatuor.

POST macerationem radicum per triduum in aquâ præscripta coque paululûm; deinde exprime, et liquorem expressum iterum cola; postea recoque cum melle ad debitam spissitudinem.

MEL ROSACEUM.

℞. Rosarum rubrarum immaturarum, demptis unguibus, celeriter arefactarum ℞. uncias quatuor,
Aquæ bullientis ℞. libras tres,
Mellis despumati ℞. libras quinque.

MACERA rosas in aquâ per aliquot horas; deinde liquori colato admisce mel, et coque ad debitam spissitudinem.

MEL SOLUTIVUM.

- ℞. Liquorem ex rosarum Damascenarum p. libris sex post distillationem residuum.
Seminum cymini parum contusorum p. unciam unam,
Sacchari rubri p. libras quatuor,
Mellis p. libras duas.

COQUE liquorem expressum ad trium librarum mensuram, circa finem adjectis feminibus linteo deligatis; dein, addito saccharo et melle, leniter decoque ad mellis liquidi spissitudinem.

OXYMEL ex ALLIO.

- ℞. Allii concisi p. fescunciam,
Seminum carui,
Seminum feniculi dulcis, singulorum p. drachmas duas,
Mellis despumati p. uncias decem,
Aceti m. libram dimidiam.

COQUE acetum aliquantisper in vase fictili vitreato cum feminibus contusis; deinde, addito allio, vas tegatur; postquam refrixerit, liquore expresso dissolve balnei calore mel.

OXYMEL SCILLITICUM.

- ℞. Mellis despumati p. libras tres,
Aceti scillitici m. libras duas.

COQUE in vase fictili vitreato, lenique igne, ad syrupi spissitudinem.

OXYMEL SIMPLEX.

- ℞. Mellis despumati p. libras duas,

Aceti M. libram unam,

COQUE in vase fictili vitreato, lenique igne,
ad syrupi spissitudinem.

P U L V E R E S.

PULVIS ANTILYSSUS.

℞. Lichenis cinerei terrestris P. uncias duas,

Piperis nigri P. unciam unam,

IN pulverem simul contundantur.

PULVIS ARI

compositus.

℞. Radicis ari recens siccatae P. uncias duas,

gladioli lutei,

pimpinellæ saxifragæ, singulorum P.
unciam unam,

Oculorum cancrorum præparatorum,

Cinnamomi singulorum P. unciam dimidiam,

Salis absinthii P. drachmas duas.

CONTUNDANTUR in pulverem vase clau-
so servandum.

PULVIS e BOLO COMPOSITUS

sine opio.

℞. Boli Armeniæ, aut Gallicæ P. libram dimidiam,

Cinnamomi P. uncias quatuor,

Radicis tormentillæ,

Gummi Arabici, singulorum P. uncias tres,

Piperis longi P. unciam dimidiam.

IN

IN pulverem redigantur.

PULVIS e BOLO COMPOSITUS
cum opio.

Rx. Opii colati p. drachmas tres,

ALIQUANTULUM exsiccetur, ut in pulve-
rem commodè redigi possit; deinde speciebus
prædictis, antequam in pulverem contunduntur,
addatur, ut ex omnibus simul contritis pul-
vis fiat.

PULVIS e CERUSSA
compositus.

Rx. Cerussæ p. uncias quinque,

Sarcocollæ p. fescunciam,

Gummi tragacanthæ p. unciam dimidiam,

OMNIA in pulverem simul contundantur.

PULVIS e CHELIS CANCRORUM
compositus.

Rx. Apicum chelarum cancrorum præparatorum
p. libram unam,

Margaritarum præparatarum,

Corallii rubri præparati, singulorum p. uncias
tres.

MISCE.

PULVIS BEZOARDICUS.

Rx. Pulveris e chelis cancrorum compositi p. li-
bram unam,

Lapidis bezoar orientalis præparati p. libram
unam.

MISCE.

PULVIS CONTRAYERVÆ
compositus.

- ℞. Pulveris e chelis cancrorum compositi ꝑ.
fesquilibram,
Radice contrayervæ ꝑ. uncias quinque.
FIAT pulvis.

PULVIS e MYRRHA
compositus.

- ℞. Foliorum siccatorum rutæ,
dictamni Cretici,
Myrrhæ, singulorum ꝑ. fescunciam,
Asæ fœtidæ,
Sagapeni,
Castorei Ruffici,
Opopanacis, singulorum ꝑ. unciam unam,
SPECIES simul in pulverem contundantur.

PULVIS e SCAMMONIO
compositus.

- ℞. Scammonii ꝑ. uncias quatuor,
Cornu cervi calcinati & præparati ꝑ. uncias
tres.
DILIGENTER simul in pulverem terantur.

PULVIS e SENA
compositus.

- ℞. Foliorum senæ,
Cryſtallorum tartari, singulorum ꝑ. uncias
duas,
Scammonii ꝑ. unciam dimidiam,

Caryophyllorum aromaticorum,¹

Cinnamomi,

Zingiberis, singulorum ꝑ. drachmas duas.

SCAMMONIUM per se, cætera simul in pulverem redigantur; deinde misceantur.

PULVIS STERNUTATORIUS.¹

℞. Foliorum ficcatorum asari,

majoranæ,

mari Syriaci,

Florum ficcatorum lavendulæ, singulorum pondera æqualia.

OMNIA simul in pulverem conterantur.

PULVIS e SUCCINO compositus.

℞. Succini præparati,

Gummi Arabici, singulorum ꝑ. drachmas decem,

Succi hypocistidis,

Balaustiorum,

Terræ Japonicæ, singulorum ꝑ. drachmas quinque,

Olibani ꝑ. unciam dimidiam,

Opii colati ꝑ. drachmam unam.

OMNIA simul in pulverem redigantur.

PULVIS e TRAGACANTHA compositus.

℞. Gummi tragacanthæ,

Arabici,

F 5

Radi-

Radicis althææ, singulorum ꝑ. fescunciam,
 Amyli,
 Glycyrrhizæ, singulorum ꝑ. unciam dimidiam
 Sacchari purissimi ꝑ. uncias tres.

OMNIA simul in pulverem terantur.

HIERA PICRA.

℞. Gummi ex aloë Socotorinâ extracti ꝑ. libram
 unam,
 Canellæ albæ ꝑ. uncias tres.

SEPARATIM in pulverem contundantur
 deinde misceantur.

SPECIES AROMATICÆ.

℞. Cinnamomi ꝑ. uncias duas,
 Seminum cardamomi minoris decorticatorum
 Zingiberis,
 Piperis longi, singulorum ꝑ. unciam unam.]

SIMUL in pulverem contundantur.

SPECIES e SCORDIO

fine opio.

℞. Boli Armeniæ, aut Gallicæ ꝑ. uncias quatuor
 Scordii ꝑ. uncias duas,
 Cinnamomi ꝑ. fescunciam,
 Styracis calamitæ colati,
 Radicum tormentillæ,
 bistortæ,
 gentianæ,
 Foliorum dictamni Cretici,
 Galbani colati,
 Gummi Arabici,

Rosarum

Rosarum rubrarum, singulorum ꝑ. unciam
unam,
Piperis longi,
Zingiberis, singulorum ꝑ. unciam dimidiam.
IN pulverem contundantur.

SPECIES e SCORDIO
cum opio.

℞. Opī colati ꝑ. drachmas tres.

SPECIEBUS prædictis inter contundendum
addatur, postquam paululū exsiccatum fuerit,
ut commodè in pulverem redigi possit.

T R O C H I S C I
ET
T A B E L L Æ.

SACCHARUM ROSACEUM.

℞. Rosarum rubrarum immaturarum, demptis
unguibus, celeriter arefactarum ꝑ. unciam
unam,

Sacchari purissimi ꝑ. libram unam.

ROSAS et saccharum in pulverem seorsū
redige; deinde misce, et aquâ humecta, ut
fiant tabellæ leni calore ficcandæ.

TROCHISCI BECHICI
albi.

℞. Sacchari purissimi ꝑ. sesquilibram,
Amylli ꝑ. fescunciam,

Gly-

Glycyrrhizæ ꝑ. drachmas sex,
 Radicis iridis ꝑ. unciam dimidiam.

OMNIBUS in pulverem contritis, mucilagine gummi tragacanthæ fiant trochisci.

TROCHISCI BECHICI nigri.

℞. Extracti glycyrrhizæ,
 Sacchari purissimi, singulorum ꝑ. uncias decem,
 Gummi tragacanthæ ꝑ. libram dimidiam.
 AQUA instillatâ, fiant trochisci.

TROCHISCI e NITRO.

℞. Nitri purificati ꝑ. uncias quatuor,
 Sacchari purissimi ꝑ. libram unam.
 MUCILAGINE gummi tragacanthæ fiant trochisci.

TROCHISCI e SCILLA.

℞. Scillæ coctæ ꝑ. libram dimidiam,
 Farinæ tritici ꝑ. uncias quatuor.
 CONTUNDE simul, et forma in trochiscos leni calore siccandos.

TROCHISCI e SULPHURE.

℞. Florum sulphuris lotorum ꝑ. uncias duas,
 Sacchari purissimi ꝑ. uncias quatuor.
 CONTUNDANTUR simul, et, mucilagine feminum cydoniorum subinde adjecti, fiant trochisci.

TRO-

T R O C H I S C I e T E R R A J A P O N I C A.

℞. Terræ Japonicæ.

Gummi Arabici, singulorum ꝑ. uncias duas,
Sacchari rosacei ꝑ. uncias sedecim.C O N T U N D A N T U R, et, aquâ instillatâ, fiant
trochisci.

T A B E L L Æ C A R D I A L G I C Æ.

℞. Cretæ præparatæ ꝑ. uncias quatuor,

Chelarum cancrorum præparatarum ꝑ. uncias
duas,Boli Armeniæ, aut Gallicæ ꝑ. unciam dimi-
diam,

Nucis moschatæ ꝑ. scrupulum unum,

Sacchari purissimi ꝑ. uncias tres.

O M N I B U S in pulverem reductis, aquam
instilla, ut fiant tabellæ.

P I L U L Æ.

P I L U L Æ A R O M A T I C Æ.

℞. Aloës Socotorinæ ꝑ. fescunciam,

Gummi guaiaci ꝑ. unciam unam,

Specierum aromaticarum,

Balsami Peruviani, singulorum ꝑ. unciam di-
midiam.A L O E et gummi guaiaci separatim in pulve-
rem reducta reliquis misceantur, et syrupo e cor-
ticibus aurantiorum fiat massa.

PILULÆ ex COLOCYNTHIDE
simpliciores.

- ℞. Medullæ colocynthidis,
Scammonii, singulorum ꝑ. uncias duas,
Olei caryophyllorum aromaticorum ꝑ. drach-
mas duas.

SPECIES aridæ separatim in pulverem redi-
gantur, oleum immisceatur, et syrupo e spinâ
cervinâ fiat massa.

PILULÆ ex COLOCYNTHIDE
cum
A L O E.

- ℞. Aloës Socotorinæ,
Scammonii, singulorum ꝑ. uncias duas,
Medullæ colocynthidis ꝑ. unciam unam,
Olei caryophyllorum aromaticorum ꝑ. drach-
mas duas,

SPECIES aridæ separatim in pulverem redi-
gantur, oleum immisceatur, et syrupo e spinâ
cervinâ fiat massa.

PILULÆ ECPHRACTICÆ.

- ℞. Pilularum aromaticarum ꝑ. uncias tres,
Rhabbarbari,
Extracti gentianæ,
Salis martis, singulorum ꝑ. unciam unam,
Salis absinthii ꝑ. unciam dimidiam.

SYRUPUS rosarum solutivo diligenter con-
tunde in massam.

PILULÆ GUMMOSÆ.

- ℞. Galbani,
 Opopanacis,
 Myrrhæ,
 Sagapeni, singulorum p. unciam unam,
 Asæ fœtidæ p. unciam dimidiam.

SYRUPUS croci fiat massa.

PILULÆ MERCURIALES.

- ℞. Argenti vivi p. drachmas quinque,
 Terebinthinæ Argentoratensis p. drachmas
 duas,
 Extracti cathartici p. scrupulos quatuor,
 Rhabbarbari in pulverem redacti p. drach-
 mam unam.

ARGENTUM vivum cum terebinthinâ pri-
 mò tere, donec ejus nullum vestigium appa-
 reat; deinde omnia simul in massam contunde.
 Si fortè terebinthina nimis spissa fuerit, paulo
 oleo olivarum tenuior reddi debet.

PILULÆ RUFI.

- ℞. Aloës Socotorinæ p. uncias duas,
 Myrrhæ,
 Croci, singulorum p. unciam unam.

SYRUPUS croci fiat massa.

PILULÆ SAPONACEÆ.

- ℞. Saponis amygdalini p. uncias quatuor,
 Opii colati p. unciam dimidiam,
 Essentiæ limonum p. drachmam unam,

OPIUM

OPIMUM vino emollitum contunde cum reliquis, donec perfectè misceantur.

PILULÆ e STYRACE.

℞. Styracis calamitæ colati p. uncias duas,
Crocī p. unciam unam,
Opīi colati p. drachmas quinque.

CONTUNDE simul diligenter, donec mixtura perfecta sit.

ELECTARIA.

ELECTARIUM e BACCIS LAURI.

℞. Foliorum rutæ ficcatorum,
Seminum carui,
petroselinī vulgaris,
Baccarum lauri, singulorum p. unciam unam,
Sagapeni p. unciam dimidiam,
Piperis nigri,
Castorei Russici, singulorum p. drachmas duas.
Mellis despumati triplum pondus specierum
contritarum.

SPECIES melli immisce, ut fiat electarium.

ELECTARIUM e CASIA.

℞. Syrupi rosarum solutivi,
Pulpæ casiæ recens extractæ, singulorum p.
libram dimidiam,
Mannæ p. uncias duas,
Pulpæ tamarindorum p. unciam unam.

MANNAM in mortario tere, lenique calore solve in syrupo; deinde adde pulpas, et continuato calore ad idoneam spissitudinem redige.

ELECTARIUM LENITIVUM.

℞. Caricarum ꝑ. libram unam,
 Foliorum fenæ ꝑ. uncias octo,
 Pulpæ tamarindorum,
 casia,
 prunorum Gallicorum, singulorum ꝑ.
 libram dimidiam,
 Seminum coriandri ꝑ. uncias quatuor,
 Glycyrrhizæ ꝑ. uncias tres,
 Sacchari purissimi ꝑ. libras duas cum dimidiâ.

SENAM cum seminibus coriandri in pulverem redige, et per cribrum separa uncias decem; residuum cum caricis et glycyrrhizâ in quatuor librarum aquæ mensurâ coque ad dimidium, deinde cola, et exprime; liquor expressus vaporet ad sesquilibræ pondus, vel paulò minus, postea adde saccharum, ut fiat syrupus; hunc syrupum adde gradatim pulpis; et postremò immisce pulverem cribro priùs separatum.

ELECTARIUM e SCAMMONIO.

℞. Scammonii ꝑ. fescunciam,
 Caryophyllorum aromaticorum,
 Zingiberis, singulorum ꝑ. drachmas sex,
 Olei carui essentialis ꝑ. drachmam dimidiam,
 Mellis ꝑ. libram dimidiam.

SCAMMONIUM separatim in pulverem redigatur; aromata simul trita melli admisceantur;

tur; deinde scammonium addatur, et postremo oleum.

ELECTARIUM e SCORDIO.

℞. Specierum e scordio cum opio quantum libuerit,

Syrupi e meconio ad mellis spissitudinem cocti triplum pondus.

SPECIES syrupo immisce, ut fiat electarium.

BALSAMUM LOCATELLI.

℞. Olei olivarum M. libram unam,

Terebinthinæ Argentoratensis,

Ceræ flavæ, singulorum P. libram dimidiam,

Santali rubi P. drachmas sex.

LIQUEFIAT cera leni igne cum aliquâ parte olei, tum adde oleum reliquum, et terebinthinam; deinde santalum immisce; et bene move, donec mixtura ferè frigescat.

CONFECTIO CARDIACA.

℞. Summitatum rorismarini recentium,

Baccarum juniperi, singulorum P. libram unam,

Seminum cardamomi minoris decorticatum,

Zedoariæ,

Croci, singulorum libram dimidiam.

SPIRITUS vinosi tenuioris circiter sesquicongio fiat tinctura; huic colatæ lenique igne ad pondus ferè librarum duarum cum dimidiâ reductæ, additis sequentibus in pulverem subtilissimum tritis, perface electarium:

Pul-

Pulveris e chelis cancrorum compositi ꝑ. uncias
 sedecim,
 Cinnamomi,
 Nucis moschatæ, singulorum ꝑ. uncias duas,
 Caryophyllorum aromaticorum ꝑ. unciam
 unam,
 Sacchari purissimi ꝑ. libras duas,

CONFECTIO PAULINA.

Costi, vel ejus loco zedoariæ,
 Cinnamomi,
 Piperis longi,
 nigri,
 Styracis calamitæ colati,
 Galbani colati,
 Opii colati,
 Castorei Russici, singulorum ꝑ. uncias duas,
 Syrupi simplicis ad mellis spissitudinem cocti
 triplum omnium pondus.

SYRUPO calefacto opium vino solutum dili-
 genter immisce; deinde styraci et galbano simul
 liquatis syrupum adhuc calentem gradatim adde;
 postea insperge species cæteras in pulverem re-
 ductas.

MITHRIDATIUM,

five

CONFECTIO DAMOCRATIS.

℞. Cinnamomi ꝑ. drachmas quatuordecim,
 Myrrhæ ꝑ. drachmas undecim,
 Agarici,
 Nardi Indicæ,

Zingiberis,

Croci,

Seminum thlaspis,

Thuris,

Terebinthinæ Chiæ, singulorum ꝑ. drachmas
decem,

Junci odorati,

Costi, vel ejus loco zedoariæ,

Malabathri folii, vel ejus loco macis,

Stœchadis,

Piperis longi,

Seminum fœselis,

Succi hypocistidis,

Styracis calamitæ colati,

Opopanacis,

Galbani colati,

Opobalsami, vel ejus loco olei nucis moscha-
tæ expressi,

Castorei Russici, singulorum ꝑ. unciam unam,

Polii,

Scordii,

Carpobalsami, vel ejus loco cubearum,

Piperis albi,

Seminum dauci Cretici,

Bdellii colati, singulorum ꝑ. drachmas septem,

Nardi Celticæ,

Radicis gentianæ,

Foliorum dictamni Cretici,

Rosarum rubrarum,

Seminum petroselinæ Macedonici,

cardamomi minoris decorticatorum,

fœniculi dulcis,

Gum-

Gummi Arabici,
 Opii colati, singulorum ꝑ. drachmas quinque,
 Radicis calami aromatici,
 valerianæ silvestris,
 Seminum anisi,
 Sagapeni colati, singulorum ꝑ. drachmas tres,
 Mei athamantici,
 Hyperici,
 Acaciæ, vel ejus loco terræ Japonicæ,
 Ventrium scincorum, singulorum ꝑ. drachmas
 duas cum dimidiâ,
 Mellis despumati triplum omnium pondus.

MELLI calefacto opium vino solutum immisce; galbanum, styrax, terebinthina, et opobalsamum, vel oleum nucis moschatæ, in alio vase simul liquentur, perpetuò circumacta ne urantur; quibus liquefactis immisce mel calefactum, primò cochleatim, deinde copiosus; denique omnibus ferè frigefactis adde paulatim species cæteras in pulverem redactas.

PHILONIUM LONDINENSE.

℞. Piperis albi,
 Zingiberis,
 Seminum carui, singulorum ꝑ. uncias duas,
 Opii colati ꝑ. drachmas sex,
 Syrupi e meconio ad mellis spissitudinem co-
 cti triplum omnium pondus.

OPIUM vino solutum syrupo calefacto curiosè immisce; tum adde cætera in pulverem redacta.

THERIACA ANDROMACHI.

℞. Trochiscorum de scillâ ꝑ. libram dimidiam,

Piperis longi,
Opii colati,
Viperarum siccatarum, singulorum ꝑ. uncias
tres,
Cinnamomi,
Opobalsami, vel ejus loco olei nucis moscha-
tæ expressi, singulorum ꝑ. uncias duas.
Agarici,
Radicis iridis,
Scordii,
Rosarum rubrarum,
Seminum napi,
Extracti glycyrrhizæ, singulorum ꝑ. fescun-
ciam,
Nardi Indicæ,
Crocii,
Amomi,
Myrrhæ,
Costi, vel ejus loco zedoariæ,
Junci odorati, singulorum ꝑ. unciam unam,
Radicis pentaphylli,
Rhabarbari,
Zingiberis,
Malabathri folii, vel ejus loco macis,
Foliorum dictamni Cretici,
marrubii,
calaminthæ,
Stœchadis,
Piperis nigri,
Seminum petroselini Macedonici,
Olibani,
Terebinthinæ Chiæ,

Radi-

Radicis valerianæ silvestris, singulorum ꝑ.
drachmas sex,
Radicis gentianæ,
Nardi Celticæ,
Mei athamantici,
Foliorum polii,
hyperici,
chamæpityos,
Summitatum chamædryos cum semine,
Carpobalsami, vel ejus loco cubebærum,
Seminum anisi,
fœniculi dulcis,
cardamomi minoris decorticatorum,
Seminum ammeos,
fœfelis,
thlaspis,
Succi hypocistidis,
Acaciæ, vel ejus loco terræ Japonicæ,
Gummi Arabici,
Styracis calamitæ colati,
Sagapeni colati,
Terræ Lemniæ, vel ejus loco boli Armeniæ
aut Gallicæ,
Vitrioli viridis calcinati, singulorum ꝑ. unciam
dimidiam,
Radicis aristolochiæ tenuis, vel ejus loco
longæ,
Summitatum centaurii minoris.
Seminum dauci Cretici,
Opopanacis,
Galbani colati,
Castorei Russici,

Bituminis Judaici, vel ejus loco fuceini albi
præparati,

Radice calami aromatici, singulorum ꝑ.
drachmas duas,

Mellis despumati triplum omnium pondus.

MIXTURA eodem modo perfici debet, ac in
Mithridatio præscriptum est.

N O T A.

ELECTARIA, si arescant, ad debitam crassitudinem, vino Canarino admisto, redigenda sunt; sed neque syrupo, nec melle: hac ratione dosi minimè incerta fiet; quod in iis, quæ syrupo conficiuntur, et opio abundant, quales sunt confectio Paulina et Philonium, in primis caveri debet.

AQUÆ MEDICAMENTOSÆ.

AQUA ALUMINOSA BATEANA.

℞. Aluminis,

Vitrioli albi, singulorum ꝑ. unciam dimidiam,

Aquæ M. libras duas.

SALES in aquâ coquendo solve, et cum fæces subsederint, liquor per chartam coletur.

AQUA SAPPHIRINA.

℞. Aquæ calcis M. libram unam,

Salis ammoniaci ꝑ. drachmam unam.

STENT

STENT simul in vase cupreo, vel cum bracteis aliquot cupri, donec aqua colorem sapphirinum acquisiverit.

AQUA VITRIOLICA CÆRULEA.

℞. Vitrioli cærulæi p. uncias tres,
 Aluminis,
 Spiritus vitrioli fortis, olei dicti, singulorum
 p. uncias duas,
 Aquæ m. sesquilibram,
 SALES in aquâ coque, ut solvantur; deinde
 oleum vitrioli addatur, et mixtura per chartam
 coletur.

AQUA VITRIOLICA CAMPHORATA.

℞. Vitrioli albi p. unciam dimidiam,
 Camphoræ p. drachmas duas,
 Aquæ bullientis m. libras duas.
 MISCE, ut vitriolum solvatur, et, postquam
 fæces subsederint, per chartam cola.

LOTIO SAPONACEA.

℞. Aquæ rosarum Damascenarum m. uncias
 duodecim,
 Olei olivarum m. uncias quatuor,
 Lixivii tartari m. unciam dimidiam.

LIXIVIUM tartari et oleum olivarum simul
 tere, donec misceantur; deinde aquam paulatim
 adde.

O L E A

per

INFUSIONEM et DECOCTIONEM.

OLEUM HYPERICI.

℞. Florum hyperici, in petala plenè expansorum,
recentium, et a calycibus diligenter separatorum p. uncias quatuor,
Olei olivarum m. libras duas.

OLEUM floribus affunde, et stent simul,
donec oleum bene tingatur.

OLEUM e MUCILAGINIBUS.

℞. Radicum althææ recentium p. libram dimidiam,
Seminum lini,
sceni Græci, singulorum p. uncias tres,
Aquæ m. libras duas,
Olei olivarum m. libras quatuor.

RADICES et semina contusa in aquâ per horam dimidiam lentè coquantur; tum adde oleum, et recoque, donec aqua penitus sit absumpta; denique oleum cautè effundatur.

OLEUM SAMBUCINUM.

℞. Florum sambuci p. libram unam,
Olei olivarum m. libras duas,

FLORES in oleo coque, donec ferè crispentur; tum oleum exprime, et sepone, ut fæces subsidant.

OLEUM VIRIDE.

℞. Foliorum recentium lauri,
 rutæ,
 majoranæ,
 absinthii maritimi,
 chamæmeli, singulorum
 ℞. uncias tres,

Olei olivarum ℞. libras duas,

HERBÆ contusæ leniter in oleo coquantur, donec crispæ fiant; deinde exprimatur oleum, et, postquam fæces subsederint, effundatur.

E M P L A S T R A.

EMPLASTRUM ex AMMONIACO
 cum

MERCURIO.

℞. Gummi ammoniaci colati ℞. libram unam,
 Argenti vivi ℞. uncias tres,
 Balsami sulphuris simplicis ℞. drachmam unam.

ARGENTUM vivum cum balsamo sulphuris tere, donec omnino apparere desinat; deinde adde paulatim ammoniacum liquefactum, paulò antequam refrixerit, et accuratè misceantur.

EMPLASTRUM ATTRAHENS.

- ℞. Resinæ flavæ,
 Cerae flavæ, singulorum p. libras tres,
 Servi ovilli curati p. libram unam.

LIQUESCANT simul, et, dum massa fluida est, coletur.

EMPLASTRUM CEPHALICUM.

- ℞. Picis Burgundicæ p. libras duas,
 Labdani mollis p. libram unam,
 Resinæ flavæ,
 Cerae flavæ, singulorum p. uncias quatuor,
 Olei expressi, macis dicti, p. unciam unam.

PICI, resinæ, et cerae simul liquatis adde primum labdanum, deinde oleum macis.

EMPLASTRUM COMMUNE.

- ℞. Olei olivarum congiuntum unum,
 Lithargyri subtilissimè triti p. libras quinque.

COQUE leni igne cum aquæ mensurâ librarum circiter duarum, perpetuò movens, donec oleum et lithargyrus coeant, emplastrique crassitudinem habeant. Oportebit autem aquam recentem, sed prius calefactam, addere, si quæ in principio adhibita fuerit, ante finem coctionis absumatur.

EMPLASTRUM COMMUNE
adhæsivum.

- ℞. Emplastri communis p. libras tres,
 Resinæ flavæ p. libram dimidiam.

EMPLASTRO communi lenissimo igne liquato, resinam in pulverem redactam, ut citò liquecat, injice, et probè misce.

A L I T E R.

OLEO et lithargyro simul coctis addatur resina, paulò antequam emplastri crassitudinem acquirant; deinde continuetur coctio, donec emplastrum confectum sit.

EMPLASTRUM COMMUNE

cum

GUMMI.

Rx. Emplastri communis p. libras tres,
Galbani colati p. uncias octo,
Terebinthinæ communis,
Thuris, singulorum p. uncias tres,

GALBANO leni igne cum terebinthinâ liquato insperge thus in pulverem redactum; deinde emplastrum commune lenissimo igne liquatum his paulatim immisce.

A L I T E R.

Loco emplastri communis confecti adhibeatur oleum cum lithargyro coctum, simul ac primum coëant, necdum in emplastri spissitudinem cocta sint.

EMPLASTRUM COMMUNE

cum

MERCURIO.

Rx. Emplastri communis p. libram unam,

Ar-

Argenti vivi *p.* uncias tres,

Balsami sulphuris simplicis *p.* drachmam unam.

COMPONENDUM est eodem modo, ac emplastrum ex ammoniaco cum mercurio.

EMPLASTRUM e CYMINO.

Rx. Picis Burgundicæ *p.* libras tres,

Ceræ flavæ,

Semen cymini,

carui,

Baccarum lauri, singulorum *p.* uncias tres.

PICI cum cerâ liquefactæ insperge, et bene misce cætera in pulverem trita.

EMPLASTRUM e MINIO.

Rx. Olei olivarum *m.* libras quatuor,

Minii subtilissimè triti *p.* libras duas cum dimidiâ.

PARANDUM est eodem modo, quo emplastrum commune; sed plus aquæ requiritur, & majori cautione opus est, ne adustione nigrescat.

EMPLASTRUM e MUCILAGINIBUS.

Rx. Ceræ flavæ *p.* uncias quadraginta,

Olei mucilaginum *m.* uncias octo,

Gummi ammoniaci colati *p.* libram dimidiam,

Terebinthinæ communis *p.* uncias duas.

GUMMI ammoniaco cum terebinthinâ liquato oleum cum cerâ in alio vase liquefactum paulatim adde.

EMPLASTRUM ROBORANS.

Rx. Emplastri communis *p.* libras duas,

Thu-

Thuris ꝑ. libram dimidiam,
Sanguinis draconis ꝑ. uncias tres,

EMPLASTRO communi liquefacto addantur
cætera in pulverem redacta.

EMPLASTRUM e SAPONE.

℞. Emplastri communis ꝑ. libras tres,
Saponis duri ꝑ. libram dimidiam.

EMPLASTRO communi liquefacto saponem
admisce, ad emplastri crassitudinem coque, et
diligenter cave, ne nimis frigescat, antequam
in magdalidas formetur.

EMPLASTRUM STOMACHICUM.

℞. Labdani mollis ꝑ. uncias tres,
Thuris ꝑ. unciam unam,
Cinnamomi,
Olei expressi, macis dicti, singulorum ꝑ. un-
ciam dimidiam,
Olei menthæ essentialis ꝑ. drachmam unam.

THURI liquefacto adde primùm labdanum
calore emollitum, deinde oleum macis; postea
cinnamomo cum oleo menthæ immisceantur, et
in mortario tepido simul contundantur in massam
vase bene clauso asservendam.

EMPLASTRUM VESICATORIUM.

℞. Emplastri attrahentis ꝑ. libras duas,
Cantharidum ꝑ. libram unam,
Aceti ꝑ. libram dimidiam.

EMPLASTRO liquato, paulo antequam in-
durescat, insperge et immisce cantharides in pul-
verem

verem subtilissimum redactas; deinde adde acetum, et bene subige.

U N G U E N T A, ET LINIMENTA.

UNGUMENTUM SIMPLEX.

℞. Axungia^e porcina^e curata^e p. libras duas,
Aqua^e rosarum m. uncias tres.

AXUNGIAM cum aquâ rosarum contunde, donec bene miscueris; deinde lenissimo igne liquefac, et sepone aliquamdiu, ut aqua subsidat; postea effunde axungiam, aquâ relictâ, et movendo, contundendoque sine requie, dum frigeat, in levem et minimè cohærentem massam redige; denique adde essentia^e limonum, quantum satis sit ad gratum odorem.

UNGUMENTUM ALBUM.

℞. Olei olivarum m. libram unam,
Cera^e albæ r. uncias quatuor,
Spermatis ceti p. uncias tres.

LENI igne liquefacta assiduè acriterque moveantur, donec penitus refrixerint.

UNGUMENTUM ALBUM, camphoratum.

FIT addendo unguento albo camphoræ cum olei amygdalini aliquot guttis contrita^e p. sesquidrachmam.

UNGUENTUM ex ALTHÆA.

- ℞. Olei e mucilaginibus M. libras tres,
Cera flavæ P. libram unam,
Resinæ flavæ P. libram dimidiam,
Terebinthinæ communis P. uncias duas.

LIQUENTUR resina et cera cum oleo; deinde ab igne remotis adde terebinthinam, et, dum mixtura calida est, coletur.

UNGUENTUM BASILICUM
flavum.

- ℞. Olei olivarum M. libram unam,
Cera flavæ,
Resinæ flavæ,
Picis Burgundicæ, singulorum P. libram unam,
Terebinthinæ communis P. uncias tres.

LENTO igne liquefiant cera, resina, et pix cum oleo, tum remove ab igne; deinde adjice terebinthinam, et mixturam adhuc calentem cola.

UNGUENTUM BASILICUM
nigrum,
vel

TETRAPHARMACUM.

- ℞. Olei olivarum M. libram unam,
Cera flavæ,
Resinæ flavæ,
Picis aridæ, singulorum P. uncias novem.

LIQUEScant omnia simul, et, dum mixtura calet, coletur.

UNGUENTUM BASILICUM viride.

- ℞. Unguenti basilici flavi ℞. uncias octo,
Olei olivarum ℞. uncias tres,
Æruginis præparatæ ℞. unciam unam.
MISCE in unguentum.

UNGUENTUM CÆRULEUM fortius.

- ℞. Axungię porcine curatæ ℞. libras duas,
Argenti vivi ℞. libram unam,
Balsami sulphuris simplicis ℞. unciam dimi-
diam.

ARGENTUM vivum teratur cum balsamo sul-
phuris, donec apparere desinat; deinde paulatim
adde axungiam tepefactam, et diligenter misce.

UNGUENTUM CÆRULEUM mitius.

- ℞. Axungię porcine curatæ ℞. libras quatuor,
Argenti vivi ℞. libram unam,
Terebinthinæ communis ℞. unciam unam.

ARGENTUM vivum cum terebinthinâ tere in
mortario, donec apparere desinat; deinde paula-
tim adde axungiam tepefactam, et diligenter
misceantur.

UNGUENTUM e GUMMI ELEMI.

- ℞. Sevi ovilli recentis et curati ℞. libras duas,
Gummi elemi ℞. libram unam,
Terebinthinæ communis ℞. uncias decem,

GUMMI cum sevo liquefiat, remove ab igne, et terebinthina statim immisceatur; deinde, dum mixtura fluida est, coletur.

U N G U E N T U M e M E R C U R I O

præcipitato.

Rx. Unguenti simplicis p. fescunciam,
Sulphuris præcipitati p. drachmas duas,
Mercurii præcipitati albi p. scrupulos duos.

OMNIA misceantur, et lixivio tartari humectentur, ut fiat unguentum.

U N G U E N T U M e P I C E.

Rx. Picis liquidæ,
Sevi ovilli curati, pondera æqualia.

LIQUENTUR simul, et calida adhuc colentur.

U N G U E N T U M S A M B U C I N U M.

Rx. Florum sambuci plenè in petala expansorum
p. libras quatuor,
Sevi ovilli curati p. libras tres,
Olei olivarum M. libram unam.

SEVO cum oleo liquefacto incoque flores, donec ferè crispentur; deinde cola exprimendo.

U N G U E N T U M S A T U R N I N U M.

Rx. Olei olivarum M. libram dimidiam,
Ceræ albæ p. fescunciam,
Sacchari Saturni p. drachmas duas.

SACCHARUM Saturni in pulverem subtilissimum redactum cum aliquâ olei parte contere; deinde ceræ cum oleo reliquo liquefactæ adde, et agitetur mixtura, donec penitus refrixerit.

UNGUENTUM e SULPHURE.

- ℞. Unguenti simplicis p. libram dimidiam,
 Florum sulphuris non lotorum p. uncias duas,
 Essentiæ limonum p. scrupulum unum.

MISCE.

UNGUENTUM TRIPHARMACUM.

- ℞. Emplastri communis p. uncias quatuor,
 Olei olivarum m. uncias duas,
 Aceti m. unciam unam.

IGNE leni simul coque, perpetuò movens, donec in unguenti crassitudinem sint redacta.

UNGUENTUM TUTIÆ.

- ℞. Tutiæ præparatæ quantum libuerit.

HUIC admisce axungię viperinæ curatæ, quantum satis sit ad unguenti mollioris crassitudinem.

UNGUENTUM ad VESICATORIA.

- ℞. Axungię porcine curatæ,
 Emplastri vesicatorii, pondera æqualia.

LENISSIMO igne simul liquefacta bene move, donec penitus frigescant.

UNGUENTUM VIRIDE.

- ℞. Olei viridis m. libras tres,
 Cere flavæ p. uncias decem.

LENTO igne liquefiat cera cum oleo, et mixtura assiduè agitetur, donec frigescat.

LINIMENTUM ALBUM.

- ℞. Olei olivarum m. uncias tres.

Spermatis ceti p. drachmas sex,

Ceræ albæ p. drachmas duas,

LENI igne simul liquefacta assiduè et acriter move, donec penitus refrixerint.

LINIMENTUM SAPONACEUM.

R. Spiritûs rorismarini p. libram unam,

Saponis duri Hispanici p. uncias tres,

Camphoræ p. unciam unam.

DIGERE saponem in spiritu rorismarini, dum solutus sit; deinde adde camphoram.

LINIMENTUM TRIPHARMACUM.

R. Emplastri communis p. uncias quatuor,

Olei olivarum M. uncias quatuor,

Aceti M. unciam unam.

COQUE leni igne, assiduè movens, donec linimenti crassitudinem habeant.

LINIMENTUM VOLATILE.

R. Olei amygdalorum M. unciam unam,

Spiritûs salis ammoniaci p. drachmas duas,

AGITENTUR simul in phialâ patuli oris, donec perfectè coëant.

C E R A T A.

CERATUM ALBUM.

R. Olei olivarum M. uncias quatuor,

Ceræ albæ p. uncias quatuor,

Spermatis ceti p. unciam dimidiam.

LIQUEScant omnia simul, et bene moveantur, donec ceratum penitus refrixerit.

CERATUM CITRINUM.

- ℞. Unguenti basilici flavi ℞. libram dimidiam,
Cerae flavæ ℞. unciam unam.

SIMUL liquentur.

CERATUM EPULOTICUM.

- ℞. Olei olivarum ℞. libram unam,
Cerae flavæ,
Lapis calaminaris præparati, singulorum ℞. libram dimidiam.

LIQUEFIAT cera cum oleo, et, simul ac mixtura lentescere incipit, insperge lapidem calaminarem, et bene move, donec ceratum penitus refrixerit.

CERATUM MERCURIALE.

- ℞. Cerae flavæ,
Axungiae porcinae curatæ, singulorum ℞. libram dimidiam,
Argenti vivi ℞. uncias tres,
Balsami sulphuris simplicis ℞. drachmam unam.

CERAM cum axungia liquefac, tum gradatim adde argento vivo cum balsamo sulphuris trito.

EPITHEMATA.

EPITHEMA VESICATORIUM.

- ℞. Cantharidum in pulverem tenuissimum redactarum,
Farinae tritici pondera æqualia.

ACETO fiat pasta.

EPITHEMA VOLATILE.

℞. Terebinthinæ communis,
Spiritus salis ammoniaci, singulorum pondera æqualia,

TEREBINTHINA agitetur in mortario, sensim instillato spiritu; donec in crassamentum album coëant.

CATAPLASMA e CYMINO.

℞. Seminum cymini ꝑ. libram dimidiam,
Baccarum lauri,
Foliorum scordii ficcatorum,
Radice serpentariæ Virginianæ singulorum ꝑ. uncias tres,
Caryophyllorum aromaticorum ꝑ. unciam unam,

MELLIS triplo pondere specierum contritarum fiat cataplasma.

CATAPLASMA MATURANS.

℞. Caricarum ꝑ. uncias quatuor,
Unguenti basilici flavi ꝑ. unciam unam,
Galbani colati ꝑ. unciam dimidiam,

CARICAS instillato subinde vino vel cerevisiâ forti, bene contunde; dein unguentum cum galbano prius liquefactum diligenter immisce.

COAGULUM ALUMINOSUM.

℞. Albuminis ovi quantum libuerit.

AGITETUR cum frusto aluminis satis magno in patinâ stanneâ, donec coagulatum fuerit.

F I N I S.

I N D E X

Nominum mutatorum.

Quoniam plura medicamenta novis nominibus jam insignita sunt, medicamentis ipsis, vel saltem eorum viribus non mutatis; ne quid dubii inde exoriretur, horum catalogum hic apponere visum est.

Nomina usitata.

Nomina nova.

Antimonium diaphoreticum	Calx antimonii
Aqua benedicta composita Bateana	Aqua calcis minus composita.
Aqua Hungarica Bateana	Spiritus roris marini
Aqua styptica Sydenhami	Aqua vitriolica cerulea
Aqua styptica camphorata	Aqua vitriolica camphorata.
Arcanum corallinum	Mercurius corallinus
Aurum mosaicum	Aurum musivum
Balsamum polychrestum	Balsamum guaiacinum
Calomelas	Mercurius dulcis sexies sublimatus
Confectio Archigenis	Confectio Paulina
Confectio Raleighhana	Confectio cardiaca
Crocus metallorum	Crocus antimonii
Diacasia cum mannâ	Electarium e cassiâ
Diascordium	Electarium e scordio
Elixir asthmaticum	Elixir paregoricum
Elixir proprietatis Helmontii	Vinum aloëticum alkalinum
Elixir proprietatis simplicis	Elixir Aloës

Elixir

Elixir salutis	Tinctura fenæ
Elixir vitrioli Mynsichti	Elixir vitrioli acidum
Elixir vitrioli Vigani	Elixir vitrioli dulce
Emplastrum diachylon simplex	Emplastrum commune
Emplastrum diachylon cum gummi	
Emplastrum epispasti- cum	Emplastrum vesicato- rium
Emplastrum e meliloto	Emplastrum attrahens
Ens veneris	Flores martiales
Gas sulphuris	Aqua sulphurata
Julepum camphoratum	Julepum e camphorâ
Julepum cretaceum	Julepum e cretâ
Julepum moschatum	Julepum e moscho
Lac sulphuris	Sulphur præcipitatum
Lapis contrayervæ	Pulvis contrayervæ
Laudanum liquidum Sydenhami	Tinctura Thebaica
Linimentum Arcæi	
Linimentum opodel- doch	Unguentum e gummi elemi
Mercurius præcipita- tus per se	Linimentum saponi- ceum
Mercurius præcipita- tus ruber	Mercurius calcinatus
Oleum antimonii	Mercurius corrosivus ruber
Oleum sulphuris per campanam	Causticum antimoniale
Oleum tartari per deli- quium	{ Spiritus sulphuris per campanam
Oleum vitrioli	
	Lixivium tartari
	Spiritus vitrioli fortis
	H s
	Pasta

Pasta epispastica	Epithema vesicatorium
Philonium Romanum	Philonium Londinense
Pilulæ coctiæ minores	{ Pilulæ ex colocynthi-
Pilulæ diambrae	{ de cum aloë
Pilulæ e duobus	{ Pilulæ aromaticæ
Pilulæ Rudii	{ Pilulæ ex colocynthi-
Pulvis cephalicus	{ de simpliciores
Pulvis comitis Warwi-	Extractum catharticum
censis	Pulvis sternutatorius
Pulvis diasenæ	{ Pulvis e scammonio
Saccharum rosarum	{ compositus
Species confectionis	Pulvis e senâ compositus
Fracastorii	Saccharum rosaceum
Species diambrae sine	{ Species scordio cum
odoratis	{ opio
Species diatragacanthi	Species aromaticæ
frigidae	{ Pulvis e tragacanthâ
Species hieræ picrae	Hiera picra
Spiritus vini campho-	{ Spiritus vinosus cam-
ratus	{ phoratus
Spiritus vitrioli	Spiritus vitrioli tenuis
Spiritus volatilis oleo-	Spiritus volatilis aro-
sus	macus
Sulphur auratum anti-	{ Sulphur antimonii
monii	{ præcipitatum
Syrupus capillorum Ve-	{ Syrupus pectoralis
neris	
Theriaca Londinensis	Cataplasma e cymino
Tinctura antiphthisica	Tinctura Saturnina
Tinctura croci vino	{ Vinum croceum
Canarino	

Tinctura Hellebori	Tinctura melampodii
Tinctura Helvetii	Tinctura styptica
Tinctura Hieræ	Tinctura sacra
Tinctura specierum di- ambrae sine odoratis	Tinctura aromatica
Trochisci albi Razis	Pulvis e cerussâ
Trochisci e carabe	Pulvis e succino
Trochisci e myrrhâ	Pulvis e myrrhâ
Turpethum minerale	{ Mercurius emeticus flavus
Vinum benedictum	Vinum antimoniale
Unguentum dialthææ	Unguentum ex althæâ
Unguentum martiatum	Unguentum viride
Unguentum nutritum	{ Unguentum triphar- macum
Unguentum pomatum	Unguentum simplex.

I N D E X

MEDICAMENTORUM.

A.

Acetum Distillatum	Pag. 35
Scilliticum	64
Æruginis præparatio	21
Æthiops mineralis	47
Alumen ustum	32
Antimonii præparatio	21
Aqua Alexeteria simplex	51
spirituosa	54
spirituosa cum aceto	55
Aluminosa Bateana	104
Calcis magis composita	64
minus composita	63
	sim-

Aqua simplex	Pag. 63
Castorei	52
Cinnamomi simplex	ib.
spirituosa	56
Corticum aurantiorum simplex	52
spirituosa	55
Fœniculi	52
Fortis	37
composita	38
Hordeata	60
Juniperi composita	56
Menthæ piperitidis simplex	53
spirituosa	56
vulgaris simplex	53
spirituosa	57
Nucis moschata	57
Piperis Jamaicensis	53
Pulegii simplex	ib.
spirituosa	57
Raphani composita	ib.
Rosarum Damascenarum	53
Sapphirina	104
Seminum Anethi	52
Anisi composita	55
Cardamomi	ib.
Carui	56
Sulphurata	43
Vitriolica cærulea	105
camphorata	ib.
Argenti vivi, purificatio	46
Asæ fœtidæ purificatio	23
Aurum Musivum	46
Axungia porcina curatio	21
viperinæ curatio	21
	B. Bal.

B.

Balsamum Guaiacinum	Pag. 74
Locatelli	98
Succini	40
Sulphuris Barbadenſe	43
ſimplex	43
Terebinthinæ	32
Traumaticum	74
Bezöar lapidis præparatio	21

C.

Calx Antimonii	51
Cataplaſma e Cymino	119
Maturans	ib.
Caules Angelicæ conditæ	25
Cauſticum Antimoniale	51
Commune fortius	35
mitius	ib.
Lunare	45
Ceratum Album	117
Citrinum	118
Epuloticum	ib.
Mercuriale	ib.
Chalybis rubigo præparata	44
Chalybs cum Sulphure præparatus	ib.
Chelarum Cancrorum apices præparati	21
Cinnabaris Antimonii	51
Cinnabaris Faſtitia	47
Coagulum Aluminofum	119
Colcothar Vitrioli	36
Colophonia	32
Confectio Alkermes	83
Cardiaca	98
Damocratis	99
Paulina	ib.

Conserva Flavedinis corticum Aurantiorum	P. 24
Florum Lavendulæ	ib.
Malvæ	ib.
Rorismarini	ib.
Rosarum rubrarum	ib.
Foliorum Cochleariæ hortenſis	ib.
Lujulæ	ib.
Menthæ vulgaris	ib.
Rutæ	ib.
Fructûs cynosbati	25
Prunorum ſilveſtrium	ib.
Summitatum abſinthii maritimi	24
Corallii præparatio	21
Cornu cervi calcinatio	22. 40
Cortex Aurantiorum conditus	25
Limonum conditus	ib.
Cretæ præparatio	21
Crocus antimonii	50
lotus	ib.
D.	
Decoctum Album	39
Commune pro clyſtere	ib.
Pectorale	ib.
E.	
Elaterium	26
Electarium e Baccis Lauri	96
e Caſiâ	ib.
Lenitivum	97
e Scammonio	ib.
e Scordio	98
Elixir Aloës	74
Myrrhæ compoſitum	75
Paregoricum	74
Elixir Vitrioli acidum	75
Elixir	

Elixir dulce	Pag. 75
Emplastrum ex Ammoniaco cum mercurio	107
Attrahens	108
Cephalicum	ib.
Commune	ib.
adhæsivum	ib.
cum gummi	109
cum mercurio	ib.
e Cymino	110
e Minio	ib.
e Mucilaginibus	ib.
Roborans	ib.
e Sapone	111
Stomachicum	ib.
Vesicatorium	ib.
Emulsio communis	76
Epithema Vesicatorium	118
Volatile	ib.
Extractum Catharticum	29
Corticis Peruviani durum	27
molle	ib.
Foliorum Rutæ	27
Sabinæ	ib.
Glycyrrhizæ	ib.
Jalapii	28
Ligni Guaiaci durum	ib.
molle	ib.
Campechensis	27
Radicis Enulæ campanæ	27
Gentianæ	ib.
Hellebori nigri	ibid.
F.	
Flores Benzoini	42
	Flores

Flores Martiales	Pag. 44
Sulphuris	43
loti	ib.
Fotus communis	60
	G.
Galbani purificatio	23
Gummi Aloës	29
Ammoniâci purificatio	23
	H.
Hiera picra	90
	I.
Infusum Amarum purgans	62
simplex	61
Senæ commune	62
limoniatum	63
Julepum e Camphorâ	76
e Cretâ	ib.
e Moscho	ib.
Jus Viperinum	60
	L.
Lac Ammoniâci	77
Lapidis Calaminaris præparatio	21
Hæmatitæ præparatio	ib.
Lapis medicamentosus	46
Linimentum Album	121
Saponaceum	122
Tripharmacum	ibid.
Volatile	ibid.
Lixivium Martis	45
Saponarium	35
Tartari	33
Lotio saponacea	105
	M.
Margaritarum præparatio	21
	Mel

Mel Ægyptiacum	Pag. 83
Elatines	84
Helleboratum	ib.
Rosaceum	ib.
Solutivum	85
Mellis despumatio	22
Mercurius Calcinatus	43
Corallinus	49
Corrosivus albus	47
ruber	49
sublimatus	47
Dulcis sublimatus	48
Emeticus flavus	49
Præcipitatus albus	48
Millepedarum præparatio	24
Mithridatium	99
Mucilago seminum Cydoniorum	61
N.	
Nitrum Purificatum	32
Vitriolatum	38
Nucis moschatæ torrefactio	22
O.	
Oculorum Cancræ præparatio	21
Oleum Amygdalinum	30
Bæxi	31
Copaivæ compositum	32
Cornu Cervi	41
Essentiale e Baccis Juniperi	31
Caryophyllis aromaticis	ib.
Floribus Chamæmeli	30
Lavendulæ	ib.
Oleum Essentiale e Foliis Absinthii	ib.
Majoranæ	ib.
Menthæ piperitidis	ib.
vulgaris	ib.
Origani	ib.
Pulegii	ib.
Rorismarini	ib.
Rutæ	ib.
Sabinæ	ib.
Ligno Rhodio	ib.
I	Oleum

Pulvis Contrayervæ compositus	Pag. 88
e Myrrhâ compositus	ib.
e Scammonio compositus	ib.
e Senâ compositus	ib.
Sternutatorius	89
e Succino compositus	ib.
e Tragacanthâ compositus	ib.
R.	
Radix Eryngii condita	25
Refina Aloës	29
Flava	32
Nigra	ib.
Rhabarbari torrefactio	22
Rob Baccarum sambuci	26
S.	
Saccharum Rosaceum	91
Saturni	45
Sal Absinthii	33
Ammoniacus purificatus	32
Catharticus Glauberi	38
Cornu cervi	41
Diureticus	36
Fuliginis	41
Martis	45
Succini	40
Tartari	33
Vitrioli	38
Volatilis salis ammoniaci	41
Sapo Amygdalinus	34
ex Oleo olivarum	35
Scillæ Coctio	32
Exsiccatio	22
Serum Aluminosum	61
Scorbuticum	ib.
Sevi ovilli curatio	21
Species Aromaticæ	90
e Scordio cum opio	91
fine opio	90
Spiritus Aceti	35
Cornu Cervi	40
Fuliginis	41
Lavendulæ compositus	58
I 2	
	Spi.

Spiritus Lavendulæ simplex	Pag. 58
Spiritus Nitri dulcis	39
Glauberi	37
Rorismarini	58
Salis Ammoniacy	41
dulcis	ib.
Marini coagulatus	39
Glauberi	37
Succini	40
Sulphuris per campanam	39
Terebinthinæ	32
Vinosus camphoratus	77
Vitrioli dulcis	39
fortis	36
tenuis	ib.
Volatilis aromaticus	42
foetidus	41
Spongix ustio	22
Stannum pulveratum	46
Styracis colatio	23
Succi Scorbatici	26
Succini præparatio	21
Sulphur Antimonii præcipitatum	49
Præcipitatum	41
Syrupus ex Allio	78
ex Althæâ	ib.
e Corticibus Aurantiorum	ib.
Balsamicus	ib.
Caryophyllorum rubrorum	79
Croci	ib.
Cydoniorum	ib.
Diacodion	80
Fructus Rubi Idæi	ib.
Syrupus e Succo Limonium	80
e Meconio	ib.
Mororum	ib.
Papaveris erratici	81
e floribus Paralyfis	79
Pectoralis	81
Rosarum solutivus	ib.
Scilliticus	82
Simplex	ib.

Syrupus e Spinâ Cervinâ	Pag. 82
Violarum	ib.
Zingiberis	83
T.	
Tabellæ Cardialgicæ	93
Tartarum Emeticum	90
Solubile	33
Vitriolatum	38
Terreorum, &c. præparatio	20
Testarum Ostreorum præparatio	21
Testarum Ovorum præparatio	ib.
Theriaca Andromachi	101
Tinctura Amara	68
Antimonii	ib.
Aromatica	ib.
Cantharidum	69
Cardamomi	ib.
Castorei	ib.
Cinnamomi	ib.
Corticis Peruviani simplex	ib.
volatilis	70
Foetida	ib.
Tinctura Fuliginis	ib.
Guaiacina volatilis	ib.
Jalapii	ib.
Japonica	ib.
Florum Martialium	71
Martis in Spiritu salis	ib.
Melampodii	ib.
Myrrhæ	ib.
Rhabarbari spiritiuosa	72
vinosa	66
Rosarum	64
Sacra	67
Saturnina	72
Senæ	ib.
Serpentariæ	ib.
Stomachica	73
Styptica	ib.
Thebaica	67
Valerianæ simplex	73
volatilis	ib.

Tinctura Veratri	Pag. 74
Trochisci Bechici albi	91
nigri	92
e nitro	ib.
e Scillâ	ib.
e Sulphure	ib.
e Terrâ Japonicâ	93
Tutia preparatio	22
V.	
Vinum Aloëticum alkalinum	68
Amarum	ib.
Vinum Antimoniale	ib.
Chalybeatum	ib.
Croceum	66
Ipecacoanhæ	ib.
Viperinum	ib.
Vitriolum calcinatum	33
Unguentum Album	112
camphoratum	ib.
ex Althæâ	113
Basilicum flavum	ibid.
nigrum	ibid.
viride	114
Ceruleum fortius	ibid.
mitius	ibid.
e Gummi Elemi	ibid.
e Mercurio præcipitato	115
e Pice	ibid.
Sambucinum	ibid.
Saturninum	ibid.
Simplex	112
e Sulphure	116
Tetrapharmacum	113
Tripharmacum	116
Tutia	ibid.
ad Vesicatoria	ibid.
Viride	ibid.





